

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + rediced PON	O4: O3 + barrier
SR1	Avon Park	1/F	38.1	0	0	0	0	0
		2/F	40.9	0	0	0	0	0
		3/F	43.7	0	0	0	0	0
		4/F	46.5	0	0	0	0	0
		5/F	49.3	0	0	0	0	0
		6/F	52.1	0	0	0	0	0
		7/F	54.9	0	0	0	0	0
		8/F	57.7	0	0	0	0	0
		9/F	60.5	0	0	0	0	0
		10/F	63.3	0	0	0	0	0
		11/F	66.1	0	0	0	0	0
		12/F	68.9	0	0	0	0	0
		13/F	71.7	0	0	0	0	0
		14/F	74.5	0	0	0	0	0
		15/F	77.3	0	0	0	0	0
		16/F	80.1	0	0	0	0	0
		17/F	82.9	0	0	0	0	0
		18/F	85.7	0	0	0	0	0
		19/F	88.5	0	0	0	0	0
		20/F	91.3	0	0	0	0	0
		21/F	94.1	0	0	0	0	0
		22/F	96.9	0	0	0	0	0
		23/F	99.7	0	0	0	0	0
		24/F	102.5	0	0	0	0	0
		25/F	105.3	0	0	0	0	0
SR2	Fanling Government Secondary School	1/F	23	0	0	0	0	0
SR3	Dawning Views	1/F	32.5	0	0	0	0	0
		2/F	35.3	0	0	0	0	0
		3/F	38.1	0	0	0	0	0
		4/F	40.9	0	0	0	0	0
		5/F	43.7	0	0	0	0	0
		6/F	46.5	0	0	0	0	0
		7/F	49.3	0	0	0	0	0
		8/F	52.1	0	0	0	0	0
		9/F	54.9	0	0	0	0	0
		10/F	57.7	0	0	0	0	0
		11/F	60.5	0	0	0	0	0
		12/F	63.3	0	0	0	0	0
		13/F	66.1	0	0	0	0	0
		14/F	68.9	0	0	0	0	0
		15/F	71.7	0	0	0	0	0
		16/F	74.5	0	0	0	0	0
		17/F	77.3	0	0	0	0	0
		18/F	80.1	0	0	0	0	0
		19/F	82.9	0	0	0	0	0
		20/F	85.7	0	0	0	0	0
		21/F	88.5	0	0	0	0	0
		22/F	91.3	0	0	0	0	0
		23/F	94.1	0	0	0	0	0
		24/F	96.9	0	0	0	0	0
		25/F	99.7	0	0	0	0	0
		26/F	102.5	0	0	0	0	0
		27/F	105.3	0	0	0	0	0
		28/F	108.1	0	0	0	0	0
SR3A	Dawning Views 2	1/F	32.5	0	0	0	0	0
		2/F	35.3	0	0	0	0	0
		3/F	38.1	0	0	0	0	0
		4/F	40.9	0	0	0	0	0
		5/F	43.7	0	0	0	0	0
		6/F	46.5	0	0	0	0	0
		7/F	49.3	0	0	0	0	0
		8/F	52.1	0	0	0	0	0
		9/F	54.9	0	0	0	0	0
		10/F	57.7	0	0	0	0	0
		11/F	60.5	0	0	0	0	0
		12/F	63.3	0	0	0	0	0
		13/F	66.1	0	0	0	0	0
		14/F	68.9	0	0	0	0	0
		15/F	71.7	0	0	0	0	0
		16/F	74.5	0	0	0	0	0
		17/F	77.3	0	0	0	0	0
		18/F	80.1	0	0	0	0	0
		19/F	82.9	0	0	0	0	0
		20/F	85.7	0	0	0	0	0
		21/F	88.5	0	0	0	0	0
		22/F	91.3	0	0	0	0	0
		23/F	94.1	0	0	0	0	0
		24/F	96.9	0	0	0	0	0
		25/F	99.7	0	0	0	0	0
		26/F	102.5	0	0	0	0	0
		27/F	105.3	0	0	0	0	0
		28/F	108.1	0	0	0	0	0
SR7	Southwest Tong Hang	G/F	14.4	0	0	0	0	0
		1/F	17.1	0	0	0	0	0

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced pit no.	O3: O2 + reduced PON	O4: O3 + barrier	
SR8	Wo Hop Shek 1	G/F	15.5	0	0	0	0	0	
		1/F	18.2	0	0	0	0	0	
SR9	Wo Hop Shek 2	G/F	23.6	0	0	0	0	0	
		1/F	26.3	0	0	0	0	0	
SR10	Kau Lung Hang	G/F	17.2	20.4	20.4	20.4	20.4	20.4	
SR11	Kiu Tau	G/F	18.8	0	0	0	0	0	
		1/F	21.5	0	0	0	0	0	
SR12	Nam Wa Po	G/F	29.2	27.3	27.3	27.3	27.3	27.3	
		1/F	31.9	27.3	27.3	27.3	27.3	27.3	
SR13	West Tai Wo	G/F	25	30.9	30.9	30.9	30.9	30.9	
		1/F	27.7	30.9	30.9	30.9	30.9	30.9	
		2/F	30.4	30.9	30.9	30.9	30.9	30.9	
SR14	Tai Wo	G/F	27.7	8.5	8.5	8.5	8.5	8.5	
		1/F	30.4	8.5	8.5	8.5	8.5	8.5	
SR17A	Tai Hang 2	G/F	25.7	33.4	33.4	33.4	33.4	33.4	
		1/F	28.4	33.4	33.4	33.4	33.4	33.4	
		2/F	31.1	33.4	33.4	33.4	33.4	33.4	
SR17B	Tai Hang 3	G/F	25.7	0	0	0	0	0	
		1/F	28.4	0	0	0	0	0	
		2/F	31.1	0	0	0	0	0	
SR19	Hong Lok Yuen 1	G/F	32.9	55.7	50.2	50.2	50.2	50.2	
		1/F	35.6	56.8	50.9	50.9	50.9	50.9	
		2/F	38.3	57.6	51.5	51.5	51.5	51.5	
SR20	Hong Lok Yuen 2	G/F	32.9	55.8	50.5	50.5	50.5	50.5	
		1/F	35.6	57	51.3	51.3	51.3	51.3	
		2/F	38.3	57.7	51.8	51.8	51.8	51.8	
SR21	Hong Lok Yuen 3	G/F	33.9	52.9	46.6	46.6	46.6	46.6	
		1/F	36.6	53.5	47.1	47.1	47.1	47.1	
		2/F	39.3	54.1	47.6	47.6	47.6	47.6	
SR22	Wai Tau Tsuen 1	G/F	28.2	63.1	58.5	58.5	58.5	58.5	
		1/F	30.9	63.3	58.7	58.7	58.7	58.7	
SR23	Wai Tau Tsuen 2	G/F	28.7	69.3	66.3	66.3	66.3	66.3	
		1/F	31.4	70.2	66.8	66.8	66.8	66.8	
SR24	Kau Liu Ha 1	G/F	19.1	69	62.7	62.7	62.7	62.7	
		1/F	21.8	70.9	64.4	64.4	64.4	64.4	
		2/F	24.5	71.9	65.3	65.3	65.3	65.3	
SR25	Kau Liu Ha 2	G/F	19.1	69.2	62.9	62.9	62.9	62.9	
		1/F	21.8	71	64.5	64.5	64.5	64.5	
		2/F	24.5	72	65.4	65.4	65.4	65.4	
SR26	Tai Po Garden	G/F	13.8	57.7	55.4	55.4	55.3	56.7	
		1/F	16.6	58	55.5	55.5	55.5	56.9	
		2/F	19.4	57.9	55.6	55.6	55.6	57.2	
		3/F	22.2	57.9	55.2	55.2	55.2	57.2	
		4/F	25	58.3	55.5	55.5	55.4	57.6	
SR27	Mui Shu Hang	G/F	15.7	65.5	62	62	61	62.8	
		1/F	18.4	65.6	62	62	61.1	62.9	
SR28	Northwest Shek Kwu Lung	G/F	21.2	62.7	62.6	62.6	62.6	62.6	
		1/F	23.9	63.2	63.1	63.1	63	63	
SR29	Parc Versailles 1	G/F	11.5	57.1	55.5	55.5	55.4	56	
		1/F	14.3	57.6	55.8	55.8	55.7	56.4	
		2/F	17.1	58	56	56	55.9	56.7	
		3/F	19.9	58.1	56.2	56.2	56.1	56.8	
		4/F	22.7	57.8	56	55.9	55.8	56.8	
		5/F	25.5	58.4	56.4	56.4	56.2	57.1	
SR29A	Parc Versailles 2	G/F	11.5	57	54	54	53.7	53.6	
		1/F	14.3	57.4	54.2	54.2	53.9	53.8	
		2/F	17.1	58	54.6	54.6	54.2	54	
		3/F	19.9	58.5	55.1	55.1	54.6	54.4	
		4/F	22.7	59.2	55.6	55.6	55.1	54.8	
		5/F	25.5	59.8	56.2	56.2	55.8	55.2	
SR30A	Shek Kwu Lung 4	G/F	13.4	75	69.6	69.5	68.1	68.1	
		1/F	16.1	75.1	69.7	69.6	68.1	68.1	
		2/F	18.8	75.1	69.7	69.6	68.1	68.1	
SR30B	Shek Kwu Lung 5	G/F	17.2	72.1	67.4	67.4	65.9	65.9	
		1/F	20	72.3	67.5	67.5	66	66	
		2/F	22.8	72.5	67.7	67.7	66.2	66.2	
SR30C	Shek Kwu Lung 6	G/F	31.2	62.8	59.5	59.5	58.8	58.8	
		1/F	34	64.3	60.6	60.5	59.8	59.8	
		2/F	36.8	66.5	62.2	62.1	61.2	61.2	
SR31	Shek Kwu Lung 2	G/F	9.9	70.3	65	64.9	63.6	63.5	
		1/F	12.6	70.3	65	64.9	63.6	63.6	
		2/F	15.3	70.3	65	64.9	63.6	63.6	
SR33	Shek Kwu Lung 3	G/F	33.2	80.5	X	76.2	X	73.8	64.4
SR34	Pun Chun Yuen	G/F	58.8	70	66.2	66.2	65	65	
		1/F	61.5	71.1	67.1	67.1	66	66	
SR35	Buddhist Tai Kwong Middle School	1/F	37.3	72.8	69.4	69.4	67.7	62.4	
SR36	Ma Wo	G/F	43.2	76	X	68.3	67	67	
		1/F	45.9	76.2	X	68.6	67.3	67.2	
SR38	Dynasty View 1	1/F	37.7	65.4	56.8	56.7	56.3	56.3	
		2/F	40.5	68.4	X	60.8	60.5	60.5	
		3/F	43.3	70.7	X	63.2	63.1	62.9	
		4/F	46.1	72.4	64.6	64.4	64.2	64.2	
		5/F	48.9	74.6	66.5	66.2	66	66	
		6/F	51.7	76.1	X	67.8	67.6	67.3	

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		7/F	54.5	78.5	X	69.9	69.7	69.5
		8/F	57.3	78.6	X	69.9	69.7	69.5
SR39	The Paragon	1/F	37.3	70.5		66.6	64.3	63.7
		2/F	40.1	72.9		68.9	66.8	66.1
		3/F	42.9	74.4		70.2	68	67.4
		4/F	45.7	76	X	71.7	69.3	68.7
		5/F	48.5	76.7	X	72.3	69.9	69.3
		6/F	51.3	76.9	X	72.6	70.2	69.6
		7/F	54.1	77	X	72.6	70.3	69.7
		8/F	56.9	77.1	X	72.6	70.3	69.7
		9/F	59.7	77.1	X	72.6	70.3	69.7
SR40	Grand Palisades	1/F	59	70.9		67.8	65.4	64.6
		2/F	61.8	71.7		68.8	66.3	65.6
		3/F	64.6	72.1		69.2	66.7	66
		4/F	67.4	72.7		69.5	67.1	66.4
		5/F	70.2	73.1		69.8	67.2	66.7
		6/F	73	73.5		70	67.5	66.9
		7/F	75.8	73.7		70.2	67.6	67.1
		8/F	78.6	73.9		70.3	67.7	67.2
		9/F	81.4	74		70.4	67.8	67.3
		10/F	84.2	74.1		70.4	67.9	67.3
SR41	Wong Shiu Chi Middle School	1/F	6.4	74.2		69.6	67.2	66.2
		2/F	9.4	74.2		69.7	67.2	66.3
		3/F	12.4	74.3		69.8	67.4	66.4
		4/F	15.4	74.4		69.9	67.4	66.5
		5/F	18.4	74.4		69.9	67.5	66.5
SR42	Wan Tau Tong Estate - Wan Lam House 1	1/F	12.8	67.1		59.6	58.7	54.9
		2/F	15.6	67.6		60.6	59.4	56.2
		3/F	18.4	68.1		61.5	60.1	57.5
		4/F	21.2	68.8		62.4	60.8	58.6
		5/F	24	69.1		62.9	61.2	59.1
		6/F	26.8	69.2		63.1	61.4	59.5
		7/F	29.6	69.4		63.3	61.5	59.7
		8/F	32.4	69.4		63.6	61.6	60
		9/F	35.2	69.5		63.7	61.7	60.1
		10/F	38	69.5		63.9	61.9	60.4
		11/F	40.8	69.6		64.2	62.2	60.8
		12/F	43.6	69.7		64.5	62.6	61.1
		13/F	46.4	70		65.4	63.3	62
		14/F	49.2	70.3		65.8	63.9	62.1
		15/F	52	70.6		66.4	64.6	62.3
		16/F	54.8	70.8		66.8	65.1	62.6
		17/F	57.6	70.9		67	65.3	62.8
		18/F	60.4	71		67.1	65.3	63
		19/F	63.2	71		67.3	65.3	63.2
		20/F	66	71		67.3	65.4	63.3
		21/F	68.8	71		67.4	65.3	63.4
		22/F	71.6	71		67.4	65.4	63.6
		23/F	74.4	71		67.4	65.3	63.7
		24/F	77.2	71		67.4	65.3	63.8
		25/F	80	71		67.4	65.3	63.8
		26/F	82.8	71		67.5	65.3	63.9
		27/F	85.6	70.9		67.5	65.3	63.9
		28/F	88.4	70.9		67.5	65.3	64
		29/F	91.2	70.9		67.6	65.3	64
		30/F	94	70.9		67.6	65.2	64
		31/F	96.8	70.9		67.5	65.2	64
SR43	Wan Tau Tong Estate - Wan Lam House 2	1/F	12.8	75.9	X	67.8	67.8	67.1
		2/F	15.6	76	X	67.9	67.7	67.1
		3/F	18.4	75.9	X	67.8	67.6	67
		4/F	21.2	75.9	X	67.8	67.6	67
		5/F	24	75.9	X	67.9	67.6	67
		6/F	26.8	75.9	X	67.9	67.6	67
		7/F	29.6	75.9	X	67.9	67.6	67
		8/F	32.4	75.9	X	68	67.6	67
		9/F	35.2	75.9	X	68	67.6	67
		10/F	38	75.9	X	68.1	67.6	67
		11/F	40.8	75.9	X	68.2	67.6	67
		12/F	43.6	75.9	X	68.3	67.6	67
		13/F	46.4	75.8	X	68.4	67.5	66.9
		14/F	49.2	75.8	X	68.4	67.5	66.9
		15/F	52	75.8	X	68.5	67.5	66.9
		16/F	54.8	75.8	X	68.7	67.5	66.9
		17/F	57.6	75.8	X	69	67.5	66.9
		18/F	60.4	75.7	X	69	67.4	66.8
		19/F	63.2	75.7	X	69.2	67.4	66.8
		20/F	66	75.7	X	69.4	67.4	66.8
		21/F	68.8	75.7	X	69.5	67.4	66.8
		22/F	71.6	75.6	X	69.4	67.3	66.7
		23/F	74.4	75.6	X	69.5	67.3	66.7
		24/F	77.2	75.6	X	69.6	67.3	66.7
		25/F	80	75.5	X	69.5	67.2	66.6
		26/F	82.8	75.5	X	69.6	67.2	66.6
		27/F	85.6	75.5	X	69.6	67.2	66.6

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced pit no.	O3: O2 + reduced PON	O4: O3 + barrier			
		28/F	88.4	75.4	69.5	67.1	66.5	66.4			
		29/F	91.2	75.4	69.5	67.1	66.5	66.4			
		30/F	94	75.3	69.5	67	66.4	66.4			
		31/F	96.8	75.3	69.5	67	66.4	66.4			
SR44	Wan Tau Tong Estate - Wan Loi House	1/F	12.8	67.5	63.2	61	60.4	60.4			
		2/F	15.6	67.6	63.5	61.4	60.7	60.6			
		3/F	18.4	67.9	X	64	62.1	60.8			
		4/F	21.2	68.4	X	64.6	63	60.9			
		5/F	24	68.9	X	65.3	63.9	60.9			
		6/F	26.8	69.2	X	65.6	X	63.4	61.1		
		7/F	29.6	69.3	X	65.8	X	64.5	63.7	61.2	
		8/F	32.4	69.4	X	66	X	64.6	63.8	61.4	
		9/F	35.2	69.5	66	64.7	63.8	61.6			
		10/F	38	69.5	66.1	64.7	63.9	61.8			
		11/F	40.8	69.6	66.3	64.9	64.1	62.2			
		12/F	43.6	69.8	66.5	65	64.2	62.5			
		13/F	46.4	70	66.8	65.2	64.4	62.9			
		14/F	49.2	70.5	67.2	65.6	64.7	63.4			
		15/F	52	71	67.6	65.9	65.1	63.9			
		16/F	54.8	71.8	68.2	66.5	65.7	64.2			
		17/F	57.6	72.1	68.5	66.9	65.9	64.3			
		18/F	60.4	72.2	68.6	67	66.1	64.6			
		19/F	63.2	72.3	68.8	67.1	66.1	64.7			
		20/F	66	72.4	68.8	67.1	66.2	64.9			
		21/F	68.8	72.3	68.9	67.1	66.2	65.1			
		22/F	71.6	72.4	69	67.1	66.2	65.2			
		23/F	74.4	72.3	69	67.1	66.2	65.3			
		24/F	77.2	72.3	69	67.1	66.1	65.4			
		25/F	80	72.3	69.1	67.1	66.1	65.5			
		26/F	82.8	72.2	69.1	67	66.1	65.6			
		27/F	85.6	72.2	69.1	67	66.1	65.6			
		28/F	88.4	72.2	69.1	67	66	65.6			
		29/F	91.2	72.2	69.1	66.9	66	65.6			
		30/F	94	72.2	69	66.9	66	65.6			
		31/F	96.8	72.1	69	66.9	65.9	65.6			
SR45	HK Teacher's Association Secondary School	1/F	13.6	77.3	X	72.8	72.3	71.3	65.1		
		2/F	16.6	77.3	X	72.9	72.3	71.3	65.4		
		3/F	19.6	77.3	X	72.9	72.2	71.2	65.8		
		4/F	22.6	77.3	X	73	72.2	71.2	66.3		
		5/F	25.6	77.3	X	73.1	72.2	71.2	66.9		
		6/F	28.6	77.3	X	73.2	72.2	71.2	67.5		
SR46	Uptown Plaza	1/F	30.3	73.3	69.4	68.4	67.4	63.5			
		2/F	33.1	73.4	69.4	68.4	67.4	63.6			
		3/F	35.9	73.4	69.5	68.4	67.4	63.8			
		4/F	38.7	73.3	69.5	68.3	67.3	64			
		5/F	41.5	73.3	69.6	68.4	67.4	64.3			
		6/F	44.3	73.4	69.7	68.4	67.4	64.5			
		7/F	47.1	73.3	69.6	68.4	67.4	64.6			
		8/F	49.9	73.3	69.7	68.4	67.4	64.9			
		9/F	52.7	73.3	69.8	68.4	67.4	65			
		10/F	55.5	73.3	69.9	68.4	67.4	65.3			
		11/F	58.3	73.3	69.9	68.4	67.4	65.4			
		12/F	61.1	73.3	70	68.3	67.4	65.7			
		13/F	63.9	73.3	70.1	68.3	67.3	65.9			
		14/F	66.7	73.3	70.1	68.3	67.3	66.1			
		15/F	69.5	73.3	70.2	68.3	67.3	66.3			
		16/F	72.3	73.3	70.2	68.3	67.3	66.4			
		17/F	75.1	73.3	70.2	68.3	67.3	66.4			
		18/F	77.9	73.3	70.3	68.2	67.3	66.5			
		19/F	80.7	73.3	70.3	68.2	67.2	66.6			
		20/F	83.5	73.2	70.3	68.2	67.2	66.7			
		21/F	86.3	73.2	70.3	68.1	67.1	66.7			
		22/F	89.1	73.2	70.2	68.1	67.1	66.7			
		23/F	91.9	73.1	70.2	68	67	66.7			
		24/F	94.7	73.1	70.2	68	67	66.7			
		25/F	97.5	73.1	70.2	68	67	66.7			
		26/F	100.3	73	70.1	67.9	66.9	66.7			
SR47	Wang Fuk Court - Wang Cheong House 1	1/F	6.8	82	X	78.2	X	75.9	X	74	74
		2/F	9.6	82.4	X	78.5	X	76.3	X	74.4	74.4
		3/F	12.4	82.8	X	78.9	X	76.6	X	74.8	74.8
		4/F	15.2	82.8	X	78.9	X	76.6	X	74.8	74.8
		5/F	18	82.8	X	78.9	X	76.6	X	74.8	74.8
		6/F	20.8	82.8	X	78.9	X	76.6	X	74.9	74.9
		7/F	23.6	82.8	X	78.9	X	76.6	X	74.9	74.9
		8/F	26.4	82.8	X	78.9	X	76.6	X	74.9	74.9
		9/F	29.2	82.7	X	78.8	X	76.5	X	74.8	74.8
		10/F	32	82.6	X	78.8	X	76.4	X	74.8	74.8
		11/F	34.8	82.5	X	78.7	X	76.3	X	74.7	74.7
		12/F	37.6	82.5	X	78.6	X	76.2	X	74.6	74.6
		13/F	40.4	82.4	X	78.5	X	76.1	X	74.5	74.5
		14/F	43.2	82.2	X	78.4	X	76	X	74.4	74.4
		15/F	46	82.2	X	78.3	X	75.9	X	74.3	74.3
		16/F	48.8	82.1	X	78.2	X	75.8	X	74.2	74.2
		17/F	51.6	82	X	78.1	X	75.7	X	74.1	74.1

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plf no.	O3: O2 + reduced PON	O4: O3 + barrier
		18/F	54.4	81.8	X 77.9	X 75.5	X 74	74
		19/F	57.2	81.7	X 77.8	X 75.4	73.9	73.9
		20/F	60	81.6	X 77.7	X 75.3	73.8	73.8
		21/F	62.8	81.5	X 77.5	X 75.2	73.6	73.6
		22/F	65.6	81.4	X 77.5	X 75.2	73.6	73.6
		23/F	68.4	81.3	X 77.4	X 75.1	73.5	73.5
		24/F	71.2	81.2	X 77.2	X 74.9	73.3	73.3
		25/F	74	81.1	X 77.1	X 74.8	73.2	73.2
		26/F	76.8	80.9	X 77	X 74.7	73.1	73.1
		27/F	79.6	80.8	X 76.9	X 74.5	73	73
		28/F	82.4	80.7	X 76.8	X 74.4	72.9	72.9
		29/F	85.2	80.6	X 76.7	X 74.4	72.8	72.8
		30/F	88	80.5	X 76.6	X 74.2	72.7	72.7
		31/F	90.8	80.4	X 76.5	X 74.1	72.6	72.6
SR48	Wang Fuk Court – Wang Cheong House 2	1/F	6.8	77.1	X 73.6	71.6	69.2	69.2
		2/F	9.6	77.1	X 73.6	71.6	69.2	69.2
		3/F	12.4	77.1	X 73.6	71.6	69.2	69.2
		4/F	15.2	77.1	X 73.6	71.6	69.2	69.2
		5/F	18	77.1	X 73.6	71.6	69.2	69.2
		6/F	20.8	77.1	X 73.6	71.6	69.2	69.2
		7/F	23.6	77	X 73.5	71.5	69.1	69.1
		8/F	26.4	77	X 73.5	71.5	69.1	69.1
		9/F	29.2	76.9	X 73.4	71.4	69	69
		10/F	32	76.8	X 73.3	71.3	68.9	68.9
		11/F	34.8	76.7	X 73.2	71.2	68.8	68.8
		12/F	37.6	76.6	X 73.1	71.1	68.7	68.7
		13/F	40.4	76.5	X 73	71	68.6	68.6
		14/F	43.2	76.4	X 72.9	70.9	68.5	68.5
		15/F	46	76.2	X 72.7	70.7	68.3	68.3
		16/F	48.8	76.1	X 72.6	70.6	68.2	68.2
		17/F	51.6	75.9	X 72.4	70.4	68	68
		18/F	54.4	75.8	X 72.3	70.3	67.9	67.9
		19/F	57.2	75.6	X 72.1	70.1	67.7	67.7
		20/F	60	75.4	71.9	69.9	67.5	67.5
		21/F	62.8	75.2	71.7	69.7	67.3	67.3
		22/F	65.6	75.1	71.6	69.6	67.2	67.2
		23/F	68.4	74.9	71.4	69.4	67	67
		24/F	71.2	74.7	71.2	69.2	66.8	66.8
		25/F	74	74.5	71	69	66.6	66.6
		26/F	76.8	74.3	70.8	68.8	66.4	66.4
		27/F	79.6	74.2	70.7	68.7	66.3	66.3
		28/F	82.4	74	70.5	68.5	66.1	66.1
		29/F	85.2	73.8	70.3	68.3	65.9	65.9
		30/F	88	73.6	70.1	68.1	65.7	65.7
		31/F	90.8	73.4	69.9	67.9	65.5	65.5
SR49	Wang Fuk Court – Wang Cheong House 3	1/F	6.8	77.9	X 73.7	71.1	69.9	69.9
		2/F	9.6	78.9	X 74.6	72	70.9	70.9
		3/F	12.4	79.7	X 75.5	X 73	71.8	71.8
		4/F	15.2	79.8	X 75.6	X 73	71.9	71.9
		5/F	18	79.8	X 75.6	X 73.1	71.9	71.9
		6/F	20.8	79.8	X 75.6	X 73.1	71.9	71.9
		7/F	23.6	79.8	X 75.7	X 73.1	71.9	71.9
		8/F	26.4	79.8	X 75.7	X 73.1	71.9	71.9
		9/F	29.2	79.9	X 75.7	X 73.1	71.9	71.9
		10/F	32	79.8	X 75.6	X 73.1	71.9	71.9
		11/F	34.8	79.8	X 75.7	X 73.1	71.9	71.9
		12/F	37.6	79.8	X 75.6	X 73.1	71.9	71.9
		13/F	40.4	79.8	X 75.6	X 73	71.9	71.9
		14/F	43.2	79.7	X 75.6	X 73	71.8	71.8
		15/F	46	79.7	X 75.6	X 73	71.9	71.9
		16/F	48.8	79.7	X 75.5	X 73	71.8	71.8
		17/F	51.6	79.6	X 75.5	X 72.9	71.8	71.8
		18/F	54.4	79.6	X 75.5	X 72.9	71.7	71.7
		19/F	57.2	79.6	X 75.4	72.9	71.7	71.7
		20/F	60	79.5	X 75.4	72.8	71.7	71.7
		21/F	62.8	79.5	X 75.3	72.8	71.6	71.6
		22/F	65.6	79.4	X 75.3	72.7	71.6	71.6
		23/F	68.4	79.4	X 75.2	72.7	71.5	71.5
		24/F	71.2	79.3	X 75.2	72.6	71.5	71.5
		25/F	74	79.3	X 75.1	72.6	71.4	71.4
		26/F	76.8	79.2	X 75.1	72.5	71.4	71.4
		27/F	79.6	79.2	X 75	72.5	71.3	71.3
		28/F	82.4	79.1	X 75	72.4	71.3	71.3
		29/F	85.2	79.1	X 74.9	72.4	71.2	71.2
		30/F	88	79	X 74.9	72.3	71.2	71.2
		31/F	90.8	79	X 74.8	72.3	71.1	71.1
SR50	Wang Fuk Court – Wang Tat Hse	1/F	6.8	77.3	X 73.1	70.3	69.2	69.6
		2/F	9.6	78.6	X 74.1	71.5	70.5	70.5
		3/F	12.4	79.2	X 74.9	72.2	71.2	71.2
		4/F	15.2	79.2	X 74.9	72.3	71.2	71.2
		5/F	18	79.2	X 74.9	72.3	71.3	71.3
		6/F	20.8	79.2	X 74.9	72.3	71.3	71.3
		7/F	23.6	79.2	X 74.9	72.3	71.3	71.3
		8/F	26.4	79.2	X 74.9	72.3	71.4	71.4

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced pit no.	O3: O2 + rediced PON	O4: O3 + barrier
		9/F	29.2	79.2	X	74.9	72.3	71.3
		10/F	32	79.2	X	74.9	72.3	71.3
		11/F	34.8	79.1	X	74.9	72.3	71.3
		12/F	37.6	79.2	X	74.9	72.3	71.3
		13/F	40.4	79.2	X	74.9	72.3	71.3
		14/F	43.2	79.1	X	74.9	72.2	71.3
		15/F	46	79.1	X	74.9	72.2	71.3
		16/F	48.8	79.1	X	74.8	72.2	71.3
		17/F	51.6	79.1	X	74.9	72.2	71.3
		18/F	54.4	79	X	74.8	72.2	71.2
		19/F	57.2	79	X	74.8	72.2	71.2
		20/F	60	79	X	74.8	72.1	71.2
		21/F	62.8	79	X	74.7	72.1	71.2
		22/F	65.6	79	X	74.7	72.1	71.1
		23/F	68.4	78.9	X	74.7	72	71.1
		24/F	71.2	78.9	X	74.6	72	71
		25/F	74	78.8	X	74.6	72	71
		26/F	76.8	78.8	X	74.6	72	71
		27/F	79.6	78.8	X	74.5	71.9	70.9
		28/F	82.4	78.7	X	74.5	71.9	70.9
		29/F	85.2	78.7	X	74.4	71.8	70.9
		30/F	88	78.6	X	74.4	71.8	70.8
		31/F	90.8	78.6	X	74.4	71.8	70.8
SR51	Wang Fuk Court – Wang Shing House	1/F	6.8	0	0	0	0	0
		2/F	9.6	0	0	0	0	0
		3/F	12.4	0	0	0	0	0
		4/F	15.2	0	0	0	0	0
		5/F	18	0	0	0	0	0
		6/F	20.8	0	0	0	0	0
		7/F	23.6	0	0	0	0	0
		8/F	26.4	0	0	0	0	0
		9/F	29.2	0	0	0	0	0
		10/F	32	0	0	0	0	0
		11/F	34.8	0	0	0	0	0
		12/F	37.6	0	0	0	0	0
		13/F	40.4	0	0	0	0	0
		14/F	43.2	0	0	0	0	0
		15/F	46	0	0	0	0	0
		16/F	48.8	0	0	0	0	0
		17/F	51.6	0	0	0	0	0
		18/F	54.4	0	0	0	0	0
		19/F	57.2	0	0	0	0	0
		20/F	60	0	0	0	0	0
		21/F	62.8	0	0	0	0	0
		22/F	65.6	0	0	0	0	0
		23/F	68.4	0	0	0	0	0
		24/F	71.2	0	0	0	0	0
		25/F	74	0	0	0	0	0
		26/F	76.8	0	0	0	0	0
		27/F	79.6	0	0	0	0	0
		28/F	82.4	0	0	0	0	0
		29/F	85.2	0	0	0	0	0
		30/F	88	0	0	0	0	0
		31/F	90.8	0	0	0	0	0
SR52	Ha Wong Yi Au 1	G/F	29.2	80	X	74.9	72.2	71.7
		1/F	31.9	83.3	X	78.2	X 75.5	74.9
		2/F	34.6	83.4	X	78.3	X 75.6	75
SR53	Ha Wong Yi Au 2	G/F	11	70		66.5	64.1	62.7
		1/F	13.7	73.3		69.8	67.4	65.9
SR54	Riverrain Bayside	G/F	8.5	78.8	X	75.1	72.8	71.2
		1/F	11.3	80.1	X	76.5	X 74.2	72.6
		2/F	14.1	80.3	X	76.7	X 74.4	72.8
SR55	Dynasty View 2	1/F	37.7	75.7	X	66.8	66.8	66.5
		2/F	40.5	79.8	X	70.8	70.8	70.4
		3/F	43.3	80.8	X	71.8	71.8	71.4
		4/F	46.1	80.8	X	71.8	71.8	71.5
		5/F	48.9	80.8	X	71.9	71.9	71.6
		6/F	51.7	80.9	X	72	72	71.6
		7/F	54.5	80.9	X	72	72	71.6
		8/F	57.3	80.9	X	72	72	71.6
SR56	Monastery at Ma Wo	G/F	42.5	82	X	73	73	72.6
		1/F	45.2	82	X	73	73	72.6
SR57	King Nga Court – King Yuet House 1	1/F	14.6	83.7	X	75.4	75.2	74.6
		2/F	17.4	83.7	X	75.6	X 75.3	74.6
		3/F	20.2	83.7	X	75.6	X 75.3	74.7
		4/F	23	83.6	X	75.6	X 75.2	74.6
		5/F	25.8	83.6	X	75.6	X 75.2	74.6
		6/F	28.6	83.5	X	75.7	X 75.2	74.5
		7/F	31.4	83.5	X	75.7	X 75.2	74.6
		8/F	34.2	83.4	X	75.7	X 75.1	74.5
		9/F	37	83.4	X	75.8	X 75.1	74.5
		10/F	39.8	83.3	X	75.8	X 75	74.4
		11/F	42.6	83.2	X	75.9	X 74.9	74.3
		12/F	45.4	83.1	X	76	X 74.8	74.2

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier		
		13/F	48.2	83	X	76	X	74.7	74.1	70.4
		14/F	51	82.9	X	76.3	X	74.7	74	71.4
		15/F	53.8	82.8	X	76.5	X	74.6	73.9	72.1
		16/F	56.6	82.7	X	76.6	X	74.5	73.8	72.5
		17/F	59.4	82.7	X	76.6	X	74.4	73.8	72.8
		18/F	62.2	82.5	X	76.5	X	74.2	73.6	72.9
		19/F	65	82.4	X	76.5	X	74.1	73.5	73
		20/F	67.8	82.3	X	76.5	X	74	73.4	73.1
		21/F	70.6	82.2	X	76.5	X	73.9	73.3	73.1
		22/F	73.4	82	X	76.3	X	73.7	73.2	73
		23/F	76.2	81.9	X	76.2	X	73.6	73.1	72.9
		24/F	79	81.8	X	76.1	X	73.5	73	72.9
		25/F	81.8	81.6	X	76	X	73.4	72.8	72.7
		26/F	84.6	81.5	X	75.9	X	73.3	72.7	72.6
		27/F	87.4	81.4	X	75.9	X	73.2	72.6	72.6
		28/F	90.2	81.2	X	75.7	X	73.1	72.5	72.5
		29/F	93	81.1	X	75.6	X	73	72.4	72.4
		30/F	95.8	80.9	X	75.4		72.8	72.2	72.2
		31/F	98.6	80.8	X	75.3		72.7	72.1	72.1
		32/F	101.4	80.6	X	75.2		72.6	71.9	71.9
		33/F	104.2	80.5	X	75.1		72.5	71.8	71.8
		34/F	107	80.4	X	75		72.4	71.7	71.7
		35/F	109.8	80.2	X	74.8		72.2	71.5	71.5
		36/F	112.6	80.1	X	74.7		72.1	71.4	71.4
<hr/>										
SR58	King Nga Court – King Yuet House 2	1/F	14.6	85.9	X	77.6	X	77.4	X	65.5
		2/F	17.4	85.8	X	77.5	X	77.3	X	66
		3/F	20.2	85.8	X	77.7	X	77.4	X	66.7
		4/F	23	85.8	X	77.7	X	77.4	X	67.2
		5/F	25.8	85.7	X	77.7	X	77.3	X	67.7
		6/F	28.6	85.6	X	77.6	X	77.2	X	68.2
		7/F	31.4	85.5	X	77.6	X	77.1	X	68.8
		8/F	34.2	85.4	X	77.6	X	77	X	69.6
		9/F	37	85.3	X	77.7	X	76.9	X	70.5
		10/F	39.8	85.2	X	78	X	76.8	X	71.9
		11/F	42.6	85.1	X	78	X	76.8	X	72.2
		12/F	45.4	84.9	X	78.2	X	76.6	X	73.4
		13/F	48.2	84.8	X	78.4	X	76.5	X	74.1
		14/F	51	84.6	X	78.5	X	76.3	X	74.5
		15/F	53.8	84.5	X	78.5	X	76.2	X	74.7
		16/F	56.6	84.3	X	78.4	X	76	X	74.8
		17/F	59.4	84.2	X	78.3	X	75.8	X	74.8
		18/F	62.2	84.1	X	78.2	X	75.7	X	74.8
		19/F	65	83.9	X	78.1	X	75.5	X	74.7
		20/F	67.8	83.7	X	78	X	75.4		74.6
		21/F	70.6	83.5	X	77.8	X	75.2		74.5
		22/F	73.4	83.4	X	77.7	X	75.1		74.4
		23/F	76.2	83.2	X	77.6	X	74.9		74.3
		24/F	79	83	X	77.4	X	74.7		74.1
		25/F	81.8	82.8	X	77.2	X	74.5		73.9
		26/F	84.6	82.6	X	77	X	74.4		73.8
		27/F	87.4	82.4	X	76.8	X	74.2		73.6
		28/F	90.2	82.3	X	76.7	X	74.1		73.5
		29/F	93	82.1	X	76.6	X	73.9		73.4
		30/F	95.8	81.9	X	76.4	X	73.7		73.2
		31/F	98.6	81.8	X	76.2	X	73.6		73
		32/F	101.4	81.7	X	76.2	X	73.6		72.9
		33/F	104.2	81.5	X	76	X	73.4		72.7
		34/F	107	81.3	X	75.8	X	73.2		72.6
		35/F	109.8	81.1	X	75.6	X	73		72.4
		36/F	112.6	81	X	75.5	X	72.9		72.3
<hr/>										
SR59N	King Nga Court – King Yan House	1/F	14.6	86.7	X	78.3	X	78.2	X	65.2
		2/F	17.4	86.7	X	78.4	X	78.3	X	65.7
		3/F	20.2	86.6	X	78.4	X	78.2	X	66.3
		4/F	23	86.6	X	78.4	X	78.2	X	66.9
		5/F	25.8	86.5	X	78.4	X	78.1	X	67.6
		6/F	28.6	86.4	X	78.4	X	78	X	68.3
		7/F	31.4	86.4	X	78.4	X	77.9	X	69.2
		8/F	34.2	86.3	X	78.4	X	77.8	X	70.2
		9/F	37	86.1	X	78.4	X	77.6	X	71.4
		10/F	39.8	86	X	78.6	X	77.5	X	72.5
		11/F	42.6	85.8	X	78.8	X	77.3	X	73.6
		12/F	45.4	85.7	X	79	X	77.2	X	74.6
		13/F	48.2	85.5	X	79.1	X	77	X	75.1
		14/F	51	85.3	X	79.1	X	76.8	X	75.3
		15/F	53.8	85.1	X	79	X	76.6	X	75.4
		16/F	56.6	84.9	X	78.9	X	76.4	X	75.4
		17/F	59.4	84.8	X	78.8	X	76.3	X	75.4
		18/F	62.2	84.6	X	78.7	X	76.1	X	75.4
		19/F	65	84.4	X	78.6	X	76	X	75.3
		20/F	67.8	84.2	X	78.4	X	75.8	X	75.1
		21/F	70.6	84	X	78.3	X	75.6	X	75
		22/F	73.4	83.7	X	78	X	75.3		74.7
		23/F	76.2	83.5	X	77.8	X	75.1		74.5
		24/F	79	83.3	X	77.6	X	74.9		74.3

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced pit no.	O3: O2 + reduced PON	O4: O3 + barrier
		25/F	81.8	83.1	X 77.4	X 74.7	74.1	74.1
		26/F	84.6	82.9	X 77.2	X 74.5	73.9	73.9
		27/F	87.4	82.7	X 77	X 74.3	73.7	73.7
		28/F	90.2	82.6	X 76.9	X 74.2	73.6	73.6
		29/F	93	82.4	X 76.7	X 74.1	73.5	73.4
		30/F	95.8	82.2	X 76.6	X 73.9	73.3	73.3
		31/F	98.6	82	X 76.4	X 73.7	73.2	73.2
		32/F	101.4	81.9	X 76.2	X 73.5	73	73
		33/F	104.2	81.7	X 76	X 73.3	72.8	72.8
		34/F	107	81.5	X 75.8	X 73.1	72.6	72.6
		35/F	109.8	81.3	X 75.6	X 73	72.4	72.4
		36/F	112.6	81.2	X 75.5	X 72.9	72.3	72.3
SR60	Tak Nga Court 1	1/F	16.3	68.3	66.2	64.2	63.1	63.1
		2/F	19.1	68.4	66.3	64.3	63.3	63.3
		3/F	21.9	68.4	66.4	64.4	63.3	63.3
		4/F	24.7	68.4	66.6	64.5	63.5	63.5
		5/F	27.5	68.6	66.8	64.8	63.7	63.7
		6/F	30.3	68.8	67	64.9	64	64
		7/F	33.1	68.8	67.2	65	64.1	64.1
		8/F	35.9	68.9	67.3	65.1	64.2	64.2
		9/F	38.7	69	67.4	65.2	64.3	64.3
		10/F	41.5	69	67.4	65.2	64.3	64.3
		11/F	44.3	69	67.4	65.3	64.4	64.4
		12/F	47.1	69	67.4	65.3	64.4	64.4
		13/F	49.9	69	67.4	65.3	64.4	64.4
		14/F	52.7	69	67.4	65.3	64.4	64.4
		15/F	55.5	69	67.4	65.3	64.4	64.4
		16/F	58.3	69	67.4	65.2	64.4	64.4
		17/F	61.1	69	67.4	65.2	64.4	64.4
		18/F	63.9	68.9	67.3	65.2	64.3	64.3
		19/F	66.7	68.9	67.3	65.2	64.3	64.3
		20/F	69.5	68.9	67.3	65.1	64.3	64.3
		21/F	72.3	68.9	67.3	65.1	64.3	64.3
		22/F	75.1	68.8	67.2	65.1	64.2	64.2
		23/F	77.9	68.8	67.2	65.1	64.2	64.2
		24/F	80.7	68.8	67.2	65	64.1	64.1
		25/F	83.5	68.7	67.2	65	64.1	64.1
		26/F	86.3	68.7	67.2	65	64.1	64.1
		27/F	89.1	68.6	67.1	64.9	64	64
		28/F	91.9	68.6	67.1	64.9	64	64
		29/F	94.7	68.6	67	64.8	64	64
		30/F	97.5	68.5	67	64.8	63.9	63.9
		31/F	100.3	68.5	66.9	64.7	63.9	63.9
		32/F	103.1	68.4	66.9	64.7	63.8	63.8
		33/F	105.9	68.4	66.8	64.6	63.8	63.8
		34/F	108.7	68.4	66.8	64.6	63.7	63.7
SR61	Tak Nga Court 2	1/F	16.3	68.5	66.3	64.2	63	63
		2/F	19.1	68.6	66.5	64.4	63.3	63.3
		3/F	21.9	68.6	66.5	64.4	63.3	63.3
		4/F	24.7	68.8	66.7	64.6	63.5	63.5
		5/F	27.5	68.9	67	64.8	63.7	63.7
		6/F	30.3	69	67.2	64.9	64	64
		7/F	33.1	69.1	67.3	65.1	64.1	64.1
		8/F	35.9	69.2	67.4	65.1	64.2	64.2
		9/F	38.7	69.2	67.5	65.2	64.3	64.3
		10/F	41.5	69.2	67.5	65.3	64.4	64.4
		11/F	44.3	69.3	67.5	65.3	64.4	64.4
		12/F	47.1	69.4	67.6	65.3	64.4	64.4
		13/F	49.9	69.4	67.6	65.3	64.4	64.4
		14/F	52.7	69.3	67.6	65.3	64.4	64.4
		15/F	55.5	69.4	67.6	65.4	64.4	64.4
		16/F	58.3	69.4	X 67.6	X 65.4	64.4	64.4
		17/F	61.1	69.4	X 67.5	X 65.3	64.4	64.4
		18/F	63.9	69.5	X 67.5	X 65.3	64.4	64.4
		19/F	66.7	69.4	X 67.5	X 65.3	64.4	64.4
		20/F	69.5	69.5	X 67.5	X 65.3	64.4	64.4
		21/F	72.3	69.7	X 67.5	X 65.3	64.4	64.4
		22/F	75.1	69.6	67.5	65.3	64.4	64.4
		23/F	77.9	69.7	67.5	65.3	64.5	64.5
		24/F	80.7	69.8	67.5	65.4	64.5	64.5
		25/F	83.5	69.9	67.5	65.4	64.5	64.5
		26/F	86.3	70	67.5	65.4	64.5	64.5
		27/F	89.1	70.1	67.5	65.4	64.5	64.5
		30/F	97.5	70.2	67.5	65.5	64.6	64.6
		31/F	100.3	70.2	67.4	65.4	64.5	64.5
		32/F	103.1	70.2	67.4	65.4	64.5	64.5
		33/F	105.9	70.3	67.3	65.4	64.5	64.5
		34/F	108.7	70.3	67.3	65.3	64.5	64.5
SR62	Ha Wun Yiu	G/F	29.6	75.6	X 72.3	70.4	69.4	68.9
		1/F	32.3	75.6	X 72.3	70.3	69.4	68.9
SR63	Lai Chi Shan	G/F	22.4	71.5	69.8	67.6	66.6	66.6
		1/F	25.1	72.9	71.2	68.9	68	68
SR64	Shan Tong New Village 1	G/F	44.3	70.8	66.6	64.9	64.5	64.5
		1/F	47	71.8	67.8	66	65.6	65.6

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
SR65	Shan Tong New Village 2	2/F	49.7	73.3	69.2	67.3	66.8	66.8
		G/F	41.8	68	64.2	62.9	62.6	62.6
		1/F	44.5	68.5	64.7	63.2	63	63
		2/F	47.2	69.4	65.5	63.9	63.5	63.5
SR66	P.L.K. Tin Ka Ping Primary School NOT NAP	1/F	14.6	81	X 72.9	72.6	72.1	61.9
		2/F	17.6	80.9	X 72.8	72.5	72	62.1
		3/F	20.6	80.9	X 72.8	72.5	72	62.4
		4/F	23.6	80.9	X 72.8	72.5	72	62.7
		5/F	26.6	80.9	X 72.9	72.5	72	63
		6/F	29.6	80.9	X 72.9	72.5	72	63.4
SR67	Redland Garden	1/F	29.4	68.9	65.5	63.2	61.6	61.6
		2/F	32.2	69.1	65.7	63.4	61.8	61.8
		3/F	35	69.1	65.7	63.4	61.8	61.8
		4/F	37.8	69.1	65.8	63.4	61.8	61.8
		5/F	40.6	69.2	65.8	63.5	61.9	61.9
		6/F	43.4	69.2	65.8	63.5	61.9	61.9
SR70	Kwong Fuk Estate - Kwong Lai House	1/F	9.7	71.7	68.3	65.7	64.4	64.4
		2/F	12.5	72	68.5	66.1	64.6	64.6
		3/F	15.3	72.2	68.8	66.4	64.9	64.9
		4/F	18.1	72.5	69	66.6	65.1	65.1
		5/F	20.9	72.6	69.1	66.8	65.3	65.2
		6/F	23.7	72.8	69.3	67	65.4	65.4
		7/F	26.5	72.9	69.4	67.1	65.5	65.5
		8/F	29.3	73	69.5	67.2	65.6	65.6
		9/F	32.1	73.1	69.6	67.3	65.7	65.6
		10/F	34.9	73.1	69.6	67.3	65.7	65.7
		11/F	37.7	73.1	69.6	67.4	65.8	65.7
		12/F	40.5	73.2	69.7	67.4	65.8	65.8
		13/F	43.3	73.2	69.7	67.4	65.8	65.8
		14/F	46.1	73.3	69.8	67.5	65.9	65.9
		15/F	48.9	73.3	69.8	67.5	65.9	65.9
		16/F	51.7	73.3	69.8	67.5	65.9	65.9
		17/F	54.5	73.3	69.8	67.5	65.9	65.9
		18/F	57.3	73.3	69.8	67.5	65.9	65.9
		19/F	60.1	73.3	69.8	67.5	65.9	65.9
		20/F	62.9	73.3	69.8	67.5	65.9	65.9
		21/F	65.7	73.2	69.8	67.5	65.9	65.9
		22/F	68.5	73.2	69.8	67.5	65.9	65.9
		23/F	71.3	73.2	69.8	67.5	65.9	65.9
SR73	Island House Conservation Studies Centre	G/F	17.2	76.5	X 73	70.6	69.1	69.1
		1/F	20.2	76.7	X 73.1	70.7	69.2	69.2
SR75	Wong Kong Shan	G/F	15.7	0	0	0	0	0
		1/F	18.4	0	0	0	0	0
SR76	Yuen Leng 1	G/F	22	0	0	0	0	0
		1/F	24.7	0	0	0	0	0
		2/F	27.4	0	0	0	0	0
SR77	Yuen Leng 2	G/F	23.9	0	0	0	0	0
		1/F	26.6	0	0	0	0	0
		2/F	29.3	0	0	0	0	0
SR78	Dynasty View 3	1/F	33.7	68.4	60.1	60.1	59.6	59.6
		2/F	36.5	72.3	63.5	63.5	63.1	63.1
		3/F	39.3	75.7	X 66.8	66.8	66.4	66.4
		4/F	42.1	76.8	X 67.8	67.8	67.4	67.4
		5/F	44.9	76.8	X 67.8	67.8	67.5	67.5
		6/F	47.7	76.8	X 68	68	67.5	67.5
		7/F	50.5	77	X 68.1	68.1	67.7	67.7
		8/F	53.3	77	X 68.3	68.3	67.9	67.9
SR79	Care Village	G/F	5.6	75.7	X 72	69.7	68.2	68.2
		1/F	8.3	81.1	X 77.8	X 75.6	X 73.9	73.9
		2/F	11	82	X 78.8	X 76.6	X 74.9	74.9
SR80	Wai Tau Tsuen 3	G/F	26.2	56	50.7	50.7	50.7	50.7
		1/F	28.9	57.4	51.6	51.6	51.6	51.6
		2/F	31.6	58.3	52.1	52.1	52.1	52.1
SR81	Wai Tau Tsuen 4	G/F	25.2	38.8	38.8	38.8	38.8	38.8
		1/F	27.9	39	39	39	39	39
		2/F	30.6	39.3	39.3	39.3	39.3	39.3
SR82N	Tai Hang 5	G/F	24.2	39.7	39.7	39.7	39.7	39.7
		1/F	26.9	39.7	39.7	39.7	39.7	39.7
		2/F	29.6	39.7	39.7	39.7	39.7	39.7
SR83	Yuen Leng 3	G/F	19.2	0	0	0	0	0
		1/F	21.9	0	0	0	0	0
		2/F	24.6	0	0	0	0	0
SR84	Nam Wa Po 2	G/F	19.7	33.7	33.7	33.7	33.7	33.7
		1/F	22.4	33.7	33.7	33.7	33.7	33.7
		2/F	25.1	33.7	33.7	33.7	33.7	33.7
SR85	Nam Wa Po 3	G/F	23.1	25.4	25.4	25.4	25.4	25.4
		1/F	25.8	25.4	25.4	25.4	25.4	25.4
		2/F	28.5	25.4	25.4	25.4	25.4	25.4
SR86	Tong Hang	G/F	18.4	30.1	30.1	30.1	30.1	30.1
		1/F	21.1	30.1	30.1	30.1	30.1	30.1
		2/F	23.8	30.1	30.1	30.1	30.1	30.1
SR87	Tai Wo 2	G/F	26.1	25.6	25.6	25.6	25.6	25.6
		1/F	28.8	25.6	25.6	25.6	25.6	25.6
		2/F	31.5	25.6	25.6	25.6	25.6	25.6

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
SR88	Wai Tau Tsuen 5	G/F	28.8	56.5	54.5	54.5	54.5	54.5
		1/F	31.5	56.8	54.6	54.6	54.6	54.6
		2/F	34.2	57.1	54.7	54.7	54.7	54.7
SR89	Wai Tau Tsuen 6	G/F	29.3	53.7	51.8	51.8	51.8	51.8
		1/F	32	54.1	51.9	51.9	51.9	51.9
		2/F	34.7	54.5	52.1	52.1	52.1	52.1
SR90	Wai Tau Tsuen 7	G/F	26.9	58.6	53.5	53.5	53.5	53.5
		2/F	32.3	59	53.8	53.8	53.8	53.8
SR93	SKH Mok Sau Tsang Secondary School NOT NAP	1/F	25.6	64.6	61.8	61.1	60	55.8
		2/F	28.6	65.5	62.4	61.6	60.5	56.9
		3/F	31.6	67.3	63.8	62.6	61.5	58.9
		4/F	34.6	69.4	65.6	63.9	62.9	61.2
		5/F	37.6	70.8	66.7	64.8	63.9	62.6
		6/F	40.6	71.3	67.1	65.2	64.2	63.1
SR94	Choi Hin To Primary School	1/F	15.5	55.6	53.2	53	52.9	52.9
		2/F	18.5	55.7	53.3	53	53	53
		3/F	21.5	55.7	53.1	52.9	52.8	52.8
		4/F	24.5	55.8	53.2	52.9	52.9	52.9
		5/F	27.5	56.1	53.3	53.1	53	53
SR95B	Tai Po Normal School Memorial School 2	G/F	16.6	65.9	61.1	61	60.4	59.2
SR100	KCRC Staff Quarters	G/F	10.2	65.7	61.7	59.3	57.9	57.9
		1/F	13.2	67.6	63.9	61.5	60	60
		2/F	16.2	68	64.3	62	60.5	60.5
		3/F	19.2	68.2	64.5	62.2	60.7	60.7
		4/F	22.2	68.3	64.6	62.3	60.8	60.8
		5/F	25.2	68.5	64.7	62.3	60.9	60.9
SR101	Chateau Royale	G/F	20.2	74.4	70.8	68.5	67	67
		1/F	23	74.6	71.1	68.7	67.2	67.2
		2/F	25.8	74.9	71.4	69.1	67.5	67.5
SR103	Classical Garden	1/F	27.2	56.3	50.1	49.3	49.1	48.7
		2/F	30	56.6	50.5	49.6	49.4	49.1
		3/F	32.8	57	51	50	49.8	49.7
		4/F	35.6	57.3	51.1	50	49.8	49.9
		5/F	38.4	57.6	51.5	50.3	50.1	50.4
		6/F	41.2	58.1	52	50.7	50.5	51
		7/F	44	58.6	52.6	51.1	50.9	51.6
		8/F	46.8	59.2	53.4	51.7	51.4	52.6
SR104	Village House opposite to Dynasty View	G/F	81.2	82.1	X 73.1	73.1	72.7	72.7
SR105	Village House 2 opposite to Dynasty View	G/F	79.4	71.9	63.6	62.9	62.7	62.7
SR106	Shek Kwu Lung 7	G/F	39.2	73.9	68.6	68.5	67.2	67.4
SR107	Village House at Hong Lok Yuen	G/F	27.1	52.1	44.4	44.4	44.4	44.4
		1/F	29.8	54.1	46.3	46.3	46.3	46.3
SR108	Wai Tau Tsuen 5	G/F	25.7	50	46	46	46	46
		1/F	28.4	50	46	46	46	46
		2/F	31.1	50	45.9	45.9	45.9	45.9
SR109	Notional Point between SR13 & SR85	G/F	22.5	35	35	35	35	35

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
SR1	Avon Park	1/F	38.1	0	0	0	0	0
		2/F	40.9	0	0	0	0	0
		3/F	43.7	0	0	0	0	0
		4/F	46.5	0	0	0	0	0
		5/F	49.3	0	0	0	0	0
		6/F	52.1	0	0	0	0	0
		7/F	54.9	0	0	0	0	0
		8/F	57.7	0	0	0	0	0
		9/F	60.5	0	0	0	0	0
		10/F	63.3	0	0	0	0	0
		11/F	66.1	0	0	0	0	0
		12/F	68.9	0	0	0	0	0
		13/F	71.7	0	0	0	0	0
		14/F	74.5	0	0	0	0	0
		15/F	77.3	0	0	0	0	0
		16/F	80.1	0	0	0	0	0
		17/F	82.9	0	0	0	0	0
		18/F	85.7	0	0	0	0	0
		19/F	88.5	0	0	0	0	0
		20/F	91.3	0	0	0	0	0
		21/F	94.1	0	0	0	0	0
		22/F	96.9	0	0	0	0	0
		23/F	99.7	0	0	0	0	0
		24/F	102.5	0	0	0	0	0
		25/F	105.3	0	0	0	0	0
SR2	Fanling Government Secondary School	1/F	23	0	0	0	0	0
SR3	Dawning Views	1/F	32.5	0	0	0	0	0
		2/F	35.3	0	0	0	0	0
		3/F	38.1	0	0	0	0	0
		4/F	40.9	0	0	0	0	0
		5/F	43.7	0	0	0	0	0
		6/F	46.5	0	0	0	0	0
		7/F	49.3	0	0	0	0	0
		8/F	52.1	0	0	0	0	0
		9/F	54.9	0	0	0	0	0
		10/F	57.7	0	0	0	0	0
		11/F	60.5	0	0	0	0	0
		12/F	63.3	0	0	0	0	0
		13/F	66.1	0	0	0	0	0
		14/F	68.9	0	0	0	0	0
		15/F	71.7	0	0	0	0	0
		16/F	74.5	0	0	0	0	0
		17/F	77.3	0	0	0	0	0
		18/F	80.1	0	0	0	0	0
		19/F	82.9	0	0	0	0	0
		20/F	85.7	0	0	0	0	0
		21/F	88.5	0	0	0	0	0
		22/F	91.3	0	0	0	0	0
		23/F	94.1	0	0	0	0	0
		24/F	96.9	0	0	0	0	0
		25/F	99.7	0	0	0	0	0
		26/F	102.5	0	0	0	0	0
		27/F	105.3	0	0	0	0	0
		28/F	108.1	0	0	0	0	0
SR3A	Dawning Views 2	1/F	32.5	0	0	0	0	0
		2/F	35.3	0	0	0	0	0
		3/F	38.1	0	0	0	0	0
		4/F	40.9	0	0	0	0	0
		5/F	43.7	0	0	0	0	0
		6/F	46.5	0	0	0	0	0
		7/F	49.3	0	0	0	0	0
		8/F	52.1	0	0	0	0	0
		9/F	54.9	0	0	0	0	0
		10/F	57.7	0	0	0	0	0
		11/F	60.5	0	0	0	0	0
		12/F	63.3	0	0	0	0	0
		13/F	66.1	0	0	0	0	0
		14/F	68.9	0	0	0	0	0
		15/F	71.7	0	0	0	0	0
		16/F	74.5	0	0	0	0	0
		17/F	77.3	0	0	0	0	0
		18/F	80.1	0	0	0	0	0
		19/F	82.9	0	0	0	0	0
		20/F	85.7	0	0	0	0	0
		21/F	88.5	0	0	0	0	0
		22/F	91.3	0	0	0	0	0
		23/F	94.1	0	0	0	0	0
		24/F	96.9	0	0	0	0	0
		25/F	99.7	0	0	0	0	0
		26/F	102.5	0	0	0	0	0
		27/F	105.3	0	0	0	0	0
		28/F	108.1	0	0	0	0	0
SR7	Southwest Tong Hang	G/F	14.4	0	0	0	0	0
		1/F	17.1	0	0	0	0	0

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced p/f no.	O3: O2 + reduced PON	O4: O3 + barrier
SR8	Wo Hop Shek 1	G/F	15.5	0	0	0	0	0
		1/F	18.2	0	0	0	0	0
SR9	Wo Hop Shek 2	G/F	23.6	0	0	0	0	0
		1/F	26.3	0	0	0	0	0
SR10	Kau Lung Hang	G/F	17.2	20.4	20.4	20.4	20.4	20.4
SR11	Kiu Tau	G/F	18.8	0	0	0	0	0
		1/F	21.5	0	0	0	0	0
SR12	Nam Wa Po	G/F	29.2	27.3	27.3	27.3	27.3	27.3
		1/F	31.9	27.3	27.3	27.3	27.3	27.3
SR13	West Tai Wo	G/F	25	30.9	30.9	30.9	30.9	30.9
		1/F	27.7	30.9	30.9	30.9	30.9	30.9
		2/F	30.4	30.9	30.9	30.9	30.9	30.9
SR14	Tai Wo	G/F	27.7	0	0	0	0	0
		1/F	30.4	0	0	0	0	0
SR17A	Tai Hang 2	G/F	25.7	33.4	33.4	33.4	33.4	33.4
		1/F	28.4	33.4	33.4	33.4	33.4	33.4
		2/F	31.1	33.4	33.4	33.4	33.4	33.4
SR17B	Tai Hang 3	G/F	25.7	0	0	0	0	0
		1/F	28.4	0	0	0	0	0
		2/F	31.1	0	0	0	0	0
SR19	Hong Lok Yuen 1	G/F	32.9	57.6	51.3	50.2	50.2	50.2
		1/F	35.6	59	52.3	50.9	50.9	50.9
		2/F	38.3	59.8	52.9	51.5	51.5	51.5
SR20	Hong Lok Yuen 2	G/F	32.9	57.8	51.6	50.5	50.5	50.5
		1/F	35.6	59.2	52.6	51.3	51.3	51.3
		2/F	38.3	59.9	53.2	51.8	51.8	51.8
SR21	Hong Lok Yuen 3	G/F	33.9	55.5	48.4	46.6	46.6	46.6
		1/F	36.6	56.6	49.3	47.1	47.1	47.1
		2/F	39.3	57.4	49.9	47.6	47.6	47.6
SR22	Wai Tau Tsuen 1	G/F	28.2	67.5	60.5	58.5	58.5	58.5
		1/F	30.9	68.4	60.5	58.7	58.7	58.7
SR23	Wai Tau Tsuen 2	G/F	28.7	71.4	66.9	66.3	66.3	66.3
		1/F	31.4	72.7	67.6	66.8	66.8	66.8
SR24	Kau Liu Ha 1	G/F	19.1	71	64.2	62.7	62.7	62.7
		1/F	21.8	73	66	64.4	64.4	64.4
		2/F	24.5	74	67	65.3	65.3	65.3
SR25	Kau Liu Ha 2	G/F	19.1	71.1	64.3	62.9	62.9	62.9
		1/F	21.8	73.1	66.2	64.5	64.5	64.5
		2/F	24.5	74.1	67.1	65.4	65.4	65.4
SR26	Tai Po Garden	G/F	13.8	61.6	55.8	55.4	55.3	56.7
		1/F	16.6	61.9	56	55.6	55.5	56.9
		2/F	19.4	62.1	56.2	55.8	55.6	57.2
		3/F	22.2	62.2	55.9	55.5	55.2	57.2
		4/F	25	62.6	56.2	55.7	55.5	57.6
SR27	Mui Shu Hang	G/F	15.7	65.8	62.4	62.4	61.2	62.6
		1/F	18.4	65.9	62.5	62.5	61.3	62.7
SR28	Northwest Shek Kwu Lung	G/F	21.2	62.8	62.6	62.6	62.6	62.6
		1/F	23.9	63.2	63.1	63.1	63	63
SR29	Parc Versailles 1	G/F	11.5	61	56	55.8	55.5	56.1
		1/F	14.3	62.3	56.4	56.1	55.8	56.7
		2/F	17.1	62.8	56.7	56.3	56	57
		3/F	19.9	63.2	57	56.6	56.3	57.3
		4/F	22.7	63.5	56.9	56.6	56.1	57.2
		5/F	25.5	64	57.5	57	56.6	57.5
SR29A	Parc Versailles 2	G/F	11.5	57.1	54.1	54.1	53.7	53.5
		1/F	14.3	57.6	54.4	54.4	53.9	53.7
		2/F	17.1	58.3	55	54.9	54.3	54
		3/F	19.9	59.1	55.5	55.4	54.8	54.3
		4/F	22.7	60.1	56.2	56.1	55.3	54.5
		5/F	25.5	61.1	56.9	56.8	56	54.8
SR30A	Shek Kwu Lung 4	G/F	13.4	75	69.6	69.4	67.7	67.7
		1/F	16.1	75.1	69.6	69.5	67.7	67.7
		2/F	18.8	75.1	69.6	69.5	67.7	67.7
SR30B	Shek Kwu Lung 5	G/F	17.2	72.2	68.1	68	66.2	66.2
		1/F	20	72.3	68.1	68.1	66.3	66.3
		2/F	22.8	72.6	68.3	68.3	66.5	66.4
SR30C	Shek Kwu Lung 6	G/F	31.2	63.2	59.8	59.7	58.8	58.8
		1/F	34	64.6	60.8	60.7	59.7	59.7
		2/F	36.8	66.7	62.4	62.3	61.1	61
SR31	Shek Kwu Lung 2	G/F	9.9	70.4	65.1	64.9	63.3	63.2
		1/F	12.6	70.4	65.1	65	63.3	63.2
		2/F	15.3	70.5	65.1	65	63.3	63.2
SR33	Shek Kwu Lung 3	G/F	33.2	82.4	X	72.5	71.9	72.1
SR34	Pun Chun Yuen	G/F	58.8	73.8	68.6	68.3	67.1	67.1
		1/F	61.5	74.9	69.7	69.5	68.2	68.2
SR35	Buddhist Tai Kwong Middle School	1/F	37.3	76.9	X	70.4	X	69.1
SR36	Ma Wo	G/F	43.2	75.8	X	68.1	66.8	66.7
		1/F	45.9	76	X	68.3	67	66.7
SR38	Dynasty View 1	1/F	37.7	65.2	56.6	56.5	56.2	56.2
		2/F	40.5	67.2	59.6	59.4	59.2	59.2
		3/F	43.3	69.1	61.6	61.4	61.2	61.2
		4/F	46.1	71.1	63.4	63.1	62.8	62.8
		5/F	48.9	73.8	65.6	65.3	65	65.1
		6/F	51.7	75.6	X	67.2	66.9	66.5

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		7/F	54.5	78.2	X	69.6	69.3	69
		8/F	57.3	78.3	X	69.6	69.3	69
SR39	The Paragon	1/F	37.3	69.4		64.5	64.5	63.3
		2/F	40.1	71.6		66.9	66.9	65.8
		3/F	42.9	72.8		68.2	68.1	66.9
		4/F	45.7	74.2		69.5	69.4	68.2
		5/F	48.5	74.9		70.1	70	68.8
		6/F	51.3	75.1		70.3	70.2	69
		7/F	54.1	75.2		70.4	70.3	69
		8/F	56.9	75.2		70.4	70.3	69
		9/F	59.7	75.2		70.3	70.3	69
SR40	Grand Palisades	1/F	59	70.3		65.2	65.1	63.9
		2/F	61.8	71.7		66.7	66.6	65.2
		3/F	64.6	72.2		67	66.9	65.6
		4/F	67.4	72.4		67.2	67.1	65.8
		5/F	70.2	72.6		67.3	67.2	66
		6/F	73	72.8		67.4	67.4	66.1
		7/F	75.8	72.9		67.6	67.5	66.2
		8/F	78.6	73		67.7	67.6	66.2
		9/F	81.4	73.1		67.7	67.6	66.3
		10/F	84.2	73.1		67.8	67.7	66.3
SR41	Wong Shiu Chi Middle School	1/F	6.4	72.6	X	67.3	X	65.8
		2/F	9.4	72.6	X	67.3	X	65.8
		3/F	12.4	72.7	X	67.3	X	65.8
		4/F	15.4	72.7	X	67.4	X	65.9
		5/F	18.4	72.7	X	67.4	X	65.9
SR42	Wan Tau Tong Estate - Wan Lam House 1	1/F	12.8	68.9		62.4	62.4	60.9
		2/F	15.6	69.1		62.7	62.6	61.1
		3/F	18.4	69.3		62.9	62.9	61.5
		4/F	21.2	69.6		63.3	63.3	61.9
		5/F	24	69.6		63.4	63.4	61.9
		6/F	26.8	69.7		63.5	63.5	62
		7/F	29.6	69.8		63.7	63.6	62.1
		8/F	32.4	69.9		63.7	63.7	62.2
		9/F	35.2	70		63.8	63.8	62.3
		10/F	38	70.1		64	63.9	62.5
		11/F	40.8	70.2		64.1	64.1	62.7
		12/F	43.6	70.4		64.5	64.4	63.1
		13/F	46.4	71		65.2	65.2	63.7
		14/F	49.2	71.6		65.8	65.7	64.3
		15/F	52	72.2		66.6	66.5	65.1
		16/F	54.8	72.6		66.9	66.8	65.4
		17/F	57.6	72.8		67.1	67	65.7
		18/F	60.4	72.8		67.2	67.1	65.7
		19/F	63.2	72.9		67.2	67.1	65.8
		20/F	66	72.9		67.3	67.2	65.8
		21/F	68.8	72.8		67.2	67.1	65.8
		22/F	71.6	72.8		67.2	67.1	65.8
		23/F	74.4	72.8		67.2	67.1	65.7
		24/F	77.2	72.8		67.1	67	65.7
		25/F	80	72.7		67.1	67	65.7
		26/F	82.8	72.8		67.1	67	65.7
		27/F	85.6	72.7		67.1	66.9	65.6
		28/F	88.4	72.7		67.1	66.9	65.6
		29/F	91.2	72.7		67	66.9	65.6
		30/F	94	72.6		67	66.9	65.5
		31/F	96.8	72.6		67	66.8	65.5
SR43	Wan Tau Tong Estate - Wan Lam House 2	1/F	12.8	75.9	X	67.6	67.6	67.1
		2/F	15.6	76	X	67.7	67.7	67.1
		3/F	18.4	76	X	67.7	67.7	67.1
		4/F	21.2	76	X	67.7	67.7	67.1
		5/F	24	76	X	67.7	67.7	67.1
		6/F	26.8	76	X	67.7	67.7	67.1
		7/F	29.6	75.9	X	67.6	67.6	67
		8/F	32.4	75.9	X	67.6	67.6	67
		9/F	35.2	75.9	X	67.6	67.6	67
		10/F	38	75.9	X	67.6	67.6	67
		11/F	40.8	75.9	X	67.6	67.6	67
		12/F	43.6	75.9	X	67.6	67.6	67
		13/F	46.4	75.9	X	67.6	67.6	67
		14/F	49.2	75.8	X	67.5	67.5	66.9
		15/F	52	75.8	X	67.5	67.5	66.9
		16/F	54.8	75.8	X	67.5	67.5	66.9
		17/F	57.6	75.8	X	67.5	67.5	66.9
		18/F	60.4	75.8	X	67.5	67.5	66.9
		19/F	63.2	75.7	X	67.4	67.4	66.8
		20/F	66	75.7	X	67.4	67.4	66.8
		21/F	68.8	75.7	X	67.4	67.4	66.8
		22/F	71.6	75.6	X	67.3	67.3	66.7
		23/F	74.4	75.6	X	67.3	67.3	66.7
		24/F	77.2	75.6	X	67.3	67.3	66.7
		25/F	80	75.5	X	67.2	67.2	66.6
		26/F	82.8	75.5	X	67.2	67.2	66.6
		27/F	85.6	75.5	X	67.2	67.2	66.6

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + rediced PON	O4: O3 + barrier				
		28/F	88.4	75.4	67.1	67.1	66.5	66.3				
		29/F	91.2	75.4	67.1	67.1	66.5	66.4				
		30/F	94	75.4	67.1	67.1	66.5	66.4				
		31/F	96.8	75.3	67	67	66.4	66.4				
SR44	Wan Tau Tong Estate - Wan Loi House	1/F	12.8	65.4	60.8	60.7	59.6	59.6				
		2/F	15.6	65.8	61.4	61.3	60.1	59.9				
		3/F	18.4	66.7	62.3	62.2	61.1	60.1				
		4/F	21.2	67.8	63.7	63.6	62.3	60.2				
		5/F	24	69	64.8	64.7	63.4	60.3				
		6/F	26.8	69.5	65.3	65.3	63.9	60.5				
		7/F	29.6	69.7	65.5	65.5	64.1	60.6				
		8/F	32.4	69.9	65.6	65.6	64.2	60.8				
		9/F	35.2	70	65.7	65.7	64.3	61.1				
		10/F	38	70	65.8	65.7	64.4	61.4				
		11/F	40.8	70.2	65.9	65.9	64.6	61.9				
		12/F	43.6	70.4	66.1	66.1	64.8	62.3				
		13/F	46.4	70.8	66.4	66.4	65	62.9				
		14/F	49.2	71.6	66.8	66.7	65.4	63.9				
		15/F	52	72.3	67.4	67.3	66	64.5				
		16/F	54.8	73.4	68.3	68.2	66.8	65				
		17/F	57.6	74	68.6	68.5	67.3	65.2				
		18/F	60.4	74.2	68.8	68.7	67.3	65.5				
		19/F	63.2	74.3	68.9	68.8	67.4	65.7				
		20/F	66	74.4	68.9	68.8	67.5	66				
		21/F	68.8	74.4	68.9	68.8	67.4	66.2				
		22/F	71.6	74.4	68.9	68.8	67.4	66.3				
		23/F	74.4	74.3	68.9	68.7	67.4	66.4				
		24/F	77.2	74.3	68.8	68.7	67.4	66.5				
		25/F	80	74.2	68.8	68.7	67.3	66.6				
		26/F	82.8	74.2	68.7	68.6	67.3	66.6				
		27/F	85.6	74.1	68.7	68.6	67.2	66.7				
		28/F	88.4	74.1	68.6	68.5	67.2	66.7				
		29/F	91.2	74	68.6	68.5	67.1	66.8				
		30/F	94	74	68.6	68.4	67.1	66.8				
		31/F	96.8	74	68.5	68.4	67	66.8				
SR45	HK Teacher's Association Secondary School	1/F	13.6	80.2	X	74.7	X	73.2	X	65.7	X	
		2/F	16.6	80.2	X	74.7	X	74.6	X	73.2	X	
		3/F	19.6	80.2	X	74.7	X	74.5	X	73.1	X	
		4/F	22.6	80.2	X	74.6	X	74.5	X	73.1	X	
		5/F	25.6	80.1	X	74.6	X	74.5	X	73.1	X	
		6/F	28.6	80.1	X	74.6	X	74.4	X	73.1	X	
SR46	Uptown Plaza	1/F	30.3	75.4		70.2		70		68.7		63.4
		2/F	33.1	75.4		70.2		70		68.7		63.7
		3/F	35.9	75.4		70.2		70.1		68.7		64
		4/F	38.7	75.4		70.1		70		68.6		64.3
		5/F	41.5	75.4		70.1		70		68.6		64.6
		6/F	44.3	75.4		70.1		70		68.6		64.8
		7/F	47.1	75.3		70		69.9		68.6		65
		8/F	49.9	75.3		70		69.9		68.6		65.4
		9/F	52.7	75.3		70		69.9		68.5		65.6
		10/F	55.5	75.3		70		69.8		68.5		65.9
		11/F	58.3	75.2		69.9		69.8		68.4		66.1
		12/F	61.1	75.2		69.9		69.8		68.4		66.5
		13/F	63.9	75.1		69.8		69.8		68.4		66.6
		14/F	66.7	75.1		69.8		69.8		68.4		66.9
		15/F	69.5	75.1		69.8		69.7		68.3		67.1
		16/F	72.3	75		69.7		69.7		68.3		67.3
		17/F	75.1	75		69.7		69.7		68.3		67.3
		18/F	77.9	75		69.7		69.6		68.3		67.4
		19/F	80.7	74.9		69.6		69.6		68.2		67.5
		20/F	83.5	74.9		69.6		69.5		68.2		67.5
		21/F	86.3	74.8		69.6		69.5		68.1		67.6
		22/F	89.1	74.8		69.5		69.4		68.1		67.6
		23/F	91.9	74.7		69.5		69.4		68		67.6
		24/F	94.7	74.7		69.4		69.3		68		67.6
		25/F	97.5	74.6		69.4		69.3		67.9		67.6
		26/F	100.3	74.5		69.3		69.2		67.8		67.6
SR47	Wang Fuk Court - Wang Cheong House 1	1/F	6.8	77.9	X	72.5		72.4		70.2		70.3
		2/F	9.6	78.3	X	72.9		72.8		70.7		70.7
		3/F	12.4	78.7	X	73.2		73.1		71		71
		4/F	15.2	78.8	X	73.3		73.2		71.1		71.1
		5/F	18	78.9	X	73.4		73.3		71.2		71.2
		6/F	20.8	78.9	X	73.4		73.3		71.2		71.2
		7/F	23.6	79	X	73.5		73.4		71.3		71.3
		8/F	26.4	79.1	X	73.5		73.4		71.4		71.4
		9/F	29.2	79.2	X	73.5		73.4		71.4		71.4
		10/F	32	79.2	X	73.5		73.3		71.3		71.3
		11/F	34.8	79.2	X	73.4		73.3		71.3		71.3
		12/F	37.6	79.1	X	73.3		73.2		71.2		71.2
		13/F	40.4	79.1	X	73.3		73.1		71.1		71.1
		14/F	43.2	79	X	73.2		73		71.1		71.1
		15/F	46	78.9	X	73.1		72.9		71		71
		16/F	48.8	78.8	X	73		72.8		70.9		70.9
		17/F	51.6	78.8	X	72.9		72.7		70.8		70.8

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced pit no.	O3: O2 + reduced PON	O4: O3 + barrier
		18/F	54.4	78.6	X 72.7	72.6	70.7	70.7
		19/F	57.2	78.6	X 72.6	72.5	70.6	70.6
		20/F	60	78.5	X 72.5	72.4	70.5	70.5
		21/F	62.8	78.4	X 72.4	72.2	70.4	70.4
		22/F	65.6	78.3	X 72.3	72.1	70.3	70.3
		23/F	68.4	78.2	X 72.2	72	70.3	70.3
		24/F	71.2	78.1	X 72.1	71.9	70.1	70.1
		25/F	74	78	X 72	71.8	70	70
		26/F	76.8	77.9	X 71.8	71.7	69.9	69.9
		27/F	79.6	77.8	X 71.7	71.6	69.8	69.8
		28/F	82.4	77.7	X 71.6	71.5	69.7	69.7
		29/F	85.2	77.6	X 71.5	71.4	69.6	69.6
		30/F	88	77.5	X 71.4	71.3	69.5	69.5
		31/F	90.8	77.4	X 71.3	71.1	69.4	69.4
SR48	Wang Fuk Court – Wang Cheong House 2	1/F	6.8	73.1	68.4	68.4	65.7	65.7
		2/F	9.6	73.1	68.4	68.4	65.7	65.7
		3/F	12.4	73.1	68.4	68.4	65.7	65.7
		4/F	15.2	73.1	68.4	68.4	65.7	65.7
		5/F	18	73.1	68.4	68.4	65.7	65.7
		6/F	20.8	73.1	68.4	68.4	65.7	65.7
		7/F	23.6	73	68.3	68.3	65.6	65.6
		8/F	26.4	73	68.3	68.3	65.6	65.6
		9/F	29.2	72.9	68.2	68.2	65.5	65.5
		10/F	32	72.8	68.1	68.1	65.4	65.4
		11/F	34.8	72.7	68	68	65.3	65.3
		12/F	37.6	72.6	67.9	67.9	65.2	65.2
		13/F	40.4	72.5	67.8	67.8	65.1	65.1
		14/F	43.2	72.4	67.7	67.7	65	65
		15/F	46	72.2	67.5	67.5	64.8	64.8
		16/F	48.8	72.1	67.4	67.4	64.7	64.7
		17/F	51.6	71.9	67.2	67.2	64.5	64.5
		18/F	54.4	71.8	67.1	67.1	64.4	64.4
		19/F	57.2	71.6	66.9	66.9	64.2	64.2
		20/F	60	71.4	66.7	66.7	64	64
		21/F	62.8	71.2	66.5	66.5	63.8	63.8
		22/F	65.6	71.1	66.4	66.4	63.7	63.7
		23/F	68.4	70.9	66.2	66.2	63.5	63.5
		24/F	71.2	70.7	66	66	63.3	63.3
		25/F	74	70.5	65.8	65.8	63.1	63.1
		26/F	76.8	70.3	65.6	65.6	62.9	62.9
		27/F	79.6	70.2	65.5	65.5	62.8	62.8
		28/F	82.4	70	65.3	65.3	62.6	62.6
		29/F	85.2	69.8	65.1	65.1	62.4	62.4
		30/F	88	69.6	64.9	64.9	62.2	62.2
		31/F	90.8	69.4	64.7	64.7	62	62
SR49	Wang Fuk Court – Wang Cheong House 3	1/F	6.8	73.7	67.2	67	65.7	65.7
		2/F	9.6	74.7	68.4	68.2	66.9	66.9
		3/F	12.4	75.6	X 69.3	69.1	67.7	67.7
		4/F	15.2	75.8	X 69.5	69.3	68	68
		5/F	18	75.9	X 69.6	69.4	68.1	68.1
		6/F	20.8	76.1	X 69.9	69.7	68.3	68.3
		7/F	23.6	76.4	X 70.1	69.9	68.5	68.5
		8/F	26.4	76.6	X 70.3	70.1	68.7	68.7
		9/F	29.2	76.7	X 70.5	70.3	68.8	68.8
		10/F	32	76.9	X 70.5	70.3	68.8	68.8
		11/F	34.8	77	X 70.6	70.4	68.9	68.9
		12/F	37.6	77	X 70.6	70.4	68.9	68.9
		13/F	40.4	77	X 70.6	70.4	68.9	68.9
		14/F	43.2	77	X 70.6	70.4	68.9	68.9
		15/F	46	77	X 70.6	70.4	68.9	68.9
		16/F	48.8	77	X 70.6	70.4	68.8	68.8
		17/F	51.6	77	X 70.5	70.3	68.8	68.8
		18/F	54.4	76.9	X 70.5	70.3	68.8	68.8
		19/F	57.2	76.9	X 70.5	70.3	68.8	68.8
		20/F	60	76.9	X 70.5	70.2	68.7	68.7
		21/F	62.8	76.8	X 70.4	70.2	68.7	68.7
		22/F	65.6	76.8	X 70.4	70.2	68.6	68.6
		23/F	68.4	76.7	X 70.3	70.1	68.6	68.6
		24/F	71.2	76.7	X 70.3	70.1	68.5	68.5
		25/F	74	76.6	X 70.3	70	68.5	68.5
		26/F	76.8	76.6	X 70.2	70	68.4	68.4
		27/F	79.6	76.6	X 70.2	70	68.4	68.4
		28/F	82.4	76.5	X 70.1	69.9	68.3	68.3
		29/F	85.2	76.4	X 70.1	69.8	68.3	68.3
		30/F	88	76.4	X 70	69.8	68.2	68.2
		31/F	90.8	76.3	X 70	69.8	68.2	68.2
SR50	Wang Fuk Court – Wang Tat Hse	1/F	6.8	73.4	67.2	67.1	65.7	65.9
		2/F	9.6	74.8	68.8	68.6	67.3	67.3
		3/F	12.4	75.4	69.2	69.1	67.7	67.7
		4/F	15.2	75.6	X 69.5	69.3	67.9	67.9
		5/F	18	75.8	X 69.7	69.5	68.1	68.1
		6/F	20.8	75.9	X 69.8	69.6	68.2	68.2
		7/F	23.6	76.1	X 69.9	69.8	68.3	68.3
		8/F	26.4	76.2	X 70	69.9	68.4	68.4

SR No.	Description	Floor	mPD	unmitigated		O1: Silenced	O2: O1 +	O3: O2 +	O4: O3 +
				total		Plant	reduced pit no.	reduced PON	barrier
		9/F	29.2	76.3	X	70.1	69.9	68.5	68.5
		10/F	32	76.4	X	70.2	70	68.6	68.6
		11/F	34.8	76.5	X	70.3	70.1	68.6	68.6
		12/F	37.6	76.5	X	70.3	70.1	68.7	68.7
		13/F	40.4	76.6	X	70.4	70.2	68.7	68.7
		14/F	43.2	76.6	X	70.4	70.2	68.7	68.7
		15/F	46	76.6	X	70.4	70.2	68.7	68.7
		16/F	48.8	76.6	X	70.3	70.1	68.7	68.7
		17/F	51.6	76.8	X	70.4	70.2	68.7	68.7
		18/F	54.4	76.5	X	70.3	70.1	68.7	68.7
		19/F	57.2	76.5	X	70.3	70.1	68.6	68.6
		20/F	60	76.5	X	70.3	70.1	68.6	68.6
		21/F	62.8	76.5	X	70.3	70.1	68.6	68.6
		22/F	65.6	76.4	X	70.2	70	68.5	68.5
		23/F	68.4	76.4	X	70.2	70	68.5	68.5
		24/F	71.2	76.4	X	70.1	69.9	68.5	68.5
		25/F	74	76.3	X	70.1	69.9	68.4	68.4
		26/F	76.8	76.3	X	70.1	69.9	68.4	68.4
		27/F	79.6	76.2	X	70	69.8	68.4	68.4
		28/F	82.4	76.2	X	70	69.8	68.3	68.3
		29/F	85.2	76.2	X	70	69.8	68.3	68.3
		30/F	88	76.1	X	69.9	69.7	68.2	68.2
		31/F	90.8	76.1	X	69.9	69.7	68.2	68.2
SR51	Wang Fuk Court – Wang Shing House	1/F	6.8	0		0	0	0	0
		2/F	9.6	0		0	0	0	0
		3/F	12.4	0		0	0	0	0
		4/F	15.2	0		0	0	0	0
		5/F	18	0		0	0	0	0
		6/F	20.8	0		0	0	0	0
		7/F	23.6	0		0	0	0	0
		8/F	26.4	0		0	0	0	0
		9/F	29.2	0		0	0	0	0
		10/F	32	0		0	0	0	0
		11/F	34.8	0		0	0	0	0
		12/F	37.6	0		0	0	0	0
		13/F	40.4	0		0	0	0	0
		14/F	43.2	0		0	0	0	0
		15/F	46	0		0	0	0	0
		16/F	48.8	0		0	0	0	0
		17/F	51.6	0		0	0	0	0
		18/F	54.4	0		0	0	0	0
		19/F	57.2	0		0	0	0	0
		20/F	60	0		0	0	0	0
		21/F	62.8	0		0	0	0	0
		22/F	65.6	0		0	0	0	0
		23/F	68.4	0		0	0	0	0
		24/F	71.2	0		0	0	0	0
		25/F	74	0		0	0	0	0
		26/F	76.8	0		0	0	0	0
		27/F	79.6	0		0	0	0	0
		28/F	82.4	0		0	0	0	0
		29/F	85.2	0		0	0	0	0
		30/F	88	0		0	0	0	0
		31/F	90.8	0		0	0	0	0
SR52	Ha Wong Yi Au 1	G/F	29.2	76.7	X	71.2	71	69.7	69.7
		1/F	31.9	80	X	74.3	74.2	72.8	72.8
		2/F	34.6	80.1	X	74.4	74.3	72.9	72.9
SR53	Ha Wong Yi Au 2	G/F	11	66.7		60.3	60	58.3	58.3
		1/F	13.7	69.7		63.1	62.8	61.1	61.1
SR54	Riverrain Bayside	G/F	8.5	75.3		69.6	69.2	67.1	67.1
		1/F	11.3	78.5	X	70.6	70.3	68.3	68.3
		2/F	14.1	78.7	X	70.8	70.5	68.6	68.6
SR55	Dynasty View 2	1/F	37.7	75.6	X	66.7	66.7	66.3	66.3
		2/F	40.5	79.7	X	70.6	70.6	70.2	70.2
		3/F	43.3	80.7	X	71.6	71.6	71.2	71.2
		4/F	46.1	80.7	X	71.6	71.6	71.2	71.2
		5/F	48.9	80.7	X	71.7	71.7	71.3	71.3
		6/F	51.7	80.7	X	71.7	71.7	71.3	71.3
		7/F	54.5	80.7	X	71.7	71.7	71.3	71.3
		8/F	57.3	80.7	X	71.7	71.7	71.3	71.3
SR56	Monastery at Ma Wo	G/F	42.5	82	X	72.9	72.9	72.5	72.5
		1/F	45.2	82	X	72.9	72.9	72.5	72.5
SR57	King Nga Court – King Yuet House 1	1/F	14.6	83.7	X	75.2	75.2	74.6	74.6
		2/F	17.4	83.7	X	75.3	75.3	74.6	74.6
		3/F	20.2	83.7	X	75.3	75.3	74.7	74.7
		4/F	23	83.6	X	75.2	75.2	74.6	74.6
		5/F	25.8	83.6	X	75.2	75.2	74.6	74.6
		6/F	28.6	83.6	X	75.3	75.3	74.6	74.6
		7/F	31.4	83.5	X	75.2	75.2	74.6	74.6
		8/F	34.2	83.4	X	75.1	75.1	74.5	74.5
		9/F	37	83.4	X	75.1	75.1	74.5	74.5
		10/F	39.8	83.3	X	75	75	74.4	74.4
		11/F	42.6	83.2	X	74.9	74.9	74.3	74.3
		12/F	45.4	83.1	X	74.8	74.8	74.2	74.2

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		13/F	48.2	83	X 74.7	74.7	74.1	70
		14/F	51	82.9	X 74.7	74.7	74	70.7
		15/F	53.8	82.8	X 74.6	74.6	73.9	71.4
		16/F	56.6	82.7	X 74.5	74.5	73.8	72
		17/F	59.4	82.7	X 74.4	74.4	73.8	72.5
		18/F	62.2	82.6	X 74.3	74.3	73.7	72.8
		19/F	65	82.4	X 74.1	74.1	73.5	72.8
		20/F	67.8	82.3	X 74	74	73.4	72.9
		21/F	70.6	82.2	X 73.9	73.9	73.3	72.9
		22/F	73.4	82	X 73.7	73.7	73.2	72.9
		23/F	76.2	81.9	X 73.6	73.6	73.1	72.8
		24/F	79	81.8	X 73.5	73.5	73	72.8
		25/F	81.8	81.6	X 73.4	73.4	72.8	72.7
		26/F	84.6	81.5	X 73.3	73.3	72.7	72.6
		27/F	87.4	81.4	X 73.2	73.2	72.6	72.6
		28/F	90.2	81.2	X 73.1	73.1	72.5	72.5
		29/F	93	81.1	X 73	73	72.4	72.4
		30/F	95.8	80.9	X 72.8	72.8	72.2	72.2
		31/F	98.6	80.8	X 72.7	72.7	72.1	72.1
		32/F	101.4	80.7	X 72.6	72.6	72	72
		33/F	104.2	80.5	X 72.5	72.5	71.8	71.8
		34/F	107	80.4	X 72.4	72.4	71.7	71.7
		35/F	109.8	80.2	X 72.2	72.2	71.5	71.5
		36/F	112.6	80.1	X 72.1	72.1	71.4	71.4
SR58	King Nga Court – King Yuet House 2	1/F	14.6	85.9	X 77.4	X 77.4	X 76.8	X 65.5
		2/F	17.4	85.9	X 77.4	X 77.4	X 76.8	X 66.1
		3/F	20.2	85.8	X 77.4	X 77.4	X 76.7	X 66.7
		4/F	23	85.8	X 77.4	X 77.4	X 76.8	X 67.2
		5/F	25.8	85.7	X 77.3	X 77.3	X 76.7	X 67.5
		6/F	28.6	85.6	X 77.2	X 77.2	X 76.6	X 68.1
		7/F	31.4	85.6	X 77.2	X 77.2	X 76.6	X 68.7
		8/F	34.2	85.4	X 77.1	X 77.1	X 76.4	X 69.3
		9/F	37	85.3	X 77	X 77	X 76.3	X 70.1
		10/F	39.8	85.2	X 76.9	X 76.9	X 76.3	X 71
		11/F	42.6	85.1	X 76.8	X 76.8	X 76.2	X 71.8
		12/F	45.4	84.9	X 76.6	X 76.6	X 76	X 72.6
		13/F	48.2	84.8	X 76.5	X 76.5	X 75.9	X 73.7
		14/F	51	84.7	X 76.3	X 76.3	X 75.7	X 74.1
		15/F	53.8	84.6	X 76.2	X 76.2	X 75.6	X 74.5
		16/F	56.6	84.4	X 76.1	X 76.1	X 75.4	X 74.7
		17/F	59.4	84.2	X 75.9	X 75.9	X 75.2	X 74.7
		18/F	62.2	84.1	X 75.8	X 75.8	X 75.1	X 74.8
		19/F	65	83.9	X 75.6	X 75.6	X 75	X 74.7
		20/F	67.8	83.7	X 75.4	75.4	74.8	74.6
		21/F	70.6	83.5	X 75.2	75.2	74.6	74.5
		22/F	73.4	83.4	X 75.1	75.1	74.5	74.4
		23/F	76.2	83.2	X 75	75	74.3	74.2
		24/F	79	83	X 74.8	74.8	74.1	74.1
		25/F	81.8	82.8	X 74.6	74.6	73.9	73.9
		26/F	84.6	82.6	X 74.4	74.4	73.8	73.8
		27/F	87.4	82.5	X 74.3	74.3	73.8	73.8
		28/F	90.2	82.4	X 74.2	74.2	73.6	73.6
		29/F	93	82.2	X 74	74	73.4	73.4
		30/F	95.8	82	X 73.8	73.8	73.2	73.2
		31/F	98.6	81.8	X 73.7	73.7	73.1	73
		32/F	101.4	81.7	X 73.6	73.6	73	73
		33/F	104.2	81.5	X 73.5	73.5	72.8	72.8
		34/F	107	81.3	X 73.3	73.3	72.6	72.6
		35/F	109.8	81.2	X 73.2	73.2	72.5	72.5
		36/F	112.6	81	X 73	73	72.3	72.3
SR59N	King Nga Court – King Yan House	1/F	14.6	86.8	X 78.3	X 78.3	X 77.8	X 65.2
		2/F	17.4	86.8	X 78.3	X 78.3	X 77.8	X 65.7
		3/F	20.2	86.8	X 78.3	X 78.3	X 77.7	X 66.2
		4/F	23	86.8	X 78.3	X 78.3	X 77.7	X 66.9
		5/F	25.8	86.7	X 78.2	X 78.2	X 77.6	X 67.6
		6/F	28.6	86.6	X 78.1	X 78.1	X 77.5	X 68.2
		7/F	31.4	86.5	X 78	X 78	X 77.4	X 69
		8/F	34.2	86.4	X 77.9	X 77.9	X 77.3	X 69.9
		9/F	37	86.2	X 77.7	X 77.7	X 77.1	X 70.8
		10/F	39.8	86.1	X 77.6	X 77.6	X 77	X 72.4
		11/F	42.6	85.9	X 77.4	X 77.4	X 76.8	X 72.8
		12/F	45.4	85.7	X 77.3	X 77.3	X 76.6	X 73.9
		13/F	48.2	85.6	X 77.2	X 77.2	X 76.6	X 74.8
		14/F	51	85.4	X 77	X 77	X 76.4	X 75.2
		15/F	53.8	85.2	X 76.8	X 76.8	X 76.2	X 75.4
		16/F	56.6	85	X 76.6	X 76.6	X 76	X 75.4
		17/F	59.4	84.8	X 76.4	X 76.4	X 75.8	X 75.4
		18/F	62.2	84.6	X 76.2	X 76.2	X 75.6	X 75.3
		19/F	65	84.4	X 76	X 76	X 75.4	X 75.2
		20/F	67.8	84.2	X 75.8	X 75.8	X 75.2	X 75.1
		21/F	70.6	84	X 75.6	X 75.6	X 75	X 74.9
		22/F	73.4	83.8	X 75.5	X 75.5	X 74.8	X 74.7
		23/F	76.2	83.6	X 75.3	75.3	74.6	74.6
		24/F	79	83.4	X 75.1	75.1	74.5	74.4

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced ptt no.	O3: O2 + rediced PON	O4: O3 + barrier
		25/F	81.8	83.2	X 74.9	74.9	74.3	74.3
		26/F	84.6	83.1	X 74.7	74.7	74.1	74.1
		27/F	87.4	82.9	X 74.5	74.5	73.9	73.9
		28/F	90.2	82.7	X 74.3	74.3	73.7	73.7
		29/F	93	82.5	X 74.2	74.1	73.5	73.5
		30/F	95.8	82.3	X 74	74	73.3	73.3
		31/F	98.6	82.1	X 73.8	73.8	73.2	73.2
		32/F	101.4	81.9	X 73.6	73.6	73.1	73
		33/F	104.2	81.7	X 73.4	73.4	72.9	72.9
		34/F	107	81.5	X 73.2	73.2	72.7	72.7
		35/F	109.8	81.4	X 73.1	73.1	72.6	72.6
		36/F	112.6	81.2	X 73	73	72.4	72.4
SR60	Tak Nga Court 1	1/F	16.3	68.3	64.2	64.2	63.1	63.1
		2/F	19.1	68.4	64.3	64.3	63.3	63.3
		3/F	21.9	68.4	64.4	64.4	63.3	63.3
		4/F	24.7	68.4	64.5	64.5	63.5	63.5
		5/F	27.5	68.6	64.8	64.8	63.7	63.7
		6/F	30.3	68.8	64.9	64.9	64	64
		7/F	33.1	68.8	65	65	64.1	64.1
		8/F	35.9	68.9	65.1	65.1	64.2	64.2
		9/F	38.7	69	65.2	65.2	64.3	64.3
		10/F	41.5	69	65.2	65.2	64.3	64.3
		11/F	44.3	69	65.3	65.3	64.4	64.4
		12/F	47.1	69	65.3	65.3	64.4	64.4
		13/F	49.9	69	65.3	65.3	64.4	64.4
		14/F	52.7	69	65.3	65.3	64.4	64.4
		15/F	55.5	69	65.3	65.3	64.4	64.4
		16/F	58.3	69	65.2	65.2	64.4	64.4
		17/F	61.1	69	65.2	65.2	64.4	64.4
		18/F	63.9	68.9	65.2	65.2	64.3	64.3
		19/F	66.7	68.9	65.2	65.2	64.3	64.3
		20/F	69.5	68.9	65.1	65.1	64.3	64.3
		21/F	72.3	68.9	65.1	65.1	64.3	64.3
		22/F	75.1	68.8	65.1	65.1	64.2	64.2
		23/F	77.9	68.8	65.1	65.1	64.2	64.2
		24/F	80.7	68.8	65	65	64.1	64.1
		25/F	83.5	68.7	65	65	64.1	64.1
		26/F	86.3	68.7	65	65	64.1	64.1
		27/F	89.1	68.6	64.9	64.9	64	64
		28/F	91.9	68.6	64.9	64.9	64	64
		29/F	94.7	68.6	64.8	64.8	64	64
		30/F	97.5	68.5	64.8	64.8	63.9	63.9
		31/F	100.3	68.5	64.7	64.7	63.9	63.9
		32/F	103.1	68.4	64.7	64.7	63.8	63.8
		33/F	105.9	68.4	64.6	64.6	63.8	63.8
		34/F	108.7	68.4	64.6	64.6	63.7	63.7
SR61	Tak Nga Court 2	1/F	16.3	68.8	64.3	64.3	63	63
		2/F	19.1	69	64.5	64.5	63.3	63.3
		3/F	21.9	69	64.5	64.5	63.4	63.4
		4/F	24.7	69.3	64.7	64.6	63.6	63.6
		5/F	27.5	69.4	64.9	64.9	63.8	63.8
		6/F	30.3	69.6	65	65	64.1	64.1
		7/F	33.1	69.8	65.2	65.2	64.2	64.2
		8/F	35.9	70	65.2	65.2	64.3	64.3
		9/F	38.7	70.2	65.4	65.3	64.4	64.4
		10/F	41.5	70.5	65.5	65.5	64.5	64.5
		11/F	44.3	70.8	65.5	65.5	64.6	64.6
		12/F	47.1	71.3	65.6	65.6	64.7	64.7
		13/F	49.9	71.8	65.7	65.7	64.8	64.8
		14/F	52.7	72.4	65.9	65.8	65	65
		15/F	55.5	73.1	66.1	66	65.2	65.2
		16/F	58.3	73.5	66.2	66.1	65.3	65.3
		17/F	61.1	73.8	66.2	66.1	65.3	65.3
		18/F	63.9	73.9	66.3	66.1	65.4	65.4
		19/F	66.7	74.5	66.5	66.3	65.6	65.6
		20/F	69.5	74.5	66.4	66.3	65.6	65.6
		21/F	72.3	74.5	66.5	66.3	65.6	65.6
		22/F	75.1	74.6	66.5	66.3	65.6	65.6
		23/F	77.9	74.6	66.5	66.3	65.6	65.6
		24/F	80.7	74.7	66.5	66.3	65.7	65.7
		25/F	83.5	74.6	66.5	66.3	65.6	65.6
		26/F	86.3	74.6	66.5	66.3	65.7	65.7
		27/F	89.1	74.7	66.5	66.4	65.7	65.7
		30/F	97.5	74.7	66.6	66.4	65.7	65.7
		31/F	100.3	74.7	66.5	66.4	65.7	65.7
		32/F	103.1	74.8	66.5	66.4	65.7	65.7
		33/F	105.9	74.8	66.5	66.4	65.6	65.6
		34/F	108.7	74.8	66.5	66.3	65.7	65.7
SR62	Ha Wun Yiu	G/F	29.6	75.8	X 70.4	70.4	69.5	69
		1/F	32.3	75.8	X 70.4	70.4	69.5	68.9
SR63	Lai Chi Shan	G/F	22.4	75.7	X 68.4	68.3	67.5	67.5
		1/F	25.1	76.3	X 69.6	69.5	68.7	68.7
SR64	Shan Tong New Village 1	G/F	44.3	72.1	65.4	65.4	64.9	64.9
		1/F	47	73.2	66.5	66.5	66	66

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier		
SR65	Shan Tong New Village 2	2/F	49.7	74.5	68	67.9	67.3	67.3		
		G/F	41.8	68.6	63	62.9	62.5	62.5		
		1/F	44.5	69.3	63.5	63.4	62.9	62.9		
SR66	P.L.K. Tin Ka Ping Primary School NOT NAP	2/F	47.2	70.2	64.2	64.2	63.6	63.6		
		1/F	14.6	81.1	X	72.9	X	72.8	X	62.4
		2/F	17.6	81.1	X	72.9	X	72.8	X	62.6
		3/F	20.6	81.1	X	72.9	X	72.8	X	62.9
		4/F	23.6	81.1	X	72.9	X	72.8	X	63.1
		5/F	26.6	81.1	X	72.8	X	72.8	X	63.4
SR67	Redland Garden	6/F	29.6	81.1	X	72.8	X	72.8	X	63.7
		1/F	29.4	65.9	59.8	59.5	57.8	57.8	57.8	
		2/F	32.2	66.1	60	59.8	58	58	58	
		3/F	35	66.2	60.1	59.8	58.1	58.1	58.1	
		4/F	37.8	66.3	60.1	59.9	58.1	58.1	58.1	
		5/F	40.6	66.3	60.1	59.9	58.2	58.2	58.2	
SR70	Kwong Fuk Estate - Kwong Lai House	6/F	43.4	66.3	60.2	59.9	58.2	58.2	58.2	
		1/F	9.7	68.8	62.9	62.7	61.1	61	61	
		2/F	12.5	69.1	63.1	62.9	61.4	61.3	61.3	
		3/F	15.3	69.3	63.4	63.1	61.6	61.5	61.5	
		4/F	18.1	69.5	63.5	63.3	61.7	61.6	61.6	
		5/F	20.9	69.6	63.7	63.5	61.9	61.8	61.8	
		6/F	23.7	69.7	63.8	63.6	62	61.9	61.9	
		7/F	26.5	69.9	63.9	63.7	62.1	62	62	
		8/F	29.3	69.9	64	63.9	62.2	62.1	62.1	
		9/F	32.1	70.1	64.1	64	62.3	62.2	62.2	
		10/F	34.9	70.1	64.2	64	62.3	62.3	62.3	
		11/F	37.7	70.2	64.3	64.1	62.4	62.4	62.4	
		12/F	40.5	70.3	64.4	64.2	62.5	62.4	62.4	
		13/F	43.3	70.4	64.4	64.2	62.5	62.5	62.5	
		14/F	46.1	70.5	64.5	64.3	62.6	62.6	62.6	
		15/F	48.9	70.5	64.5	64.3	62.6	62.6	62.6	
		16/F	51.7	70.5	64.5	64.3	62.6	62.6	62.6	
		17/F	54.5	70.6	64.5	64.3	62.6	62.6	62.6	
		18/F	57.3	70.6	64.5	64.3	62.7	62.6	62.6	
		19/F	60.1	70.6	64.5	64.3	62.7	62.6	62.6	
		20/F	62.9	70.6	64.6	64.4	62.7	62.6	62.6	
		21/F	65.7	70.6	64.6	64.3	62.7	62.6	62.6	
		22/F	68.5	70.6	64.6	64.4	62.7	62.6	62.6	
23/F	71.3	70.6	64.6	64.4	62.7	62.6	62.6			
SR73	Island House Conservation Studies Centre	G/F	17.2	72.6	X	66.4	66.2	64.6	64.6	
		1/F	20.2	72.8	X	66.5	66.3	64.8	64.8	
SR75	Wong Kong Shan	G/F	15.7	0	0	0	0	0	0	
		1/F	18.4	0	0	0	0	0	0	
SR76	Yuen Leng 1	G/F	22	0	0	0	0	0	0	
		1/F	24.7	0	0	0	0	0	0	
		2/F	27.4	0	0	0	0	0	0	
SR77	Yuen Leng 2	G/F	23.9	0	0	0	0	0	0	
		1/F	26.6	0	0	0	0	0	0	
		2/F	29.3	0	0	0	0	0	0	
SR78	Dynasty View 3	1/F	33.7	68.3	59.9	59.9	59.6	59.6	59.6	
		2/F	36.5	72.2	63.4	63.4	63.1	63.1	63.1	
		3/F	39.3	75.6	X	66.7	66.7	66.3	66.3	
		4/F	42.1	76.7	X	67.7	67.7	67.3	67.3	
		5/F	44.9	76.7	X	67.7	67.7	67.4	67.4	
		6/F	47.7	76.7	X	67.8	67.8	67.4	67.4	
		7/F	50.5	76.9	X	68	68	67.6	67.6	
		8/F	53.3	76.9	X	68.2	68.2	67.8	67.8	
SR79	Care Village	G/F	5.6	72.3	66.6	66.4	64.7	64.7	64.7	
		1/F	8.3	78	X	72.7	72.5	70.6	70.6	
		2/F	11	79	X	73.6	73.4	71.6	71.6	
SR80	Wai Tau Tsuen 3	G/F	26.2	58.2	51.8	50.7	50.7	50.7	50.7	
		1/F	28.9	59.8	53	51.6	51.6	51.6	51.6	
		2/F	31.6	60.6	53.6	52.1	52.1	52.1	52.1	
SR81	Wai Tau Tsuen 4	G/F	25.2	38.8	38.8	38.8	38.8	38.8	38.8	
		1/F	27.9	39	39	39	39	39	39	
		2/F	30.6	39.3	39.3	39.3	39.3	39.3	39.3	
SR82N	Tai Hang 5	G/F	24.2	42	39.9	39.7	39.7	39.7	39.7	
		1/F	26.9	42.9	40	39.7	39.7	39.7	39.7	
		2/F	29.6	43.4	40.1	39.7	39.7	39.7	39.7	
SR83	Yuen Leng 3	G/F	19.2	0	0	0	0	0	0	
		1/F	21.9	0	0	0	0	0	0	
		2/F	24.6	0	0	0	0	0	0	
SR84	Nam Wa Po 2	G/F	19.7	33.7	33.7	33.7	33.7	33.7	33.7	
		1/F	22.4	33.7	33.7	33.7	33.7	33.7	33.7	
		2/F	25.1	33.7	33.7	33.7	33.7	33.7	33.7	
SR85	Nam Wa Po 3	G/F	23.1	25.4	25.4	25.4	25.4	25.4	25.4	
		1/F	25.8	25.4	25.4	25.4	25.4	25.4	25.4	
		2/F	28.5	25.4	25.4	25.4	25.4	25.4	25.4	
SR86	Tong Hang	G/F	18.4	30.1	30.1	30.1	30.1	30.1	30.1	
		1/F	21.1	30.1	30.1	30.1	30.1	30.1	30.1	
		2/F	23.8	30.1	30.1	30.1	30.1	30.1	30.1	
SR87	Tai Wo 2	G/F	26.1	25.6	25.6	25.6	25.6	25.6	25.6	
		1/F	28.8	25.6	25.6	25.6	25.6	25.6	25.6	
		2/F	31.5	25.6	25.6	25.6	25.6	25.6	25.6	

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + rediced PON	O4: O3 + barrier	
SR88	Wai Tau Tsuen 5	G/F	28.8	61	55.2	54.5	54.5	54.5	
		1/F	31.5	62.3	55.6	54.6	54.6	54.6	
		2/F	34.2	63.2	55.9	54.7	54.7	54.7	
SR89	Wai Tau Tsuen 6	G/F	29.3	57.7	52.4	51.8	51.8	51.8	
		1/F	32	59	52.8	51.9	51.9	51.9	
		2/F	34.7	59.8	53.1	52.1	52.1	52.1	
SR90	Wai Tau Tsuen 7	G/F	26.9	61	54.6	53.5	53.5	53.5	
		2/F	32.3	61.7	55	53.8	53.8	53.8	
SR93	SKH Mok Sau Tsang Secondary School NOT NAP	1/F	25.6	67.2	X	62.5	62.4	61.2	55.6
		2/F	28.6	67.5	X	62.8	62.7	61.5	56.3
		3/F	31.6	68.2	X	63.3	63.2	61.9	57.8
		4/F	34.6	69.2	X	64.2	64.1	62.8	59.8
		5/F	37.6	70.1	X	64.9	64.8	63.5	61.1
		6/F	40.6	70.4	X	65.2	65.1	63.7	61.5
SR94	Choi Hin To Primary School	1/F	15.5	59		53.5	53.4	53.3	53.3
		2/F	18.5	59.4		53.6	53.5	53.4	53.4
		3/F	21.5	59.8		53.5	53.4	53.3	53.3
		4/F	24.5	60.3		53.6	53.5	53.5	53.5
		5/F	27.5	60.8		53.9	53.7	53.7	53.7
SR95B	Tai Po Normal School Memorial School 2	G/F	16.6	68.5	X	64.6	64.5	62.9	60.4
SR100	KCRC Staff Quarters	G/F	10.2	61.8		55.3	55.1	53.5	53.5
		1/F	13.2	64.1		57.7	57.5	55.8	55.8
		2/F	16.2	64.7		58.3	58.1	56.3	56.3
		3/F	19.2	64.8		58.6	58.3	56.6	56.6
		4/F	22.2	65		58.7	58.5	56.7	56.7
		5/F	25.2	65.1		58.8	58.6	56.8	56.8
SR101	Chateau Royale	G/F	20.2	70.9		64.6	64.2	62.4	62.4
		1/F	23	71.4		65.1	64.8	63	63
		2/F	25.8	71.9		65.6	65.3	63.5	63.5
SR103	Classical Garden	1/F	27.2	70.6		58.5	57.9	57.7	57.8
		2/F	30	71.3		59.2	58.8	58.4	59.4
		3/F	32.8	72.3		60.1	59.5	59.3	59.9
		4/F	35.6	73		60.7	60.1	59.9	60.9
		5/F	38.4	73.3		60.9	60.3	60.2	62
		6/F	41.2	73.9		61.5	60.9	60.8	62.8
		7/F	44	74.9		62.4	61.8	61.7	63.4
		8/F	46.8	75.6	X	63.1	62.4	62.4	63.8
SR104	Village House opposite to Dynasty View	G/F	81.2	82.5	X	73.3	73.3	72.8	72.8
SR105	Village House 2 opposite to Dynasty View	G/F	79.4	72.9		63.9	63.2	62.9	62.9
SR106	Shek Kwu Lung 7	G/F	39.2	73.9		68.7	68.6	66.9	67.4
SR107	Village House at Hong Lok Yuen	G/F	27.1	53.6		45.4	44.4	44.4	44.4
		1/F	29.8	55.4		47.3	46.3	46.3	46.3
SR108	Wai Tau Tsuen 5	G/F	25.7	53		47.1	46	46	46
		1/F	28.4	53.8		47.6	46	46	46
		2/F	31.1	54.5		47.8	45.9	45.9	45.9
SR109	Notional Point between SR13 & SR85	G/F	22.5	35		35	35	35	35

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced pit no.	O3: O2 + reduced PON	O4: O3 + barrier
SR1	Avon Park	1/F	38.1	46.9	46.9	46.9	46.9	46.9
		2/F	40.9	47.5	47.5	47.5	47.5	47.5
		3/F	43.7	47.8	47.8	47.8	47.8	47.8
		4/F	46.5	47.9	47.9	47.9	47.9	47.9
		5/F	49.3	48	48	48	48	48
		6/F	52.1	48.1	48.1	48.1	48.1	48.1
		7/F	54.9	48.1	48.1	48.1	48.1	48.1
		8/F	57.7	48.1	48.1	48.1	48.1	48.1
		9/F	60.5	48	48	48	48	48
		10/F	63.3	48	48	48	48	48
		11/F	66.1	47.9	47.9	47.9	47.9	47.9
		12/F	68.9	47.9	47.9	47.9	47.9	47.9
		13/F	71.7	47.8	47.8	47.8	47.8	47.8
		14/F	74.5	47.7	47.7	47.7	47.7	47.7
		15/F	77.3	47.7	47.7	47.7	47.7	47.7
		16/F	80.1	47.6	47.6	47.6	47.6	47.6
		17/F	82.9	47.6	47.6	47.6	47.6	47.6
		18/F	85.7	47.5	47.5	47.5	47.5	47.5
		19/F	88.5	47.4	47.4	47.4	47.4	47.4
		20/F	91.3	47.4	47.4	47.4	47.4	47.4
		21/F	94.1	47.3	47.3	47.3	47.3	47.3
		22/F	96.9	47.3	47.3	47.3	47.3	47.3
		23/F	99.7	47.2	47.2	47.2	47.2	47.2
		24/F	102.5	47.2	47.2	47.2	47.2	47.2
		25/F	105.3	47.1	47.1	47.1	47.1	47.1
SR2	Fanling Government Secondary School	1/F	23	46.8	46.8	46.8	46.8	46.8
SR3	Dawning Views	1/F	32.5	54.8	54.8	54.8	54.8	54.8
		2/F	35.3	55	55	55	55	55
		3/F	38.1	55	55	55	55	55
		4/F	40.9	54.9	54.9	54.9	54.9	54.9
		5/F	43.7	54.9	54.9	54.9	54.9	54.9
		6/F	46.5	54.8	54.8	54.8	54.8	54.8
		7/F	49.3	54.8	54.8	54.8	54.8	54.8
		8/F	52.1	54.7	54.7	54.7	54.7	54.7
		9/F	54.9	54.7	54.7	54.7	54.7	54.7
		10/F	57.7	54.6	54.6	54.6	54.6	54.6
		11/F	60.5	54.6	54.6	54.6	54.6	54.6
		12/F	63.3	54.5	54.5	54.5	54.5	54.5
		13/F	66.1	54.4	54.4	54.4	54.4	54.4
		14/F	68.9	54.4	54.4	54.4	54.4	54.4
		15/F	71.7	54.3	54.3	54.3	54.3	54.3
		16/F	74.5	54.2	54.2	54.2	54.2	54.2
		17/F	77.3	54.1	54.1	54.1	54.1	54.1
		18/F	80.1	54.1	54.1	54.1	54.1	54.1
		19/F	82.9	54	54	54	54	54
		20/F	85.7	53.9	53.9	53.9	53.9	53.9
		21/F	88.5	53.9	53.9	53.9	53.9	53.9
		22/F	91.3	53.8	53.8	53.8	53.8	53.8
		23/F	94.1	53.8	53.8	53.8	53.8	53.8
		24/F	96.9	53.7	53.7	53.7	53.7	53.7
		25/F	99.7	53.6	53.6	53.6	53.6	53.6
		26/F	102.5	53.5	53.5	53.5	53.5	53.5
		27/F	105.3	53.4	53.4	53.4	53.4	53.4
		28/F	108.1	53.4	53.4	53.4	53.4	53.4
SR3A	Dawning Views 2	1/F	32.5	55.4	55.4	55.4	55.4	55.4
		2/F	35.3	55.4	55.4	55.4	55.4	55.4
		3/F	38.1	55.4	55.4	55.4	55.4	55.4
		4/F	40.9	55.4	55.4	55.4	55.4	55.4
		5/F	43.7	55.3	55.3	55.3	55.3	55.3
		6/F	46.5	55.3	55.3	55.3	55.3	55.3
		7/F	49.3	55.2	55.2	55.2	55.2	55.2
		8/F	52.1	55.2	55.2	55.2	55.2	55.2
		9/F	54.9	55.1	55.1	55.1	55.1	55.1
		10/F	57.7	55.1	55.1	55.1	55.1	55.1
		11/F	60.5	55	55	55	55	55
		12/F	63.3	54.9	54.9	54.9	54.9	54.9
		13/F	66.1	54.9	54.9	54.9	54.9	54.9
		14/F	68.9	54.8	54.8	54.8	54.8	54.8
		15/F	71.7	54.8	54.8	54.8	54.8	54.8
		16/F	74.5	54.7	54.7	54.7	54.7	54.7
		17/F	77.3	54.6	54.6	54.6	54.6	54.6
		18/F	80.1	54.5	54.5	54.5	54.5	54.5
		19/F	82.9	54.5	54.5	54.5	54.5	54.5
		20/F	85.7	54.4	54.4	54.4	54.4	54.4
		21/F	88.5	54.4	54.4	54.4	54.4	54.4
		22/F	91.3	54.3	54.3	54.3	54.3	54.3
		23/F	94.1	54.2	54.2	54.2	54.2	54.2
		24/F	96.9	54.2	54.2	54.2	54.2	54.2
		25/F	99.7	54.1	54.1	54.1	54.1	54.1
		26/F	102.5	54	54	54	54	54
		27/F	105.3	54	54	54	54	54
		28/F	108.1	53.9	53.9	53.9	53.9	53.9
SR7	Southwest Tong Hang	G/F	14.4	59.3	59.3	59.3	59.3	59.3
		1/F	17.1	59.3	59.3	59.3	59.3	59.3

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 38, worst at Section 2)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
SR8	Wo Hop Shek 1	G/F	15.5	48.4	48.4	48.4	48.4	48.4
		1/F	18.2	48.5	48.5	48.5	48.5	48.5
SR9	Wo Hop Shek 2	G/F	23.6	60.2	60.2	60.2	60.2	60.2
		1/F	26.3	60.1	60.1	60.1	60.1	60.1
SR10	Kau Lung Hang	G/F	17.2	58.1	58.1	58.1	58.1	58.1
SR11	Kiu Tau	G/F	18.8	61.7	61.7	61.7	61.7	61.7
		1/F	21.5	61.7	61.7	61.7	61.7	61.7
SR12	Nam Wa Po	G/F	29.2	58.1	58.1	58.1	58.1	58.1
		1/F	31.9	58.1	58.1	58.1	58.1	58.1
SR13	West Tai Wo	G/F	25	62.3	62.3	62.3	62.3	62.3
		1/F	27.7	62.3	62.3	62.3	62.3	62.3
		2/F	30.4	62.2	62.2	62.2	62.2	62.2
SR14	Tai Wo	G/F	27.7	59.7	59.7	59.7	59.7	59.7
		1/F	30.4	59.7	59.7	59.7	59.7	59.7
SR17A	Tai Hang 2	G/F	25.7	72.1	66.8	66.8	66.8	66.8
		1/F	28.4	72.1	66.8	66.8	66.8	66.8
		2/F	31.1	72.1	66.8	66.8	66.8	66.8
SR17B	Tai Hang 3	G/F	25.7	60.3	60.3	60.3	60.3	60.3
		1/F	28.4	60.3	60.3	60.3	60.3	60.3
		2/F	31.1	60.3	60.3	60.3	60.3	60.3
SR19	Hong Lok Yuen 1	G/F	32.9	71.7	64.7	64.7	64.7	64.7
		1/F	35.6	72.1	65.1	65.1	65.1	65.1
		2/F	38.3	72.7	65.6	65.6	65.6	65.6
SR20	Hong Lok Yuen 2	G/F	32.9	72.6	65.4	65.4	65.4	65.4
		1/F	35.6	72.7	65.5	65.5	65.5	65.5
		2/F	38.3	73	65.7	65.7	65.7	65.7
SR21	Hong Lok Yuen 3	G/F	33.9	75.8	X	69.8	69.8	69.8
		1/F	36.6	75.8	X	69.8	69.8	69.8
		2/F	39.3	75.8	X	69.8	69.8	69.8
SR22	Wai Tau Tsuen 1	G/F	28.2	79.7	X	75.1	75.1	75.1
		1/F	30.9	79.7	X	75	75	75
SR23	Wai Tau Tsuen 2	G/F	28.7	73	66.8	66.8	66.8	66.8
		1/F	31.4	77.4	X	67.5	67.5	67.5
SR24	Kau Liu Ha 1	G/F	19.1	76.4	X	63.7	63.7	63.7
		1/F	21.8	79	X	65.4	65.4	65.4
		2/F	24.5	79.4	X	66.4	66.4	66.4
SR25	Kau Liu Ha 2	G/F	19.1	76.8	X	63.7	63.7	63.7
		1/F	21.8	79.2	X	65.5	65.5	65.5
		2/F	24.5	79.6	X	66.5	66.5	66.5
SR26	Tai Po Garden	G/F	13.8	68	61.9	61.8	60.9	60.6
		1/F	16.6	68.1	62.1	62	61.1	60.7
		2/F	19.4	68.4	62.3	62.2	61.4	61
		3/F	22.2	68.7	62.4	62.4	61.5	61.2
		4/F	25	68.8	62.6	62.5	61.7	61.3
SR27	Mui Shu Hang	G/F	15.7	75.4	70.5	70.5	69.5	69.5
		1/F	18.4	75.4	70.6	70.5	69.6	69.6
SR28	Northwest Shek Kwu Lung	G/F	21.2	78.7	X	73.5	73.5	72.5
		1/F	23.9	78.7	X	73.5	73.5	72.5
SR29	Parc Versailles 1	G/F	11.5	73.3	67.9	67.9	67	67
		1/F	14.3	73.5	68.1	68.1	67.2	67.1
		2/F	17.1	73.6	68.2	68.2	67.3	67.2
		3/F	19.9	73.6	68.3	68.3	67.3	67.3
		4/F	22.7	73.8	68.4	68.4	67.5	67.4
SR29A	Parc Versailles 2	5/F	25.5	73.9	68.5	68.5	67.5	67.5
		G/F	11.5	69.2	64.6	64.6	63.8	63.7
		1/F	14.3	69.4	64.9	64.9	64.1	63.8
		2/F	17.1	69.6	65.1	65	64.2	63.9
		3/F	19.9	69.8	65.1	65.1	64.3	64.1
SR30A	Shek Kwu Lung 4	4/F	22.7	70.3	65.7	65.6	64.7	64.5
		5/F	25.5	70.7	66	65.9	65	64.6
		G/F	13.4	73.8	67.8	67.6	65.7	65.7
		1/F	16.1	74.1	68.1	67.9	66	66
		2/F	18.8	74.3	68.3	68.1	66.2	66.2
SR30B	Shek Kwu Lung 5	G/F	17.2	71.6	66.6	66.6	64.7	64.7
		1/F	20	71.8	66.8	66.8	64.9	64.8
		2/F	22.8	72.2	67.1	67.1	65.2	65.1
SR30C	Shek Kwu Lung 6	G/F	31.2	64.9	60.7	60.6	60	60
		1/F	34	66.6	61.9	61.7	60.9	60.9
		2/F	36.8	69.5	64.2	64.2	62.9	62.9
SR31	Shek Kwu Lung 2	G/F	9.9	70	64.2	64	62.2	62.2
		1/F	12.6	70.1	64.2	64.1	62.3	62.2
		2/F	15.3	70.1	64.3	64.2	62.4	62.3
SR33	Shek Kwu Lung 3	G/F	33.2	80.3	X	72.5	71.8	71.3
SR34	Pun Chun Yuen	G/F	58.8	68.3	65.8	65.8	64.3	67
		1/F	61.5	68.9	65.8	65.8	64.4	68.1
SR35	Buddhist Tai Kwong Middle School	1/F	37.3	76.1	X	70.4	X	68.8
SR36	Ma Wo	1/F	43.2	77.5	X	68.8	68.8	68.7
		1/F	45.9	77.6	X	68.9	68.9	68.9
SR38	Dynasty View 1	1/F	37.7	65.2	56.6	56.6	56.2	56.2
		2/F	40.5	67.2	59.6	59.6	59.4	59.4
		3/F	43.3	69.1	61.6	61.6	61.4	61.4
		4/F	46.1	71.1	63.4	63.4	63.1	63.1
		5/F	48.9	73.8	65.6	65.6	65.4	65.4
		6/F	51.7	75.6	X	67.2	67.2	67

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 38, worst at Section 2)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		7/F	54.5	78.2	X 69.6	69.6	69.3	69.3
		8/F	57.3	78.3	X 69.6	69.6	69.3	69.3
SR39	The Paragon	1/F	37.3	70.6	65	65	65	65.4
		2/F	40.1	72.6	67.6	67.6	67.6	67.8
		3/F	42.9	74.1	69.2	69.2	69.2	69.2
		4/F	45.7	75.4	70.3	70.3	70.3	70.4
		5/F	48.5	75.9	X 70.9	70.9	70.9	70.9
		6/F	51.3	76.1	X 71	71	71	71.1
		7/F	54.1	76.2	X 71.1	71.1	71.1	71.1
		8/F	56.9	76.2	X 71.1	71.1	71.1	71.1
		9/F	59.7	76.2	X 71.1	71.1	71.1	71.1
SR40	Grand Palisades	1/F	59	70.6	65.3	65.3	65.3	65.5
		2/F	61.8	72	66.7	66.7	66.7	66.8
		3/F	64.6	72.4	67.1	67.1	67.1	67.2
		4/F	67.4	72.7	67.3	67.3	67.3	67.4
		5/F	70.2	72.9	67.5	67.5	67.5	67.5
		6/F	73	73.1	67.6	67.6	67.6	67.7
		7/F	75.8	73.2	67.7	67.7	67.7	67.8
		8/F	78.6	73.3	67.8	67.8	67.8	67.9
		9/F	81.4	73.4	67.9	67.9	67.9	67.9
		10/F	84.2	73.5	68	68	68	68
SR41	Wong Shiu Chi Middle School	1/F	6.4	73.1	X 68.1	X 68.1	X 68.1	X 67.8
		2/F	9.4	73.2	X 68.2	X 68.2	X 68.2	X 67.8
		3/F	12.4	73.2	X 68.2	X 68.2	X 68.2	X 67.8
		4/F	15.4	73.2	X 68.2	X 68.2	X 68.2	X 67.8
		5/F	18.4	73.3	X 68.2	X 68.2	X 68.2	X 67.9
SR42	Wan Tau Tong Estate - Wan Lam House 1	1/F	12.8	61.7	62.5	62.5	62.5	56.5
		2/F	15.6	62.9	62.8	62.8	62.8	57.6
		3/F	18.4	64.1	63.1	63.1	63.1	58.8
		4/F	21.2	65.2	63.5	63.5	63.5	59.9
		5/F	24	66	63.7	63.7	63.7	60.6
		6/F	26.8	66.4	63.9	63.9	63.9	60.9
		7/F	29.6	66.8	63.9	63.9	63.9	61.3
		8/F	32.4	67.2	64	64	64	61.5
		9/F	35.2	67.7	64.1	64.1	64.1	62
		10/F	38	67.9	64.3	64.3	64.3	62.3
		11/F	40.8	68.3	64.4	64.4	64.4	62.7
		12/F	43.6	68.7	64.8	64.8	64.8	63.2
		13/F	46.4	69.8	65.4	65.4	65.4	64.2
		14/F	49.2	70.1	66	66	66	64.5
		15/F	52	70.4	66.7	66.7	66.7	64.8
		16/F	54.8	70.7	67.1	67.1	67.1	65.1
		17/F	57.6	71.1	67.3	67.3	67.3	65.3
		18/F	60.4	71.3	67.4	67.4	67.4	65.6
		19/F	63.2	71.5	67.4	67.4	67.4	65.8
		20/F	66	71.8	67.4	67.4	67.4	66.1
		21/F	68.8	71.9	67.4	67.4	67.4	66.2
		22/F	71.6	72	67.4	67.4	67.4	66.4
		23/F	74.4	72.1	67.3	67.3	67.3	66.5
		24/F	77.2	72.2	67.3	67.3	67.3	66.5
		25/F	80	72.3	67.3	67.3	67.3	66.6
		26/F	82.8	72.4	67.3	67.3	67.3	66.6
		27/F	85.6	72.4	67.2	67.2	67.2	66.7
		28/F	88.4	72.4	67.2	67.2	67.2	66.7
		29/F	91.2	72.5	67.2	67.2	67.2	66.8
		30/F	94	72.5	67.2	67.2	67.2	66.8
		31/F	96.8	72.5	67.1	67.1	67.1	66.8
SR43	Wan Tau Tong Estate - Wan Lam House 2	1/F	12.8	56.5	56.5	56.5	56.5	56.5
		2/F	15.6	56.6	56.6	56.6	56.6	56.6
		3/F	18.4	56.6	56.6	56.6	56.6	56.6
		4/F	21.2	56.6	56.6	56.6	56.6	56.6
		5/F	24	56.6	56.6	56.6	56.6	56.6
		6/F	26.8	56.6	56.6	56.6	56.6	56.6
		7/F	29.6	56.6	56.6	56.6	56.6	56.6
		8/F	32.4	56.6	56.6	56.6	56.6	56.6
		9/F	35.2	56.6	56.6	56.6	56.6	56.6
		10/F	38	56.6	56.6	56.6	56.6	56.6
		11/F	40.8	56.8	56.6	56.6	56.6	56.6
		12/F	43.6	56.6	56.6	56.6	56.6	56.6
		13/F	46.4	56.6	56.6	56.6	56.6	56.6
		14/F	49.2	56.6	56.6	56.6	56.6	56.6
		15/F	52	56.5	56.5	56.5	56.5	56.5
		16/F	54.8	56.5	56.5	56.5	56.5	56.5
		17/F	57.6	56.5	56.5	56.5	56.5	56.5
		18/F	60.4	56.5	56.5	56.5	56.5	56.5
		19/F	63.2	56.5	56.5	56.5	56.5	56.5
		20/F	66	56.5	56.5	56.5	56.5	56.5
		21/F	68.8	56.4	56.4	56.4	56.4	56.4
		22/F	71.6	56.4	56.4	56.4	56.4	56.4
		23/F	74.4	56.4	56.4	56.4	56.4	56.4
		24/F	77.2	56.4	56.4	56.4	56.4	56.4
		25/F	80	56.4	56.4	56.4	56.4	56.4
		26/F	82.8	56.4	56.4	56.4	56.4	56.4
		27/F	85.6	56.4	56.4	56.4	56.4	56.4

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 38, worst at Section 2)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced pit no.	O3: O2 + rediced PON	O4: O3 + barrier	
		28/F	88.4	56.4	56.4	56.4	56.4	56.4	
		29/F	91.2	56.3	56.3	56.3	56.3	56.3	
		30/F	94	56.3	56.3	56.3	56.3	56.3	
		31/F	96.8	56.3	56.3	56.3	56.3	56.3	
SR44	Wan Tau Tong Estate - Wan Loi House	1/F	12.8	66.5	61.6	61.6	61.6	61.6	
		2/F	15.6	66.7	62	62	62	61.8	
		3/F	18.4	66.8	62.9	62.9	62.9	61.9	
		4/F	21.2	66.9	64	64	64	62	
		5/F	24	67	65.1	65.1	65.1	62.2	
		6/F	26.8	67.2	65.5	65.5	65.5	62.3	
		7/F	29.6	67.3	65.8	65.8	65.8	62.5	
		8/F	32.4	67.5	65.9	65.9	65.9	62.6	
		9/F	35.2	67.8	65.9	65.9	65.9	62.8	
		10/F	38	68	66	66	66	63.2	
		11/F	40.8	68.4	66.1	66.1	66.1	63.5	
		12/F	43.6	68.8	66.3	66.3	66.3	64	
		13/F	46.4	69.5	66.6	66.6	66.6	64.5	
		14/F	49.2	70.6	67	67	67	65.4	
		15/F	52	71.5	67.6	67.6	67.6	66.1	
		16/F	54.8	72	68.3	68.3	68.3	66.5	
		17/F	57.6	72.3	68.8	68.8	68.8	66.8	
		18/F	60.4	72.6	68.9	68.9	68.9	67.1	
		19/F	63.2	72.9	69	69	69	67.3	
		20/F	66	73.1	69.1	69.1	69.1	67.5	
		21/F	68.8	73.2	69	69	69	67.7	
		22/F	71.6	73.4	69	69	69	67.9	
		23/F	74.4	73.5	69	69	69	68	
		24/F	77.2	73.6	69	69	69	68.1	
		25/F	80	73.7	68.9	68.9	68.9	68.2	
		26/F	82.8	73.7	68.9	68.9	68.9	68.2	
		27/F	85.6	73.8	68.8	68.8	68.8	68.2	
		28/F	88.4	73.8	68.8	68.8	68.8	68.3	
		29/F	91.2	73.8	68.7	68.7	68.7	68.3	
		30/F	94	73.8	68.7	68.7	68.7	68.3	
		31/F	96.8	73.8	68.6	68.6	68.6	68.3	
SR45	HK Teacher's Association Secondary School	1/F	13.6	72	X 74.7	X 74.7	X 74.7	X 67	X
		2/F	16.6	72.6	X 74.7	X 74.7	X 74.7	X 67.6	X
		3/F	19.6	73.2	X 74.7	X 74.7	X 74.7	X 68.1	X
		4/F	22.6	74	X 74.6	X 74.6	X 74.6	X 68.7	X
		5/F	25.6	75.1	X 74.6	X 74.6	X 74.6	X 69.6	X
		6/F	28.6	75.7	X 74.6	X 74.6	X 74.6	X 70.3	X
SR46	Uptown Plaza	1/F	30.3	70.5	70.3	70.3	70.3	65.2	
		2/F	33.1	70.7	70.3	70.3	70.3	65.4	
		3/F	35.9	71	70.3	70.3	70.3	65.7	
		4/F	38.7	71.3	70.2	70.2	70.2	65.9	
		5/F	41.5	71.6	70.2	70.2	70.2	66.3	
		6/F	44.3	71.9	70.2	70.2	70.2	66.5	
		7/F	47.1	72	70.2	70.2	70.2	66.6	
		8/F	49.9	72.3	70.2	70.2	70.2	67.1	
		9/F	52.7	72.6	70.1	70.1	70.1	67.3	
		10/F	55.5	72.9	70.1	70.1	70.1	67.4	
		11/F	58.3	73.2	70.1	70.1	70.1	67.8	
		12/F	61.1	73.5	70	70	70	68.1	
		13/F	63.9	73.7	70	70	70	68.4	
		14/F	66.7	73.9	70	70	70	68.5	
		15/F	69.5	74.1	69.9	69.9	69.9	68.7	
		16/F	72.3	74.2	69.9	69.9	69.9	68.8	
		17/F	75.1	74.3	69.9	69.9	69.9	69	
		18/F	77.9	74.4	69.8	69.8	69.8	69	
		19/F	80.7	74.5	69.7	69.7	69.7	69.1	
		20/F	83.5	74.5	69.7	69.7	69.7	69.2	
		21/F	86.3	74.6	69.7	69.7	69.7	69.2	
		22/F	89.1	74.6	69.6	69.6	69.6	69.3	
		23/F	91.9	74.5	69.6	69.6	69.6	69.2	
		24/F	94.7	74.6	69.5	69.5	69.5	69.3	
		25/F	97.5	74.5	69.5	69.5	69.5	69.2	
		26/F	100.3	74.5	69.5	69.5	69.5	69.2	
SR47	Wang Fuk Court - Wang Cheong House 1	1/F	6.8	78	X 72.5	72.5	72.5	72.5	
		2/F	9.6	78.4	X 72.9	72.9	72.9	72.9	
		3/F	12.4	78.8	X 73.2	73.2	73.2	73.2	
		4/F	15.2	78.9	X 73.3	73.3	73.3	73.3	
		5/F	18	79.1	X 73.4	73.4	73.4	73.5	
		6/F	20.8	79.1	X 73.4	73.4	73.4	73.5	
		7/F	23.6	79.3	X 73.5	73.5	73.5	73.6	
		8/F	26.4	79.4	X 73.5	73.5	73.5	73.6	
		9/F	29.2	79.4	X 73.5	73.5	73.5	73.6	
		10/F	32	79.4	X 73.5	73.5	73.5	73.6	
		11/F	34.8	79.4	X 73.5	73.5	73.5	73.5	
		12/F	37.6	79.4	X 73.4	73.4	73.4	73.5	
		13/F	40.4	79.3	X 73.3	73.3	73.3	73.4	
		14/F	43.2	79.3	X 73.2	73.2	73.2	73.3	
		15/F	46	79.2	X 73.2	73.2	73.2	73.2	
		16/F	48.8	79.1	X 73.1	73.1	73.1	73.1	
		17/F	51.6	79	X 73	73	73	73	

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 38, worst at Section 2)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + rediced PON	O4: O3 + barrier
		18/F	54.4	78.9	X 72.8	72.8	72.8	72.9
		19/F	57.2	78.9	X 72.7	72.7	72.7	72.8
		20/F	60	78.8	X 72.6	72.6	72.6	72.7
		21/F	62.8	78.6	X 72.5	72.5	72.5	72.5
		22/F	65.6	78.6	X 72.4	72.4	72.4	72.4
		23/F	68.4	78.5	X 72.3	72.3	72.3	72.3
		24/F	71.2	78.4	X 72.2	72.2	72.2	72.2
		25/F	74	78.3	X 72.1	72.1	72.1	72.1
		26/F	76.8	78.2	X 72	72	72	72
		27/F	79.6	78.1	X 71.9	71.9	71.9	71.9
		28/F	82.4	78	X 71.8	71.8	71.8	71.8
		29/F	85.2	77.9	X 71.7	71.7	71.7	71.7
		30/F	88	77.8	X 71.6	71.6	71.6	71.6
		31/F	90.8	77.7	X 71.5	71.5	71.5	71.5
<hr/>								
SR48	Wang Fuk Court – Wang Cheong House 2	1/F	6.8	73.1	68.4	68.4	68.4	68.4
		2/F	9.6	73.1	68.4	68.4	68.4	68.4
		3/F	12.4	73.1	68.4	68.4	68.4	68.4
		4/F	15.2	73.1	68.4	68.4	68.4	68.4
		5/F	18	73.1	68.4	68.4	68.4	68.4
		6/F	20.8	73.1	68.4	68.4	68.4	68.4
		7/F	23.6	73	68.3	68.3	68.3	68.3
		8/F	26.4	73	68.3	68.3	68.3	68.3
		9/F	29.2	72.9	68.2	68.2	68.2	68.2
		10/F	32	72.8	68.1	68.1	68.1	68.1
		11/F	34.8	72.7	68	68	68	68
		12/F	37.6	72.6	67.9	67.9	67.9	67.9
		13/F	40.4	72.5	67.8	67.8	67.8	67.8
		14/F	43.2	72.4	67.7	67.7	67.7	67.7
		15/F	46	72.2	67.5	67.5	67.5	67.5
		16/F	48.8	72.1	67.4	67.4	67.4	67.4
		17/F	51.6	71.9	67.2	67.2	67.2	67.2
		18/F	54.4	71.8	67.1	67.1	67.1	67.1
		19/F	57.2	71.6	66.9	66.9	66.9	66.9
		20/F	60	71.4	66.7	66.7	66.7	66.7
		21/F	62.8	71.2	66.5	66.5	66.5	66.5
		22/F	65.6	71.1	66.4	66.4	66.4	66.4
		23/F	68.4	70.9	66.2	66.2	66.2	66.2
		24/F	71.2	70.7	66	66	66	66
		25/F	74	70.5	65.8	65.8	65.8	65.8
		26/F	76.8	70.3	65.6	65.6	65.6	65.6
		27/F	79.6	70.2	65.5	65.5	65.5	65.5
		28/F	82.4	70	65.3	65.3	65.3	65.3
		29/F	85.2	69.8	65.1	65.1	65.1	65.1
		30/F	88	69.6	64.9	64.9	64.9	64.9
		31/F	90.8	69.4	64.7	64.7	64.7	64.7
<hr/>								
SR49	Wang Fuk Court – Wang Cheong House 3	1/F	6.8	74.2	67.5	67.5	67.5	67.6
		2/F	9.6	75.3	68.8	68.8	68.8	68.9
		3/F	12.4	76.4	X 69.8	69.8	69.8	69.9
		4/F	15.2	76.7	X 70	70	70	70.1
		5/F	18	76.9	X 70.1	70.1	70.1	70.3
		6/F	20.8	77.1	X 70.4	70.4	70.4	70.6
		7/F	23.6	77.3	X 70.6	70.6	70.6	70.8
		8/F	26.4	77.5	X 70.8	70.8	70.8	70.9
		9/F	29.2	77.6	X 70.9	70.9	70.9	71
		10/F	32	77.7	X 71	71	71	71.1
		11/F	34.8	77.8	X 71	71	71	71.1
		12/F	37.6	77.8	X 71	71	71	71.1
		13/F	40.4	77.9	X 71.1	71.1	71.1	71.1
		14/F	43.2	77.9	X 71.1	71.1	71.1	71.1
		15/F	46	77.9	X 71.1	71.1	71.1	71.1
		16/F	48.8	77.8	X 71.1	71.1	71.1	71.1
		17/F	51.6	77.8	X 71	71	71	71.1
		18/F	54.4	77.8	X 71	71	71	71
		19/F	57.2	77.7	X 71	71	71	71
		20/F	60	77.7	X 71	71	71	71
		21/F	62.8	77.7	X 70.9	70.9	70.9	70.9
		22/F	65.6	77.6	X 70.9	70.9	70.9	70.9
		23/F	68.4	77.6	X 70.8	70.8	70.8	70.8
		24/F	71.2	77.5	X 70.8	70.8	70.8	70.8
		25/F	74	77.5	X 70.8	70.8	70.8	70.8
		26/F	76.8	77.4	X 70.7	70.7	70.7	70.7
		27/F	79.6	77.4	X 70.7	70.7	70.7	70.7
		28/F	82.4	77.3	X 70.6	70.6	70.6	70.6
		29/F	85.2	77.3	X 70.6	70.6	70.6	70.6
		30/F	88	77.2	X 70.5	70.5	70.5	70.5
		31/F	90.8	77.1	X 70.5	70.5	70.5	70.5
<hr/>								
SR50	Wang Fuk Court – Wang Tat Hse	1/F	6.8	74.4	67.9	67.9	67.9	68.2
		2/F	9.6	76	X 69.5	69.5	69.5	69.7
		3/F	12.4	76.7	X 70	70	70	70.3
		4/F	15.2	77	X 70.2	70.2	70.2	70.5
		5/F	18	77.2	X 70.4	70.4	70.4	70.7
		6/F	20.8	77.3	X 70.6	70.6	70.6	70.8
		7/F	23.6	77.4	X 70.7	70.7	70.7	70.9
		8/F	26.4	77.5	X 70.9	70.9	70.9	71

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 38, worst at Section 2)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		9/F	29.2	77.6	X 71	71	71	71
		10/F	32	77.7	X 71.1	71.1	71.1	71.1
		11/F	34.8	77.8	X 71.1	71.1	71.1	71.2
		12/F	37.6	77.8	X 71.2	71.2	71.2	71.2
		13/F	40.4	77.8	X 71.2	71.2	71.2	71.2
		14/F	43.2	77.8	X 71.2	71.2	71.2	71.2
		15/F	46	77.8	X 71.2	71.2	71.2	71.2
		16/F	48.8	77.8	X 71.2	71.2	71.2	71.2
		17/F	51.6	77.8	X 71.2	71.2	71.2	71.2
		18/F	54.4	77.7	X 71.2	71.2	71.2	71.2
		19/F	57.2	77.7	X 71.1	71.1	71.1	71.1
		20/F	60	77.7	X 71.1	71.1	71.1	71.1
		21/F	62.8	77.6	X 71.1	71.1	71.1	71.1
		22/F	65.6	77.6	X 71	71	71	71
		23/F	68.4	77.5	X 71	71	71	71
		24/F	71.2	77.5	X 71	71	71	71
		25/F	74	77.4	X 70.9	70.9	70.9	70.9
		26/F	76.8	77.4	X 70.9	70.9	70.9	70.9
		27/F	79.6	77.3	X 70.8	70.8	70.8	70.8
		28/F	82.4	77.3	X 70.8	70.8	70.8	70.8
		29/F	85.2	77.3	X 70.8	70.8	70.8	70.8
		30/F	88	77.2	X 70.7	70.7	70.7	70.7
		31/F	90.8	77.1	X 70.6	70.6	70.6	70.6
SR51	Wang Fuk Court – Wang Shing House	1/F	6.8	0	0	0	0	0
		2/F	9.6	0	0	0	0	0
		3/F	12.4	0	0	0	0	0
		4/F	15.2	0	0	0	0	0
		5/F	18	0	0	0	0	0
		6/F	20.8	0	0	0	0	0
		7/F	23.6	0	0	0	0	0
		8/F	26.4	0	0	0	0	0
		9/F	29.2	0	0	0	0	0
		10/F	32	0	0	0	0	0
		11/F	34.8	0	0	0	0	0
		12/F	37.6	0	0	0	0	0
		13/F	40.4	0	0	0	0	0
		14/F	43.2	0	0	0	0	0
		15/F	46	0	0	0	0	0
		16/F	48.8	0	0	0	0	0
		17/F	51.6	0	0	0	0	0
		18/F	54.4	0	0	0	0	0
		19/F	57.2	0	0	0	0	0
		20/F	60	0	0	0	0	0
		21/F	62.8	0	0	0	0	0
		22/F	65.6	0	0	0	0	0
		23/F	68.4	0	0	0	0	0
		24/F	71.2	0	0	0	0	0
		25/F	74	0	0	0	0	0
		26/F	76.8	0	0	0	0	0
		27/F	79.6	0	0	0	0	0
		28/F	82.4	0	0	0	0	0
		29/F	85.2	0	0	0	0	0
		30/F	88	0	0	0	0	0
		31/F	90.8	0	0	0	0	0
SR52	Ha Wong Yi Au 1	G/F	29.2	77.3	X 71.7	71.7	71.7	71.7
		1/F	31.9	80.7	X 74.9	74.9	74.9	74.9
		2/F	34.6	80.8	X 75	75	75	75
SR53	Ha Wong Yi Au 2	G/F	11	66.8	60.4	60.4	60.4	60.4
		1/F	13.7	69.8	63.2	63.2	63.2	63.2
SR54	Riverrain Bayside	G/F	8.5	75.5	X 69.6	69.6	69.6	69.7
		1/F	11.3	76.8	X 70.7	70.7	70.7	70.7
		2/F	14.1	76.8	X 70.9	70.9	70.9	70.9
SR55	Dynasty View 2	1/F	37.7	75.6	X 66.7	66.7	66.3	66.3
		2/F	40.5	79.7	X 70.6	70.6	70.2	70.2
		3/F	43.3	80.7	X 71.6	71.6	71.2	71.2
		4/F	46.1	80.7	X 71.6	71.6	71.2	71.2
		5/F	48.9	80.7	X 71.7	71.7	71.3	71.3
		6/F	51.7	80.7	X 71.7	71.7	71.3	71.3
		7/F	54.5	80.7	X 71.7	71.7	71.3	71.3
		8/F	57.3	80.7	X 71.7	71.7	71.3	71.3
SR56	Monastery at Ma Wo	G/F	42.5	82.2	X 73	73	72.6	72.6
		1/F	45.2	82.4	X 73.1	73.1	72.7	72.7
SR57	King Nga Court – King Yuet House 1	1/F	14.6	68.7	64.3	64.3	64.3	64.3
		2/F	17.4	69.1	64.6	64.6	64.6	64.6
		3/F	20.2	70.5	65.6	65.6	65.6	65.6
		4/F	23	70.7	65.8	65.8	65.8	65.8
		5/F	25.8	70.9	66	66	66	66
		6/F	28.6	71.2	66.3	66.3	66.3	66.3
		7/F	31.4	71.5	66.6	66.6	66.6	66.6
		8/F	34.2	71.8	66.8	66.8	66.8	66.8
		9/F	37	71.9	67	67	67	67
		10/F	39.8	72	67	67	67	67
		11/F	42.6	72.1	67.1	67.1	67.1	67.1
		12/F	45.4	72.2	67.2	67.2	67.2	67.2

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		13/F	48.2	72.2	67.2	67.2	67.2	67.2
		14/F	51	72.1	67.2	67.2	67.2	67.2
		15/F	53.8	72.2	67.2	67.2	67.2	67.2
		16/F	56.6	72.2	67.2	67.2	67.2	67.2
		17/F	59.4	72.1	67.2	67.2	67.2	67.2
		18/F	62.2	72.1	67.2	67.2	67.2	67.2
		19/F	65	72.1	67.2	67.2	67.2	67.2
		20/F	67.8	72.1	67.1	67.1	67.1	67.1
		21/F	70.6	72	67.1	67.1	67.1	67.1
		22/F	73.4	72	67.1	67.1	67.1	67.1
		23/F	76.2	72	67	67	67	67
		24/F	79	72	67	67	67	67
		25/F	81.8	71.9	67	67	67	67
		26/F	84.6	71.9	66.9	66.9	66.9	66.9
		27/F	87.4	71.8	66.9	66.9	66.9	66.9
		28/F	90.2	71.8	66.9	66.9	66.9	66.9
		29/F	93	71.8	66.8	66.8	66.8	66.8
		30/F	95.8	71.7	66.8	66.8	66.8	66.8
		31/F	98.6	71.7	66.8	66.8	66.8	66.8
		32/F	101.4	71.7	66.8	66.8	66.8	66.8
		33/F	104.2	71.6	66.7	66.7	66.7	66.7
		34/F	107	71.6	66.7	66.7	66.7	66.7
		35/F	109.8	71.5	66.6	66.6	66.6	66.6
		36/F	112.6	71.5	66.6	66.6	66.6	66.6
SR58	King Nga Court – King Yuet House 2	1/F	14.6	69.3	64.9	64.9	64.9	65.2
		2/F	17.4	69.8	65.3	65.3	65.3	65.6
		3/F	20.2	70.8	66	66	66	66.4
		4/F	23	71	66.3	66.3	66.3	66.5
		5/F	25.8	71.2	66.5	66.5	66.5	66.6
		6/F	28.6	71.4	66.8	66.8	66.8	66.9
		7/F	31.4	71.7	67.2	67.2	67.2	67.1
		8/F	34.2	71.9	67.4	67.4	67.4	67.3
		9/F	37	72	67.5	67.5	67.5	67.4
		10/F	39.8	72.1	67.7	67.7	67.7	67.4
		11/F	42.6	72.2	67.7	67.7	67.7	67.5
		12/F	45.4	72.2	67.8	67.8	67.8	67.6
		13/F	48.2	72.3	67.8	67.8	67.8	67.6
		14/F	51	72.3	67.9	67.9	67.9	67.7
		15/F	53.8	72.4	67.9	67.9	67.9	67.7
		16/F	56.6	72.4	67.9	67.9	67.9	67.7
		17/F	59.4	72.4	67.8	67.8	67.8	67.7
		18/F	62.2	72.4	67.8	67.8	67.8	67.7
		19/F	65	72.4	67.8	67.8	67.8	67.7
		20/F	67.8	72.4	67.8	67.8	67.8	67.7
		21/F	70.6	72.4	67.8	67.8	67.8	67.7
		22/F	73.4	72.4	67.8	67.8	67.8	67.7
		23/F	76.2	72.4	67.7	67.7	67.7	67.6
		24/F	79	72.4	67.7	67.7	67.7	67.6
		25/F	81.8	72.4	67.7	67.7	67.7	67.6
		26/F	84.6	72.5	67.7	67.7	67.7	67.6
		27/F	87.4	72.4	67.7	67.7	67.7	67.6
		28/F	90.2	72.4	67.6	67.6	67.6	67.6
		29/F	93	72.4	67.6	67.6	67.6	67.6
		30/F	95.8	72.4	67.6	67.6	67.6	67.5
		31/F	98.6	72.4	67.6	67.6	67.6	67.5
		32/F	101.4	72.4	67.5	67.5	67.5	67.5
		33/F	104.2	72.4	67.5	67.5	67.5	67.5
		34/F	107	72.4	67.4	67.4	67.4	67.4
		35/F	109.8	72.3	67.4	67.4	67.4	67.4
		36/F	112.6	72.3	67.3	67.3	67.3	67.3
SR59N	King Nga Court – King Yan House	1/F	14.6	66.2	63.5	63.5	63.5	62.9
		2/F	17.4	66.5	63.9	63.9	63.9	63.2
		3/F	20.2	68.7	64.2	64.2	64.2	63.5
		4/F	23	67	64.5	64.5	64.5	63.8
		5/F	25.8	67.2	64.6	64.6	64.6	63.9
		6/F	28.6	67.4	64.7	64.7	64.7	64
		7/F	31.4	67.7	64.9	64.9	64.9	64.3
		8/F	34.2	68.1	65	65	65	64.5
		9/F	37	68.3	65.2	65.2	65.2	64.7
		10/F	39.8	68.6	65.3	65.3	65.3	64.8
		11/F	42.6	68.8	65.4	65.4	65.4	65
		12/F	45.4	69	65.5	65.5	65.5	65
		13/F	48.2	69.1	65.6	65.6	65.6	65.1
		14/F	51	69.1	65.6	65.6	65.6	65.2
		15/F	53.8	69.2	65.6	65.6	65.6	65.2
		16/F	56.6	69.4	65.6	65.6	65.6	65.2
		17/F	59.4	69.5	65.6	65.6	65.6	65.3
		18/F	62.2	69.6	65.6	65.6	65.6	65.4
		19/F	65	69.7	65.6	65.6	65.6	65.4
		20/F	67.8	69.8	65.6	65.6	65.6	65.5
		21/F	70.6	69.8	65.6	65.6	65.6	65.5
		22/F	73.4	69.9	65.6	65.6	65.6	65.5
		23/F	76.2	69.9	65.6	65.6	65.6	65.5
		24/F	79	69.9	65.6	65.6	65.6	65.4

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		25/F	81.8	69.9	65.5	65.5	65.5	65.4
		26/F	84.6	69.9	65.5	65.5	65.5	65.4
		27/F	87.4	69.9	65.5	65.5	65.5	65.4
		28/F	90.2	70	65.5	65.5	65.5	65.4
		29/F	93	70	65.5	65.5	65.5	65.4
		30/F	95.8	69.9	65.4	65.4	65.4	65.4
		31/F	98.6	70	65.4	65.4	65.4	65.3
		32/F	101.4	70	65.4	65.4	65.4	65.4
		33/F	104.2	70	65.4	65.4	65.4	65.4
		34/F	107	70	65.4	65.4	65.4	65.4
		35/F	109.8	70	65.4	65.4	65.4	65.3
		36/F	112.6	70	65.3	65.3	65.3	65.3
SR60	Tak Nga Court 1	1/F	16.3	71.1	65.9	65.9	65.9	65.9
		2/F	19.1	71.3	66.1	66.1	66.1	66.1
		3/F	21.9	71.5	66.3	66.3	66.3	66.3
		4/F	24.7	71.7	66.5	66.5	66.5	66.5
		5/F	27.5	72	66.8	66.8	66.8	66.8
		6/F	30.3	72.2	67.1	67.1	67.1	67.1
		7/F	33.1	72.4	67.4	67.4	67.4	67.4
		8/F	35.9	72.6	67.5	67.5	67.5	67.4
		9/F	38.7	72.7	67.5	67.5	67.5	67.5
		10/F	41.5	72.8	67.6	67.6	67.6	67.5
		11/F	44.3	72.8	67.7	67.7	67.7	67.6
		12/F	47.1	72.8	67.7	67.7	67.7	67.7
		13/F	49.9	72.8	67.7	67.7	67.7	67.7
		14/F	52.7	72.8	67.7	67.7	67.7	67.7
		15/F	55.5	72.8	67.7	67.7	67.7	67.7
		16/F	58.3	72.8	67.6	67.6	67.6	67.7
		17/F	61.1	72.8	67.6	67.6	67.6	67.6
		18/F	63.9	72.7	67.6	67.6	67.6	67.6
		19/F	66.7	72.7	67.6	67.6	67.6	67.6
		20/F	69.5	72.7	67.5	67.5	67.5	67.6
		21/F	72.3	72.7	67.5	67.5	67.5	67.5
		22/F	75.1	72.6	67.4	67.4	67.4	67.5
		23/F	77.9	72.6	67.4	67.4	67.4	67.4
		24/F	80.7	72.5	67.4	67.4	67.4	67.4
		25/F	83.5	72.5	67.4	67.4	67.4	67.4
		26/F	86.3	72.5	67.3	67.3	67.3	67.4
		27/F	89.1	72.4	67.3	67.3	67.3	67.3
		28/F	91.9	72.4	67.2	67.2	67.2	67.3
		29/F	94.7	72.3	67.2	67.2	67.2	67.2
		30/F	97.5	72.3	67.2	67.2	67.2	67.2
		31/F	100.3	72.2	67.1	67.1	67.1	67.2
		32/F	103.1	72.2	67.1	67.1	67.1	67.1
		33/F	105.9	72.1	67.1	67.1	67.1	67.1
		34/F	108.7	72.1	67	67	67	67.1
SR61	Tak Nga Court 2	1/F	16.3	71.4	66.1	66.1	66.1	66.1
		2/F	19.1	71.6	66.4	66.4	66.4	66.4
		3/F	21.9	71.8	66.4	66.4	66.4	66.4
		4/F	24.7	72	66.7	66.7	66.7	66.4
		5/F	27.5	72.3	67	67	67	66.7
		6/F	30.3	72.6	67.3	67.3	67.3	67
		7/F	33.1	72.8	67.5	67.5	67.5	67.3
		8/F	35.9	72.9	67.6	67.6	67.6	67.5
		9/F	38.7	73	67.7	67.7	67.7	67.6
		10/F	41.5	73.1	67.7	67.7	67.7	67.7
		11/F	44.3	73.2	67.8	67.8	67.8	67.7
		12/F	47.1	73.3	67.9	67.9	67.9	67.8
		13/F	49.9	73.3	67.9	67.9	67.9	67.9
		14/F	52.7	73.6	67.9	67.9	67.9	67.9
		15/F	55.5	73.7	67.9	67.9	67.9	67.9
		16/F	58.3	73.9	67.9	67.9	67.9	67.9
		17/F	61.1	74	68	68	67.9	67.9
		18/F	63.9	74.1	68	68	68	67.9
		19/F	66.7	74.4	68	68	68	68
		20/F	69.5	74.4	68	68	68	68
		21/F	72.3	74.4	68	68	68	68
		22/F	75.1	74.4	68	68	68	68
		23/F	77.9	74.4	68	68	68	68
		24/F	80.7	74.4	68	68	68	68
		25/F	83.5	74.4	67.9	67.9	67.9	68
		26/F	86.3	74.4	68	68	67.9	67.9
		27/F	89.1	74.5	67.9	67.9	67.9	67.9
		30/F	97.5	74.5	67.9	67.9	67.9	67.9
		31/F	100.3	74.5	67.9	67.9	67.9	67.9
		32/F	103.1	74.4	67.8	67.8	67.8	67.9
		33/F	105.9	74.4	67.9	67.9	67.8	67.8
		34/F	108.7	74.4	67.8	67.8	67.7	67.8
SR62	Ha Wun Yiu	G/F	29.6	76.9	X	71.6	71.6	71.6
		1/F	32.3	76.9	X	71.6	71.6	71.6
SR63	Lai Chi Shan	G/F	22.4	75	69.9	69.9	69.9	69.9
		1/F	25.1	76.5	X	71.4	71.4	71.4
SR64	Shan Tong New Village 1	G/F	44.3	68.8	64.3	64.3	64.3	64.3
		1/F	47	69.9	65.4	65.4	65.4	65.4

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 38, worst at Section 2)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
SR65	Shan Tong New Village 2	2/F	49.7	71.2	66.7	66.7	66.7	66.7
		G/F	41.8	66.5	62.6	62.6	62.6	62.6
		1/F	44.5	67	62.9	62.9	62.9	62.9
SR66	P.L.K. Tin Ka Ping Primary School NOT NAP	2/F	47.2	67.8	63.5	63.5	63.5	63.5
		1/F	14.6	64.6	63.9	63.9	63.9	61.4
		2/F	17.6	64.7	63.9	63.9	63.9	61.4
		3/F	20.6	64.8	63.9	63.9	63.9	61.5
		4/F	23.6	64.9	63.9	63.9	63.9	61.5
		5/F	26.6	65	63.9	63.9	63.9	61.6
SR67	Redland Garden	6/F	29.6	65.2	63.9	63.9	63.9	61.6
		1/F	29.4	66.3	59.9	59.9	59.9	60
		2/F	32.2	66.5	60.2	60.2	60.2	60.2
		3/F	35	66.6	60.2	60.2	60.2	60.3
		4/F	37.8	66.6	60.3	60.3	60.3	60.3
		5/F	40.6	66.7	60.3	60.3	60.3	60.4
SR70	Kwong Fuk Estate - Kwong Lai House	6/F	43.4	66.7	60.3	60.3	60.3	60.4
		1/F	9.7	68.7	62.9	62.9	62.9	62.8
		2/F	12.5	69	63.1	63.1	63.1	63.1
		3/F	15.3	69.2	63.4	63.4	63.4	63.3
		4/F	18.1	69.4	63.5	63.5	63.5	63.5
		5/F	20.9	69.5	63.7	63.7	63.7	63.6
		6/F	23.7	69.7	63.8	63.8	63.8	63.8
		7/F	26.5	69.8	63.9	63.9	63.9	63.9
		8/F	29.3	69.9	64	64	64	64
		9/F	32.1	70	64.2	64.2	64.2	64.1
		10/F	34.9	70.1	64.2	64.2	64.2	64.2
		11/F	37.7	70.2	64.3	64.3	64.3	64.2
		12/F	40.5	70.3	64.4	64.4	64.4	64.3
		13/F	43.3	70.3	64.4	64.4	64.4	64.4
		14/F	46.1	70.4	64.5	64.5	64.5	64.4
		15/F	48.9	70.5	64.5	64.5	64.5	64.5
		16/F	51.7	70.5	64.5	64.5	64.5	64.5
		17/F	54.5	70.5	64.5	64.5	64.5	64.5
		18/F	57.3	70.5	64.5	64.5	64.5	64.5
		19/F	60.1	70.6	64.5	64.5	64.5	64.5
		20/F	62.9	70.6	64.6	64.6	64.6	64.5
		21/F	65.7	70.6	64.6	64.6	64.6	64.5
		22/F	68.5	70.6	64.6	64.6	64.6	64.5
23/F	71.3	70.6	64.6	64.6	64.6	64.5		
SR73	Island House Conservation Studies Centre	G/F	17.2	72.8	X	66.4	66.4	66.5
		1/F	20.2	73.1	X	66.6	66.6	66.7
SR75	Wong Kong Shan	G/F	15.7	49.1		49.1	49.1	49.1
		1/F	18.4	49.1		49.1	49.1	49.1
SR76	Yuen Leng 1	G/F	22	57.4		57.4	57.4	57.4
		1/F	24.7	57.4		57.4	57.4	57.4
		2/F	27.4	57.4		57.4	57.4	57.4
SR77	Yuen Leng 2	G/F	23.9	59.2		59.2	59.2	59.2
		1/F	26.6	59.2		59.2	59.2	59.2
		2/F	29.3	59.1		59.1	59.1	59.1
SR78	Dynasty View 3	1/F	33.7	75.2		63.7	63.7	63.6
		2/F	36.5	78.5	X	67.1	67.1	66.9
		3/F	39.3	81.1	X	69.8	69.8	69.6
		4/F	42.1	82.7	X	71.3	71.3	71.1
		5/F	44.9	83.4	X	71.8	71.8	71.6
		6/F	47.7	83.6	X	72	72	71.8
		7/F	50.5	83.8	X	72.2	72.2	72
		8/F	53.3	83.8	X	72.2	72.2	72.1
SR79	Care Village	G/F	5.6	72.4		66.6	66.6	66.6
		1/F	8.3	78.1	X	72.7	72.7	72.7
		2/F	11	79.1	X	73.6	73.6	73.6
SR80	Wai Tau Tsuen 3	G/F	26.2	79.2	X	72.1	72.1	72.1
		1/F	28.9	79.3	X	72.1	72.1	72.1
		2/F	31.6	79.2	X	72.1	72.1	72.1
SR81	Wai Tau Tsuen 4	G/F	25.2	77.9	X	71.4	71.4	71.4
		1/F	27.9	77.9	X	71.4	71.4	71.4
		2/F	30.6	77.9	X	71.4	71.4	71.4
SR82N	Tai Hang 5	G/F	24.2	68.5		63.5	63.5	63.5
		1/F	26.9	68.5		63.5	63.5	63.5
		2/F	29.6	68.5		63.5	63.5	63.5
SR83	Yuen Leng 3	G/F	19.2	59		59	59	59
		1/F	21.9	59		59	59	59
		2/F	24.6	59		59	59	59
SR84	Nam Wa Po 2	G/F	19.7	61		60.8	60.8	60.8
		1/F	22.4	61		60.8	60.8	60.8
		2/F	25.1	61		60.8	60.8	60.8
SR85	Nam Wa Po 3	G/F	23.1	62.1		62.1	62.1	62.1
		1/F	25.8	62.1		62.1	62.1	62.1
		2/F	28.5	62.1		62.1	62.1	62.1
SR86	Tong Hang	G/F	18.4	59.4		59.4	59.4	59.4
		1/F	21.1	59.4		59.4	59.4	59.4
		2/F	23.8	59.4		59.4	59.4	59.4
SR87	Tai Wo 2	G/F	26.1	62.7		60.9	60.9	60.9
		1/F	28.8	62.7		60.9	60.9	60.9
		2/F	31.5	62.7		60.9	60.9	60.9

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 38, worst at Section 2)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
SR88	Wai Tau Tsuen 5	G/F	28.8	76.2	X	68.8	68.8	68.8
		1/F	31.5	76.2	X	68.8	68.8	68.8
		2/F	34.2	76.2	X	68.8	68.8	68.8
SR89	Wai Tau Tsuen 6	G/F	29.3	72.9		65.9	65.9	65.9
		1/F	32	72.9		66	66	66
		2/F	34.7	73		66	66	66
SR90	Wai Tau Tsuen 7	G/F	26.9	71.8		65.1	65.1	65.1
		2/F	32.3	71.9		65.1	65.1	65.1
SR93	SKH Mok Sau Tsang Secondary School NOT NAP	1/F	25.6	60.9		62.6	62.6	56.8
		2/F	28.6	62.3		62.9	62.9	57.7
		3/F	31.6	64.4		63.5	63.5	59.3
		4/F	34.6	66.9	X	64.4	64.4	61.6
		5/F	37.6	68.6	X	65.3	65.3	63.2
		6/F	40.6	69.3	X	65.7	65.7	63.7
SR94	Choi Hin To Primary School	1/F	15.5	58		53.2	53.2	53.2
		2/F	18.5	58.6		53.3	53.3	53.3
		3/F	21.5	59.2		53.3	53.3	53.2
		4/F	24.5	60		53.5	53.5	53.4
		5/F	27.5	61		53.8	53.8	53.8
		6/F	28.2	65.4		59.1	59.1	59.1
SR95B	Tai Po Normal School Memorial School 2	G/F	16.6	69	X	64.4	64.4	62.7
SR100	KCRC Staff Quarters	G/F	10.2	62		55.4	55.4	55.4
		1/F	13.2	64.2		57.8	57.8	57.8
		2/F	16.2	64.8		58.4	58.4	58.4
		3/F	19.2	65		58.6	58.6	58.6
		4/F	22.2	65.2		58.8	58.8	58.8
		5/F	25.2	65.3		58.9	58.9	59
		6/F	28.2	65.4		59.1	59.1	59.1
SR101	Chateau Royale	G/F	20.2	71		64.6	64.6	64.6
		1/F	23	71.5		65.2	65.2	65.2
		2/F	25.8	72		65.7	65.7	65.7
SR103	Classical Garden	1/F	27.2	57		51.7	51.7	50.2
		2/F	30	57.9		51.9	51.9	50.8
		3/F	32.8	59		52.2	52.2	51.4
		4/F	35.6	60.6		52.4	52.4	51.8
		5/F	38.4	62.2		52.7	52.7	52.5
		6/F	41.2	63.1		53.1	53.1	53.2
		7/F	44	63.7		53.6	53.6	54
		8/F	46.8	64.6		54.3	54.3	55.2
SR104	Village House opposite to Dynasty View	G/F	81.2	83.2	X	73.6	73.6	73.2
SR105	Village House 2 opposite to Dynasty View	G/F	79.4	73.8		64.2	64.2	64
SR106	Shek Kwu Lung 7	G/F	39.2	74.5		68.7	68.5	66.8
SR107	Village House at Hong Lok Yuen	G/F	27.1	78	X	71.3	71.3	71.3
		1/F	29.8	78	X	71.3	71.3	71.3
SR108	Wai Tau Tsuen 5	G/F	25.7	73.7		67.3	67.3	67.3
		1/F	28.4	73.7		67.3	67.3	67.3
		2/F	31.1	73.7		67.3	67.3	67.3
SR109	Notional Point between SR13 & SR85	G/F	22.5	62		59.2	59.2	59.2

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 77, worst case at Section 4)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + rediced PON	O4: O3 + barrier
SR1	Avon Park	1/F	38.1	67.4	60.6	60.5	59.4	59.4
		2/F	40.9	68.1	61.1	61	60.1	60.1
		3/F	43.7	68.4	61.4	61.3	60.4	60.4
		4/F	46.5	68.6	61.6	61.5	60.5	60.5
		5/F	49.3	68.7	61.8	61.7	60.7	60.7
		6/F	52.1	68.8	61.8	61.7	60.7	60.7
		7/F	54.9	68.8	61.8	61.7	60.8	60.8
		8/F	57.7	68.8	61.8	61.7	60.8	60.8
		9/F	60.5	68.8	61.8	61.7	60.8	60.8
		10/F	63.3	68.7	61.8	61.7	60.7	60.7
		11/F	66.1	68.7	61.8	61.7	60.7	60.7
		12/F	68.9	68.7	61.8	61.7	60.7	60.7
		13/F	71.7	68.7	61.8	61.7	60.7	60.7
		14/F	74.5	68.7	61.8	61.7	60.7	60.7
		15/F	77.3	68.7	61.8	61.7	60.7	60.7
		16/F	80.1	68.7	61.8	61.7	60.7	60.7
		17/F	82.9	68.7	61.8	61.7	60.7	60.7
		18/F	85.7	68.7	61.7	61.6	60.7	60.7
		19/F	88.5	68.7	61.7	61.6	60.7	60.7
		20/F	91.3	68.7	61.7	61.6	60.7	60.7
		21/F	94.1	68.7	61.7	61.6	60.7	60.7
		22/F	96.9	68.7	61.7	61.6	60.7	60.7
		23/F	99.7	68.7	61.7	61.6	60.7	60.7
		24/F	102.5	68.7	61.7	61.6	60.7	60.7
		25/F	105.3	68.7	61.7	61.6	60.7	60.7
SR2	Fanling Government Secondary School	1/F	23	70.6	X 63.4	63.3	62.4	62.4
SR3	Dawning Views 1	1/F	32.5	72.7	65.9	65.9	64.9	64.9
		2/F	35.3	72.7	66	65.9	64.9	64.9
		3/F	38.1	72.7	66	65.9	64.9	64.9
		4/F	40.9	72.7	66	65.9	64.9	64.9
		5/F	43.7	72.7	66	65.9	64.9	64.9
		6/F	46.5	72.7	65.9	65.9	64.9	64.9
		7/F	49.3	72.7	65.9	65.9	64.9	64.9
		8/F	52.1	72.7	65.9	65.8	64.8	64.8
		9/F	54.9	72.7	65.9	65.8	64.8	64.8
		10/F	57.7	72.6	65.8	65.8	64.8	64.8
		11/F	60.5	72.6	65.8	65.7	64.7	64.7
		12/F	63.3	72.6	65.8	65.7	64.7	64.7
		13/F	66.1	72.6	65.8	65.7	64.7	64.7
		14/F	68.9	72.6	65.8	65.7	64.7	64.7
		15/F	71.7	72.5	65.8	65.7	64.7	64.7
		16/F	74.5	72.5	65.8	65.7	64.7	64.7
		17/F	77.3	72.5	65.8	65.7	64.7	64.7
		18/F	80.1	72.5	65.7	65.6	64.7	64.7
		19/F	82.9	72.5	65.7	65.6	64.7	64.7
		20/F	85.7	72.5	65.7	65.6	64.7	64.7
		21/F	88.5	72.5	65.7	65.6	64.6	64.6
		22/F	91.3	72.5	65.7	65.6	64.6	64.6
		23/F	94.1	72.4	65.6	65.5	64.6	64.6
		24/F	96.9	72.4	65.6	65.5	64.6	64.6
		25/F	99.7	72.4	65.6	65.5	64.5	64.5
		26/F	102.5	72.4	65.6	65.5	64.5	64.5
		27/F	105.3	72.4	65.6	65.5	64.5	64.5
		28/F	108.1	72.3	65.5	65.5	64.5	64.5
SR3A	Dawning Views 2	1/F	32.5	72.9	66.2	66.1	65.1	65.1
		2/F	35.3	72.9	66.2	66.1	65.1	65.1
		3/F	38.1	72.9	66.2	66.1	65.2	65.2
		4/F	40.9	72.9	66.2	66.1	65.2	65.2
		5/F	43.7	72.9	66.2	66.1	65.2	65.2
		6/F	46.5	72.9	66.2	66.1	65.2	65.2
		7/F	49.3	72.9	66.2	66.1	65.2	65.2
		8/F	52.1	72.9	66.2	66.1	65.2	65.2
		9/F	54.9	72.9	66.2	66.2	65.2	65.2
		10/F	57.7	72.9	66.2	66.1	65.1	65.1
		11/F	60.5	72.9	66.1	66.1	65.1	65.1
		12/F	63.3	72.9	66.1	66	65	65
		13/F	66.1	72.8	66.1	66	65	65
		14/F	68.9	72.8	66.1	66	65	65
		15/F	71.7	72.8	66	65.9	65	65
		16/F	74.5	72.8	66	65.9	64.9	64.9
		17/F	77.3	72.8	66	65.9	64.9	64.9
		18/F	80.1	72.8	66	65.9	64.9	64.9
		19/F	82.9	72.7	66	65.9	64.9	64.9
		20/F	85.7	72.7	66	65.9	64.9	64.9
		21/F	88.5	72.7	65.9	65.8	64.9	64.9
		22/F	91.3	72.7	65.9	65.8	64.9	64.9
		23/F	94.1	72.7	65.9	65.8	64.9	64.9
		24/F	96.9	72.7	65.9	65.8	64.8	64.8
		25/F	99.7	72.6	65.8	65.8	64.8	64.8
		26/F	102.5	72.6	65.8	65.7	64.8	64.8
		27/F	105.3	72.6	65.8	65.7	64.8	64.8
		28/F	108.1	72.6	65.8	65.7	64.7	64.7
SR7	Southwest Tong Hang	G/F	14.4	87.5	X 79.8	X 79.7	X 79	X 69.2
		1/F	17.1	87.5	X 79.8	X 79.7	X 79	X 70.2

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 77, worst case at Section 4)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced ppt no.	O3: O2 + reduced PON	O4: O3 + barrier		
SR8	Wo Hop Shek 1	G/F	15.5	65.5	59.8	59.8	58.3	58.3		
		1/F	18.2	65.5	59.8	59.8	58.3	58.3		
SR9	Wo Hop Shek 2	G/F	23.6	81.4	X	75.9	X	74.3	74.3	
		1/F	26.3	81.3	X	75.8	X	74.2	74.2	
SR10	Kau Lung Hang	G/F	17.2	76.1	X	69.4	69.3	68.6	68	
SR11	Kiu Tau	G/F	18.8	97.4	X	92.1	X	90.8	X	69.8
		1/F	21.5	97.5	X	92.2	X	90.9	X	72.3
SR12	Nam Wa Po	G/F	29.2	77.6	X	70.5	70.2	69.8	69.8	
		1/F	31.9	77.6	X	70.5	70.2	69.8	69.8	
SR13	West Tai Wo	G/F	25	104.6	X	94.7	X	94.7	X	71.1
		1/F	27.7	103.8	X	94	X	93.9	X	72.9
		2/F	30.4	102.4	X	92.5	X	92.4	X	75.3
SR14	Tai Wo	G/F	27.7	81.5	X	73.6	73.6	73.2	73.2	
		1/F	30.4	81.5	X	73.6	73.6	73.2	73.2	
SR17A	Tai Hang 2	G/F	25.7	78.6	X	72.4	72.4	71.5	71.5	
		1/F	28.4	78.6	X	72.4	72.4	71.5	71.5	
		2/F	31.1	78.5	X	72.4	72.4	71.4	71.4	
SR17B	Tai Hang 3	G/F	25.7	62.2	62.2	62.2	62.2	62.2	62.2	
		1/F	28.4	62.1	62.1	62.1	62.1	62.1	62.1	
		2/F	31.1	62.1	62.1	62.1	62.1	62.1	62.1	
SR19	Hong Lok Yuen 1	G/F	32.9	74.7	65.8	65.8	65.7	65.7		
		1/F	35.6	74.7	66.1	66.1	66	66		
		2/F	38.3	74.8	66.4	66.4	66.3	66.3		
SR20	Hong Lok Yuen 2	G/F	32.9	74.3	65.4	65.4	65.2	65.2		
		1/F	35.6	74.3	65.7	65.7	65.6	65.6		
		2/F	38.3	74.4	66	66	66	66		
SR21	Hong Lok Yuen 3	G/F	33.9	78.3	X	69.6	69.6	69.5	69.5	
		1/F	36.6	78.3	X	69.6	69.6	69.5	69.5	
		2/F	39.3	78.3	X	69.6	69.6	69.6	69.6	
SR22	Wai Tau Tsuen 1	G/F	28.2	78.3	X	64.1	64.1	64.1	64.1	
		1/F	30.9	78.3	X	64.3	64.3	64.3	64.3	
SR23	Wai Tau Tsuen 2	G/F	28.7	78.3	X	69.9	69.9	69.9	69.9	
		1/F	31.4	78.3	X	71.2	71.2	71.2	71.2	
SR24	Kau Liu Ha 1	G/F	19.1	78.3	X	60.2	60.2	60.2	60.2	
		1/F	21.8	78.3	X	61.4	61.4	61.4	61.4	
		2/F	24.5	78.3	X	62.1	62.1	62.1	62.1	
SR25	Kau Liu Ha 2	G/F	19.1	78.3	X	60.1	60.1	60.1	60.1	
		1/F	21.8	66.6	61.4	61.4	61.4	61.4		
		2/F	24.5	67.4	62.1	62.1	62.1	62.1		
SR26	Tai Po Garden	G/F	13.8	65.7	60.9	60.9	59.7	59.5		
		1/F	16.6	65.8	61	61	59.8	59.6		
		2/F	19.4	65.8	60.9	60.9	59.7	59.6		
		3/F	22.2	65.7	60.9	60.9	59.6	59.6		
		4/F	25	65.9	61	61	59.7	59.7		
SR27	Mui Shu Hang	G/F	15.7	74.5	70.3	70.3	68.8	68.9		
		1/F	18.4	74.5	70.3	70.3	68.8	69		
SR28	Northwest Shek Kwu Lung	G/F	21.2	80.5	X	75.7	X	74	74	
		1/F	23.9	80.5	X	75.7	X	74.1	74.1	
SR29	Parc Versailles 1	G/F	11.5	72.8	68	68	66.5	67		
		1/F	14.3	73	68.2	68.2	66.6	66.9		
		2/F	17.1	73.1	68.3	68.2	66.7	67		
		3/F	19.9	73.2	68.3	68.3	66.7	67		
		4/F	22.7	73.3	68.4	68.4	66.8	67.1		
		5/F	25.5	73.4	68.5	68.4	66.9	67.2		
SR29A	Parc Versailles 2	G/F	11.5	69.3	64.3	64.3	62.8	62.7		
		1/F	14.3	69.6	64.6	64.6	63.1	62.9		
		2/F	17.1	70.1	64.8	64.8	63.3	63.1		
		3/F	19.9	70.5	65	65	63.5	63.2		
		4/F	22.7	71.1	65.4	65.4	63.8	63.6		
		5/F	25.5	71.2	65.5	65.4	63.9	63.7		
SR30A	Shek Kwu Lung 4	G/F	13.4	73.6	69.2	69.2	68	68		
		1/F	16.1	73.8	69.2	69.2	68	68		
		2/F	18.8	73.7	69.2	69.2	68	68		
SR30B	Shek Kwu Lung 5	G/F	17.2	72.7	68.2	68.2	66.6	66.6		
		1/F	20	72.7	68.3	68.3	66.7	66.7		
		2/F	22.8	72.9	68.3	68.3	66.7	66.7		
SR30C	Shek Kwu Lung 6	G/F	31.2	71.1	66.7	66.7	65.5	65.5		
		1/F	34	72	67.7	67.7	66.7	66.7		
		2/F	36.8	72.9	68.6	68.6	67.6	67.6		
SR31	Shek Kwu Lung 2	G/F	9.9	68.1	63.7	63.7	62.5	62.5		
		1/F	12.6	68.4	64	64	62.7	62.7		
		2/F	15.3	68.7	64.2	64.2	62.9	62.9		
SR33	Shek Kwu Lung 3	G/F	33.2	79.6	X	74.1	74	72.2	58.7	
SR34	Pun Chun Yuen	G/F	58.8	72.4	66.6	66.6	64.8	64.8		
		1/F	61.5	72.9	66.6	66.6	64.8	64.8		
SR35	Buddhist Tai Kwong Middle School	1/F	37.3	74.9	X	69.7	X	67.9	X	57.5
SR36	Ma Wo	G/F	43.2	61.3	61.3	61.3	61.3	61.3		
		1/F	45.9	61.6	61.5	61.5	61.5	61.5		
SR38	Dynasty View 1	1/F	37.7	68.7	59.1	58.2	58.2	58.2		
		2/F	40.5	74.3	66.7	65.7	65.7	65.7		
		3/F	43.3	75.3	68	68.9	68.9	68.9		
		4/F	46.1	75.8	X	68	67.1	67.1	67.1	
		5/F	48.9	75.8	X	68.2	67.2	67.2	67.2	
		6/F	51.7	76.1	X	68.3	67.4	67.4	67.4	

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 77, worst case at Section 4)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		7/F	54.5	76.2	X 68.5	67.5	67.5	67.5
		8/F	57.3	76.4	X 68.5	67.5	67.5	67.5
SR39	The Paragon	1/F	37.3	69.9	63.9	63.7	62.6	62.6
		2/F	40.1	71.3	65.8	65.6	64.6	64.6
		3/F	42.9	72.2	66.7	66.5	65.4	65.4
		4/F	45.7	73.1	67.5	67.4	66.2	66.2
		5/F	48.5	73.6	68	67.8	66.6	66.6
		6/F	51.3	73.8	68.1	67.9	66.8	66.8
		7/F	54.1	73.8	68.2	68	66.8	66.8
		8/F	56.9	73.8	68.2	68	66.8	66.8
		9/F	59.7	73.8	68.2	68	66.7	66.7
SR40	Grand Palisades	1/F	59	72.2	66.2	65.9	64.7	64.7
		2/F	61.8	72.8	66.7	66.5	65.2	65.2
		3/F	64.6	73	66.9	66.7	65.4	65.4
		4/F	67.4	73	67	66.7	65.5	65.5
		5/F	70.2	73.1	67	66.8	65.6	65.6
		6/F	73	73.1	67.1	66.8	65.6	65.6
		7/F	75.8	73.1	67.1	66.9	65.6	65.6
		8/F	78.6	73.1	67.1	66.9	65.6	65.6
		9/F	81.4	73.1	67.1	66.9	65.6	65.6
		10/F	84.2	73.1	67.1	66.9	65.7	65.7
SR41	Wong Shiu Chi Middle School	1/F	6.4	70.9	X 64.9	64.7	63.4	63.4
		2/F	9.4	71	X 65	64.8	63.5	63.5
		3/F	12.4	71	X 65.1	64.8	63.5	63.5
		4/F	15.4	71	X 65.1	64.9	63.5	63.5
		5/F	18.4	71	X 65.1	64.9	63.6	63.6
SR42	Wan Tau Tong Estate - Wan Lam House 1	1/F	12.8	75.7	X 69.2	68.3	66.9	66.9
		2/F	15.6	75.7	X 69.2	68.4	67	67
		3/F	18.4	75.8	X 69.3	68.4	67.1	67.1
		4/F	21.2	75.8	X 69.3	68.5	67.2	67.1
		5/F	24	75.9	X 69.3	68.5	67.2	67.2
		6/F	26.8	75.9	X 69.4	68.5	67.2	67.2
		7/F	29.6	75.9	X 69.4	68.6	67.3	67.3
		8/F	32.4	75.9	X 69.4	68.6	67.3	67.2
		9/F	35.2	76	X 69.4	68.6	67.3	67.3
		10/F	38	76	X 69.5	68.7	67.4	67.3
		11/F	40.8	76.1	X 69.6	68.8	67.5	67.4
		12/F	43.6	76.3	X 69.7	68.9	67.6	67.6
		13/F	46.4	76.4	X 69.8	69.1	67.8	67.8
		14/F	49.2	76.6	X 69.9	69.2	68	68
		15/F	52	76.6	X 70	69.3	68.1	68.1
		16/F	54.8	76.6	X 70	69.3	68.2	68.2
		17/F	57.6	76.6	X 69.9	69.3	68.2	68.2
		18/F	60.4	76.5	X 69.9	69.2	68.1	68.1
		19/F	63.2	76.5	X 69.9	69.2	68.1	68.1
		20/F	66	76.4	X 69.8	69.1	68.1	68.1
		21/F	68.8	76.3	X 69.7	69.1	68	68
		22/F	71.6	76.2	X 69.6	68.9	67.9	67.9
		23/F	74.4	76.1	X 69.5	68.9	67.8	67.8
		24/F	77.2	76	X 69.4	68.8	67.7	67.7
		25/F	80	75.9	X 69.3	68.7	67.6	67.6
		26/F	82.8	75.8	X 69.3	68.7	67.5	67.5
		27/F	85.6	75.7	X 69.2	68.6	67.4	67.4
		28/F	88.4	75.6	X 69.1	68.6	67.4	67.4
		29/F	91.2	75.5	X 69	68.5	67.3	67.3
		30/F	94	75.4	68.9	68.4	67.2	67.2
		31/F	96.8	75.3	68.8	68.3	67.1	67.1
SR43	Wan Tau Tong Estate - Wan Lam House 2	1/F	12.8	73.1	64.5	64.5	64.5	64.5
		2/F	15.6	73.1	64.6	64.6	64.6	64.6
		3/F	18.4	73.1	64.6	64.6	64.6	64.6
		4/F	21.2	73.1	64.6	64.6	64.6	64.6
		5/F	24	73.1	64.6	64.6	64.6	64.6
		6/F	26.8	73	64.5	64.5	64.5	64.5
		7/F	29.6	73	64.5	64.5	64.5	64.5
		8/F	32.4	72.9	64.4	64.4	64.4	64.4
		9/F	35.2	72.8	64.3	64.3	64.3	64.3
		10/F	38	72.8	64.3	64.3	64.3	64.3
		11/F	40.8	72.7	64.2	64.2	64.2	64.2
		12/F	43.6	72.6	64.1	64.1	64.1	64.1
		13/F	46.4	72.4	64	64	64	64
		14/F	49.2	72.3	63.9	63.9	63.9	63.9
		15/F	52	72.2	63.8	63.8	63.8	63.8
		16/F	54.8	72	63.6	63.6	63.6	63.6
		17/F	57.6	71.9	63.6	63.6	63.6	63.6
		18/F	60.4	71.8	63.5	63.5	63.5	63.5
		19/F	63.2	71.6	63.3	63.3	63.3	63.3
		20/F	66	71.4	63.2	63.2	63.2	63.2
		21/F	68.8	71.3	63.1	63.1	63.1	63.1
		22/F	71.6	71.1	62.9	62.9	62.9	62.9
		23/F	74.4	71.1	62.8	62.8	62.8	62.8
		24/F	77.2	70.9	62.7	62.7	62.7	62.7
		25/F	80	70.7	62.5	62.5	62.5	62.5
		26/F	82.8	70.6	62.4	62.4	62.4	62.4
		27/F	85.6	70.4	62.3	62.3	62.3	62.3

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 77, worst case at Section 4)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier			
		28/F	88.4	70.2	62.1	62.1	62.1	62.1			
		29/F	91.2	70	62	62	62	62			
		30/F	94	69.9	61.9	61.9	61.9	61.9			
		31/F	96.8	69.7	61.8	61.8	61.8	61.8			
SR44	Wan Tau Tong Estate - Wan Loi House	1/F	12.8	74.8	68.3	67.5	66.2	66.2			
		2/F	15.6	75.3	68.8	68	66.7	66.7			
		3/F	18.4	75.8	X	69.4	68.7	67.2			
		4/F	21.2	76	X	69.6	68.9	67.5			
		5/F	24	76.1	X	69.8	69	67.6			
		6/F	26.8	76.2	X	69.8	69.1	67.6			
		7/F	29.6	76.1	X	69.7	69	67.6			
		8/F	32.4	76.2	X	69.8	69.1	67.6			
		9/F	35.2	76.2	X	69.8	69.1	67.7			
		10/F	38	76.4	X	69.9	69.3	67.8			
		11/F	40.8	76.5	X	70.1	69.5	68			
		12/F	43.6	76.7	X	70.3	69.6	68.2			
		13/F	46.4	76.8	X	70.3	69.7	68.3			
		14/F	49.2	76.8	X	70.3	69.7	68.3			
		15/F	52	76.9	X	70.4	69.8	68.4			
		16/F	54.8	76.9	X	70.4	69.8	68.6			
		17/F	57.6	76.9	X	70.4	69.8	68.7			
		18/F	60.4	76.9	X	70.4	69.8	68.8			
		19/F	63.2	76.9	X	70.4	69.8	68.8			
		20/F	66	76.9	X	70.3	69.8	68.8			
		21/F	68.8	76.8	X	70.3	69.7	68.7			
		22/F	71.6	76.8	X	70.2	69.7	68.7			
		23/F	74.4	76.7	X	70.2	69.6	68.6			
		24/F	77.2	76.6	X	70.1	69.6	68.5			
		25/F	80	76.5	X	70	69.6	68.5			
		26/F	82.8	76.4	X	69.9	69.5	68.4			
		27/F	85.6	76.4	X	69.9	69.5	68.3			
		28/F	88.4	76.4	X	69.8	69.4	68.2			
		29/F	91.2	76.3	X	69.7	69.3	68.2			
		30/F	94	76.2	X	69.6	69.2	68.1			
		31/F	96.8	76.1	X	69.6	69.1	68			
SR45	HK Teacher's Association Secondary School	1/F	13.6	82	X	75.4	X	74.5	X	74.5	X
		2/F	16.6	82.1	X	75.4	X	75.1	X	74.6	X
		3/F	19.6	82.1	X	75.4	X	75.1	X	74.6	X
		4/F	22.6	82	X	75.4	X	75.1	X	74.5	X
		5/F	25.6	82	X	75.4	X	75.1	X	74.5	X
		6/F	28.6	82	X	75.4	X	75.1	X	74.4	X
SR46	Uptown Plaza	1/F	30.3	75.9	X	69.3	69.1	67.9	67.9	67.9	
		2/F	33.1	75.9	X	69.3	69.1	67.9	67.9	67.9	
		3/F	35.9	75.9	X	69.3	69	68	68	68	
		4/F	38.7	75.8	X	69.3	69	68	68	68	
		5/F	41.5	75.8	X	69.3	69	68	68	68	
		6/F	44.3	75.8	X	69.3	69	67.9	67.9	67.9	
		7/F	47.1	75.8	X	69.3	69	67.9	67.9	67.9	
		8/F	49.9	75.8	X	69.3	69	67.9	67.9	67.9	
		9/F	52.7	75.7	X	69.2	68.9	67.8	67.8	67.8	
		10/F	55.5	75.7	X	69.2	68.9	67.9	67.9	67.9	
		11/F	58.3	75.7	X	69.2	68.9	67.8	67.8	67.8	
		12/F	61.1	75.7	X	69.2	68.9	67.8	67.8	67.8	
		13/F	63.9	75.6	X	69.1	68.8	67.7	67.7	67.7	
		14/F	66.7	75.6	X	69.1	68.8	67.7	67.7	67.7	
		15/F	69.5	75.6	X	69.1	68.8	67.7	67.7	67.7	
		16/F	72.3	75.5	X	69	68.7	67.7	67.7	67.7	
		17/F	75.1	75.5	X	69	68.7	67.6	67.6	67.6	
		18/F	77.9	75.5	X	69	68.7	67.6	67.6	67.6	
		19/F	80.7	75.4	X	69	68.7	67.6	67.6	67.6	
		20/F	83.5	75.4	X	68.9	68.6	67.5	67.5	67.5	
		21/F	86.3	75.4	X	68.9	68.6	67.5	67.5	67.5	
		22/F	89.1	75.3	X	68.9	68.6	67.4	67.4	67.4	
		23/F	91.9	75.3	X	68.9	68.6	67.5	67.5	67.5	
		24/F	94.7	75.3	X	68.9	68.6	67.4	67.4	67.4	
		25/F	97.5	75.3	X	68.8	68.5	67.4	67.4	67.4	
		26/F	100.3	75.3	X	68.9	68.5	67.4	67.4	67.4	
SR47	Wang Fuk Court - Wang Cheong House 1	1/F	6.8	67.6	63.3	63.2	61.4	61.4	61.4	62.5	
		2/F	9.6	69.9	65.4	65.3	63.4	63.4	63.4	63.4	
		3/F	12.4	72.2	67.5	67.5	65.7	65.7	65.7	65.7	
		4/F	15.2	72.4	67.6	67.6	65.8	65.8	65.8	65.8	
		5/F	18	72.4	67.8	67.7	65.8	65.8	65.8	65.8	
		6/F	20.8	72.5	67.8	67.7	65.8	65.8	65.8	65.8	
		7/F	23.6	72.5	67.8	67.7	65.9	65.9	65.9	65.9	
		8/F	26.4	72.6	67.9	67.8	65.9	65.9	65.9	65.9	
		9/F	29.2	72.6	67.9	67.8	66	66	66	66	
		10/F	32	72.7	67.9	67.8	66	66	66	66	
		11/F	34.8	72.7	67.9	67.8	66	66	66	66	
		12/F	37.6	72.7	67.9	67.8	66.1	66.1	66.1	66.1	
		13/F	40.4	72.7	67.9	67.8	66.1	66.1	66.1	66.1	
		14/F	43.2	72.8	67.9	67.9	66.1	66.1	66.1	66.1	
		15/F	46	72.8	67.9	67.8	66.1	66.1	66.1	66.1	
		16/F	48.8	72.7	67.9	67.8	66.1	66.1	66.1	66.1	
		17/F	51.6	72.8	67.9	67.8	66.1	66.1	66.1	66.1	

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 77, worst case at Section 4)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		18/F	54.4	72.8	67.9	67.8	66.1	66.1
		19/F	57.2	72.8	67.9	67.8	66	66
		20/F	60	72.7	67.9	67.8	66	66
		21/F	62.8	72.7	67.8	67.7	66	66
		22/F	65.6	72.7	67.8	67.7	66	66
		23/F	68.4	72.7	67.8	67.7	66	66
		24/F	71.2	72.7	67.8	67.7	65.9	65.9
		25/F	74	72.7	67.7	67.6	65.9	65.9
		26/F	76.8	72.6	67.7	67.6	65.9	65.9
		27/F	79.6	72.6	67.6	67.6	65.8	65.8
		28/F	82.4	72.6	67.6	67.5	65.8	65.8
		29/F	85.2	72.5	67.6	67.5	65.8	65.8
		30/F	88	72.5	67.6	67.5	65.7	65.7
		31/F	90.8	72.5	67.5	67.4	65.7	65.7
SR48	Wang Fuk Court – Wang Cheong House 2	1/F	6.8	0	0	0	0	0
		2/F	9.6	0	0	0	0	0
		3/F	12.4	0	0	0	0	0
		4/F	15.2	0	0	0	0	0
		5/F	18	0	0	0	0	0
		6/F	20.8	0	0	0	0	0
		7/F	23.6	0	0	0	0	0
		8/F	26.4	0	0	0	0	0
		9/F	29.2	0	0	0	0	0
		10/F	32	0	0	0	0	0
		11/F	34.8	0	0	0	0	0
		12/F	37.6	0	0	0	0	0
		13/F	40.4	0	0	0	0	0
		14/F	43.2	0	0	0	0	0
		15/F	46	0	0	0	0	0
		16/F	48.8	0	0	0	0	0
		17/F	51.6	0	0	0	0	0
		18/F	54.4	0	0	0	0	0
		19/F	57.2	0	0	0	0	0
		20/F	60	0	0	0	0	0
		21/F	62.8	0	0	0	0	0
		22/F	65.6	0	0	0	0	0
		23/F	68.4	0	0	0	0	0
		24/F	71.2	0	0	0	0	0
		25/F	74	0	0	0	0	0
		26/F	76.8	0	0	0	0	0
		27/F	79.6	0	0	0	0	0
		28/F	82.4	0	0	0	0	0
		29/F	85.2	0	0	0	0	0
		30/F	88	0	0	0	0	0
		31/F	90.8	0	0	0	0	0
SR49	Wang Fuk Court – Wang Cheong House 3	1/F	6.8	68	63.5	63.4	61.6	62.2
		2/F	9.6	70.5	65.6	65.5	63.7	63.7
		3/F	12.4	72.3	67.4	67.3	65.5	65.5
		4/F	15.2	72.6	67.7	67.6	65.8	65.8
		5/F	18	72.7	67.8	67.7	65.9	65.9
		6/F	20.8	72.7	67.8	67.7	66	66
		7/F	23.6	72.8	67.9	67.8	66.1	66.1
		8/F	26.4	72.8	67.9	67.8	66.1	66.1
		9/F	29.2	72.9	67.9	67.8	66.2	66.2
		10/F	32	72.9	67.9	67.8	66.2	66.2
		11/F	34.8	72.9	67.9	67.8	66.2	66.2
		12/F	37.6	73	68	67.9	66.2	66.2
		13/F	40.4	73	68	67.9	66.2	66.2
		14/F	43.2	73	68	67.9	66.2	66.2
		15/F	46	73	68	67.9	66.3	66.3
		16/F	48.8	73	68	67.9	66.2	66.2
		17/F	51.6	73	67.9	67.8	66.2	66.2
		18/F	54.4	73	67.9	67.8	66.2	66.2
		19/F	57.2	73	67.9	67.8	66.2	66.2
		20/F	60	73	67.9	67.8	66.2	66.2
		21/F	62.8	72.9	67.9	67.8	66.1	66.1
		22/F	65.6	72.9	67.9	67.8	66.1	66.1
		23/F	68.4	72.9	67.8	67.7	66	66
		24/F	71.2	72.9	67.8	67.7	66	66
		25/F	74	72.9	67.8	67.7	66	66
		26/F	76.8	72.8	67.7	67.6	66	66
		27/F	79.6	72.9	67.8	67.6	66	66
		28/F	82.4	72.8	67.7	67.6	65.9	65.9
		29/F	85.2	72.8	67.7	67.6	65.9	65.9
		30/F	88	72.8	67.7	67.5	65.9	65.9
		31/F	90.8	72.7	67.6	67.5	65.8	65.8
SR50	Wang Fuk Court – Wang Tat House	1/F	6.8	69.7	64.8	64.6	63	63.4
		2/F	9.6	70.9	65.8	65.7	64	64
		3/F	12.4	71.4	66.4	66.3	64.6	64.6
		4/F	15.2	72	67	66.9	65.1	65.1
		5/F	18	72.2	67.2	67	65.3	65.3
		6/F	20.8	72.4	67.4	67.3	65.6	65.6
		7/F	23.6	72.6	67.5	67.4	65.8	65.8
		8/F	26.4	72.7	67.7	67.5	65.9	65.9

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 77, worst case at Section 4)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		9/F	29.2	72.8	67.7	67.6	66	66
		10/F	32	72.8	67.8	67.6	66	66
		11/F	34.8	72.9	67.8	67.7	66.1	66.1
		12/F	37.6	72.9	67.8	67.7	66.1	66.1
		13/F	40.4	72.9	67.8	67.7	66.1	66.1
		14/F	43.2	73	67.9	67.7	66.1	66.1
		15/F	46	73	67.9	67.7	66.1	66.1
		16/F	48.8	73	67.8	67.7	66	66
		17/F	51.6	73	67.8	67.7	66	66
		18/F	54.4	73	67.8	67.7	66	66
		19/F	57.2	73	67.8	67.7	66	66
		20/F	60	73	67.7	67.7	66	66
		21/F	62.8	73	67.7	67.7	66	66
		22/F	65.6	73	67.7	67.6	66	66
		23/F	68.4	72.9	67.7	67.6	66	66
		24/F	71.2	72.9	67.6	67.6	65.9	65.9
		25/F	74	72.9	67.6	67.5	65.9	65.9
		26/F	76.8	72.9	67.6	67.5	65.9	65.9
		27/F	79.6	72.8	67.6	67.4	65.9	65.9
		28/F	82.4	72.8	67.5	67.4	65.9	65.9
		29/F	85.2	72.8	67.5	67.4	65.8	65.8
		30/F	88	72.8	67.5	67.4	65.8	65.8
		31/F	90.8	72.8	67.4	67.3	65.8	65.8
SR51	Wang Fuk Court – Wang Shing House	1/F	6.8	0	0	0	0	0
		2/F	9.6	0	0	0	0	0
		3/F	12.4	0	0	0	0	0
		4/F	15.2	0	0	0	0	0
		5/F	18	0	0	0	0	0
		6/F	20.8	0	0	0	0	0
		7/F	23.6	0	0	0	0	0
		8/F	26.4	0	0	0	0	0
		9/F	29.2	0	0	0	0	0
		10/F	32	0	0	0	0	0
		11/F	34.8	0	0	0	0	0
		12/F	37.6	0	0	0	0	0
		13/F	40.4	0	0	0	0	0
		14/F	43.2	0	0	0	0	0
		15/F	46	0	0	0	0	0
		16/F	48.8	0	0	0	0	0
		17/F	51.6	0	0	0	0	0
		18/F	54.4	0	0	0	0	0
		19/F	57.2	0	0	0	0	0
		20/F	60	0	0	0	0	0
		21/F	62.8	0	0	0	0	0
		22/F	65.6	0	0	0	0	0
		23/F	68.4	0	0	0	0	0
		24/F	71.2	0	0	0	0	0
		25/F	74	0	0	0	0	0
		26/F	76.8	0	0	0	0	0
		27/F	79.6	0	0	0	0	0
		28/F	82.4	0	0	0	0	0
		29/F	85.2	0	0	0	0	0
		30/F	88	0	0	0	0	0
		31/F	90.8	0	0	0	0	0
SR52	Ha Wong Yi Au 1	G/F	29.2	73.9	68	67.8	66.2	66.2
		1/F	31.9	77.1	X 71.1	71	69.4	69.4
		2/F	34.6	77.2	X 71.3	71.2	69.6	69.6
SR53	Ha Wong Yi Au 2	G/F	11	67.9	62.1	62	60.8	60.9
		1/F	13.7	70.9	65.3	65.1	63.9	63.9
SR54	Riverrain Bayside	G/F	8.5	78.6	X 72.6	72.4	71.4	71.4
		1/F	11.3	79	X 73.1	72.9	71.9	71.9
		2/F	14.1	79.1	X 73.2	73	72	72
SR55	Dynasty View 2	1/F	37.7	54.3	54.3	54.3	54.3	54.3
		2/F	40.5	55.4	55.4	55.4	55.4	55.4
		3/F	43.3	56	56	56	56	56
		4/F	46.1	56.5	56.5	56.5	56.5	56.5
		5/F	48.9	57.1	57.1	57.1	57.1	57.1
		6/F	51.7	57.5	57.5	57.5	57.5	57.5
		7/F	54.5	57.9	57.9	57.9	57.9	57.9
		8/F	57.3	57.9	57.9	57.9	57.9	57.9
SR56	Monastery at Ma Wo	G/F	42.5	57.6	57.6	57.6	57.6	57.6
		1/F	45.2	57.8	57.8	57.8	57.8	57.8
SR57	King Nga Court – King Yuet House 1	1/F	14.6	69.7	64.3	64.2	62.9	62.9
		2/F	17.4	69.8	64.3	64.2	62.9	62.9
		3/F	20.2	69.8	64.4	64.2	62.9	62.9
		4/F	23	69.8	64.4	64.2	62.9	62.9
		5/F	25.8	69.8	64.4	64.2	62.9	62.9
		6/F	28.6	69.8	64.4	64.3	62.9	62.9
		7/F	31.4	69.8	64.4	64.3	63	63
		8/F	34.2	69.8	64.4	64.3	63	63
		9/F	37	69.8	64.4	64.3	63	63
		10/F	39.8	69.8	64.4	64.3	63	63
		11/F	42.6	69.8	64.4	64.3	63	63
		12/F	45.4	69.8	64.4	64.3	63	63

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 77, worst case at Section 4)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced plt no.	O3: O2 + reduced PON	O4: O3 + barrier
		13/F	48.2	69.8	64.4	64.3	63	63
		14/F	51	69.8	64.4	64.3	63	63
		15/F	53.8	69.8	64.4	64.3	63	63
		16/F	56.6	69.8	64.4	64.3	63	63
		17/F	59.4	69.8	64.4	64.2	62.9	62.9
		18/F	62.2	69.7	64.3	64.2	62.9	62.9
		19/F	65	69.7	64.3	64.2	62.9	62.9
		20/F	67.8	69.7	64.3	64.2	62.9	62.9
		21/F	70.6	69.7	64.3	64.2	62.9	62.9
		22/F	73.4	69.7	64.3	64.2	62.9	62.9
		23/F	76.2	69.7	64.2	64.2	62.8	62.8
		24/F	79	69.6	64.2	64.1	62.8	62.8
		25/F	81.8	69.6	64.2	64.1	62.8	62.8
		26/F	84.6	69.6	64.2	64.1	62.8	62.8
		27/F	87.4	69.6	64.1	64.1	62.8	62.8
		28/F	90.2	69.6	64.1	64.1	62.8	62.8
		29/F	93	69.5	64.1	64.1	62.7	62.7
		30/F	95.8	69.5	64.1	64	62.7	62.7
		31/F	98.6	69.4	64	64	62.6	62.6
		32/F	101.4	69.4	64	64	62.6	62.6
		33/F	104.2	69.4	63.9	63.9	62.6	62.6
		34/F	107	69.4	63.9	63.9	62.6	62.6
		35/F	109.8	69.3	63.9	63.8	62.5	62.5
		36/F	112.6	69.3	63.9	63.8	62.5	62.5
SR58	King Nga Court – King Yuet House 2	1/F	14.6	72.4	66.3	66.1	65	65
		2/F	17.4	72.5	66.4	66.2	65.1	65.1
		3/F	20.2	72.5	66.4	66.3	65.1	65.1
		4/F	23	72.8	66.7	66.5	65.4	65.4
		5/F	25.8	72.8	66.7	66.5	65.4	65.4
		6/F	28.6	72.8	66.7	66.5	65.4	65.4
		7/F	31.4	72.8	66.7	66.5	65.4	65.4
		8/F	34.2	72.8	66.7	66.5	65.4	65.4
		9/F	37	72.8	66.7	66.5	65.4	65.4
		10/F	39.8	72.8	66.7	66.5	65.4	65.4
		11/F	42.6	72.8	66.7	66.5	65.4	65.4
		12/F	45.4	72.8	66.7	66.5	65.4	65.4
		13/F	48.2	72.8	66.7	66.5	65.4	65.4
		14/F	51	72.8	66.7	66.5	65.4	65.4
		15/F	53.8	72.8	66.7	66.5	65.4	65.4
		16/F	56.6	72.8	66.7	66.5	65.4	65.4
		17/F	59.4	72.8	66.7	66.4	65.3	65.3
		18/F	62.2	72.8	66.7	66.4	65.3	65.3
		19/F	65	72.8	66.7	66.4	65.3	65.3
		20/F	67.8	72.8	66.7	66.4	65.3	65.3
		21/F	70.6	72.7	66.6	66.4	65.2	65.2
		22/F	73.4	72.7	66.6	66.4	65.2	65.2
		23/F	76.2	72.7	66.6	66.4	65.2	65.2
		24/F	79	72.7	66.6	66.4	65.2	65.2
		25/F	81.8	72.7	66.6	66.3	65.2	65.2
		26/F	84.6	72.7	66.6	66.3	65.2	65.2
		27/F	87.4	72.6	66.5	66.3	65.1	65.1
		28/F	90.2	72.6	66.5	66.3	65.1	65.1
		29/F	93	72.6	66.5	66.3	65.1	65.1
		30/F	95.8	72.6	66.5	66.2	65.1	65.1
		31/F	98.6	72.6	66.5	66.2	65.1	65.1
		32/F	101.4	72.5	66.4	66.2	65	65
		33/F	104.2	72.5	66.4	66.2	65	65
		34/F	107	72.5	66.3	66.2	65	65
		35/F	109.8	72.5	66.3	66.1	65	65
		36/F	112.6	72.4	66.3	66.1	64.9	64.9
SR59N	King Nga Court – King Yan House	1/F	14.6	73.1	66.6	66.4	65.5	65.5
		2/F	17.4	73.1	66.6	66.4	65.5	65.5
		3/F	20.2	73.1	66.6	66.4	65.5	65.5
		4/F	23	73.1	66.6	66.4	65.5	65.5
		5/F	25.8	73.1	66.6	66.4	65.5	65.5
		6/F	28.6	73.1	66.6	66.4	65.5	65.5
		7/F	31.4	73.1	66.6	66.4	65.5	65.5
		8/F	34.2	73.1	66.6	66.4	65.5	65.5
		9/F	37	73.1	66.6	66.4	65.5	65.5
		10/F	39.8	73.1	66.6	66.4	65.5	65.5
		11/F	42.6	73.1	66.6	66.4	65.5	65.5
		12/F	45.4	73.1	66.6	66.4	65.5	65.5
		13/F	48.2	73	66.5	66.4	65.4	65.4
		14/F	51	73	66.5	66.4	65.4	65.4
		15/F	53.8	73	66.5	66.4	65.4	65.4
		16/F	56.6	73	66.5	66.3	65.4	65.4
		17/F	59.4	73	66.5	66.3	65.4	65.4
		18/F	62.2	73	66.5	66.3	65.3	65.3
		19/F	65	73	66.5	66.3	65.3	65.3
		20/F	67.8	72.9	66.4	66.3	65.3	65.3
		21/F	70.6	72.9	66.4	66.3	65.3	65.3
		22/F	73.4	72.9	66.4	66.3	65.3	65.3
		23/F	76.2	72.9	66.4	66.2	65.2	65.2
		24/F	79	72.8	66.4	66.2	65.2	65.2

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 77, worst case at Section 4)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced pit no.	O3: O2 + reduced PON	O4: O3 + barrier
		25/F	81.8	72.8	66.3	66.2	65.2	65.2
		26/F	84.6	72.8	66.3	66.1	65.2	65.2
		27/F	87.4	72.8	66.3	66.1	65.1	65.1
		28/F	90.2	72.7	66.3	66.1	65.1	65.1
		29/F	93	72.7	66.3	66.1	65.1	65.1
		30/F	95.8	72.7	66.2	66.1	65.1	65.1
		31/F	98.6	72.6	66.2	66	65	65
		32/F	101.4	72.6	66.2	66	65	65
		33/F	104.2	72.6	66.1	65.9	65	65
		34/F	107	72.6	66.1	65.9	64.9	64.9
		35/F	109.8	72.5	66.1	65.9	64.9	64.9
		36/F	112.6	72.5	66.1	65.8	64.9	64.9
SR60	Tak Nga Court 1	1/F	16.3	70.2	64.4	64.3	62.9	62.9
		2/F	19.1	70.2	64.5	64.4	62.9	62.9
		3/F	21.9	70.2	64.5	64.4	62.9	62.9
		4/F	24.7	70.2	64.5	64.4	63	63
		5/F	27.5	70.3	64.5	64.4	63	63
		6/F	30.3	70.3	64.5	64.5	63	63
		7/F	33.1	70.3	64.5	64.5	63	63
		8/F	35.9	70.3	64.5	64.5	63	63
		9/F	38.7	70.3	64.5	64.5	63	63
		10/F	41.5	70.3	64.5	64.5	63	63
		11/F	44.3	70.3	64.5	64.5	63	63
		12/F	47.1	70.3	64.5	64.5	63	63
		13/F	49.9	70.3	64.5	64.4	63	63
		14/F	52.7	70.3	64.5	64.4	63	63
		15/F	55.5	70.3	64.5	64.4	63	63
		16/F	58.3	70.3	64.5	64.4	63	63
		17/F	61.1	70.3	64.5	64.4	63	63
		18/F	63.9	70.2	64.5	64.4	62.9	62.9
		19/F	66.7	70.2	64.5	64.4	62.9	62.9
		20/F	69.5	70.2	64.5	64.4	62.9	62.9
		21/F	72.3	70.2	64.4	64.4	62.9	62.9
		22/F	75.1	70.2	64.4	64.3	62.9	62.9
		23/F	77.9	70.1	64.4	64.3	62.8	62.8
		24/F	80.7	70.1	64.4	64.3	62.8	62.8
		25/F	83.5	70.1	64.4	64.3	62.8	62.8
		26/F	86.3	70.1	64.3	64.3	62.8	62.8
		27/F	89.1	70	64.3	64.2	62.7	62.7
		28/F	91.9	70	64.3	64.2	62.7	62.7
		29/F	94.7	70	64.2	64.2	62.7	62.7
		30/F	97.5	70	64.2	64.2	62.7	62.7
		31/F	100.3	69.9	64.2	64.1	62.7	62.7
		32/F	103.1	69.9	64.1	64.1	62.6	62.6
		33/F	105.9	69.8	64.1	64.1	62.6	62.6
		34/F	108.7	69.8	64.1	64	62.5	62.5
SR61	Tak Nga Court 2	1/F	16.3	70.3	64.4	64.2	62.7	62.7
		2/F	19.1	70.3	64.4	64.3	62.8	62.8
		3/F	21.9	70.3	64.4	64.3	62.8	62.8
		4/F	24.7	70.3	64.4	64.3	62.8	62.8
		5/F	27.5	70.3	64.4	64.3	62.8	62.8
		6/F	30.3	70.3	64.4	64.3	62.8	62.8
		7/F	33.1	70.4	64.4	64.3	62.8	62.8
		8/F	35.9	70.4	64.4	64.3	62.8	62.8
		9/F	38.7	70.4	64.5	64.3	62.8	62.8
		10/F	41.5	70.4	64.5	64.3	62.8	62.8
		11/F	44.3	70.4	64.5	64.3	62.8	62.8
		12/F	47.1	70.4	64.5	64.3	62.8	62.8
		13/F	49.9	70.4	64.5	64.3	62.8	62.8
		14/F	52.7	70.4	64.4	64.3	62.8	62.8
		15/F	55.5	70.3	64.4	64.3	62.8	62.8
		16/F	58.3	70.3	64.4	64.3	62.8	62.8
		17/F	61.1	70.3	64.4	64.3	62.8	62.8
		18/F	63.9	70.3	64.4	64.3	62.8	62.8
		19/F	66.7	70.3	64.4	64.3	62.8	62.8
		20/F	69.5	70.3	64.4	64.3	62.7	62.7
		21/F	72.3	70.3	64.4	64.3	62.7	62.7
		22/F	75.1	70.3	64.4	64.3	62.7	62.7
		23/F	77.9	70.3	64.4	64.3	62.7	62.7
		24/F	80.7	70.2	64.4	64.2	62.7	62.7
		25/F	83.5	70.2	64.4	64.2	62.7	62.7
		26/F	86.3	70.2	64.3	64.2	62.6	62.6
		27/F	89.1	70.1	64.3	64.2	62.6	62.6
		30/F	97.5	70	64.2	64.1	62.6	62.6
		31/F	100.3	70	64.2	64.1	62.6	62.6
		32/F	103.1	70	64.2	64	62.5	62.5
		33/F	105.9	69.9	64.1	64	62.5	62.5
		34/F	108.7	69.9	64.1	63.9	62.4	62.4
SR62	Ha Wun Yiu	G/F	29.6	74.8	68.9	68.4	67	67
		1/F	32.3	74.8	69	68.4	67.1	67.1
SR63	Lai Chi Shan	G/F	22.4	74.9	69	68.9	67.2	67.2
		1/F	25.1	74.9	69	68.9	67.2	67.2
SR64	Shan Tong New Village 1	G/F	44.3	71.6	65.9	65.7	64.9	64.9
		1/F	47	73	67.1	66.9	66.1	66.1

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
 Predicted Construction Noise Level Leq (30min) in dB(A) (week 77, worst case at Section 4)

SR No.	Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced pit no.	O3: O2 + reduced PON	O4: O3 + barrier	
SR65	Shan Tong New Village 2	2/F	49.7	73.6	68	67.7	66.9	66.9	
		G/F	41.8	66.6	62.7	62.6	62.1	62.1	
		1/F	44.5	68.7	63.9	63.8	63	63	
SR66	P.L.K. Tin Ka Ping Primary School NOT NAP	2/F	47.2	71.5	65.9	65.7	64.7	64.7	
		1/F	14.6	73.4	X	66.3	X	65.4	65.4
		2/F	17.6	73.4	X	66.3	X	65.4	65.4
		3/F	20.6	73.4	X	66.3	X	65.4	65.4
		4/F	23.6	73.4	X	66.2	X	65.4	65.4
		5/F	26.6	73.4	X	66.2	X	65.4	65.4
SR67	Redland Garden	6/F	29.6	73.4	X	66.2	X	65.4	65.4
		1/F	29.4	64.6	59	58.9	57.7	57.7	
		2/F	32.2	64.8	59.3	59.1	58	58	
		3/F	35	64.9	59.3	59.2	58	58	
		4/F	37.8	64.9	59.3	59.2	58	58	
		5/F	40.6	64.9	59.3	59.2	58	58	
SR70	Kwong Fuk Estate - Kwong Lai House	6/F	43.4	64.8	59.3	59.2	58	58	
		1/F	9.7	65.4	60.6	60.4	58.5	58.5	
		2/F	12.5	65.8	61.1	61	59.1	59.1	
		3/F	15.3	66	61.3	61.2	59.2	59.2	
		4/F	18.1	66.1	61.4	61.3	59.5	59.5	
		5/F	20.9	66.3	61.5	61.4	59.6	59.6	
		6/F	23.7	66.4	61.6	61.5	59.7	59.7	
		7/F	26.5	66.5	61.6	61.5	59.8	59.8	
		8/F	29.3	66.6	61.7	61.5	59.8	59.8	
		9/F	32.1	66.7	61.7	61.6	59.9	59.9	
		10/F	34.9	66.8	61.8	61.6	59.9	59.9	
		11/F	37.7	66.9	61.8	61.7	60	60	
		12/F	40.5	66.9	61.9	61.7	60	60	
		13/F	43.3	67	61.9	61.8	60.1	60.1	
		14/F	46.1	67	61.9	61.8	60.1	60.1	
		15/F	48.9	67.1	62	61.8	60.1	60.1	
		16/F	51.7	67.1	62	61.8	60.2	60.2	
		17/F	54.5	67.1	62	61.9	60.2	60.2	
		18/F	57.3	67.1	62	61.9	60.2	60.2	
		19/F	60.1	67.1	62	61.9	60.2	60.2	
		20/F	62.9	67.2	62	61.9	60.2	60.3	
		21/F	65.7	67.2	62	61.9	60.2	60.2	
		22/F	68.5	67.2	62	61.9	60.2	60.3	
23/F	71.3	67.2	62	61.9	60.2	60.3			
SR73	Island House Conservation Studies Centre	G/F	17.2	69.6	64	63.8	62.4	62.4	
		1/F	20.2	69.9	64.6	64.5	63.1	63.1	
SR75	Wong Kong Shan	G/F	15.7	70.1	63.7	63.6	62.8	62.8	
		1/F	18.4	69.9	63	62.9	61.9	61.9	
SR76	Yuen Leng 1	G/F	22	75.4	68.1	67.8	67.5	67.5	
		1/F	24.7	75.5	X	68.4	68.1	67.8	
		2/F	27.4	75.5	X	68.4	68.1	67.8	
SR77	Yuen Leng 2	G/F	23.9	71.8	64.9	64.7	64.4	64.4	
		1/F	28.6	71.8	65.3	65.1	64.8	64.8	
		2/F	29.3	71.8	65.3	65.1	64.8	64.8	
SR78	Dynasty View 3	1/F	33.7	59.1	59.1	59.1	59.1	59.1	
		2/F	36.5	52.1	52.1	52.1	52.1	52.1	
		3/F	39.3	53	53	53	53	53	
		4/F	42.1	53.6	53.6	53.6	53.6	53.6	
		5/F	44.9	52.2	52.2	52.2	52.2	52.2	
		6/F	47.7	53	53	53	53	53	
		7/F	50.5	54	54	54	54	54	
		8/F	53.3	55	55	55	55	55	
SR79	Care Village	G/F	5.6	71.3	65.7	65.5	64.7	64.7	
		1/F	8.3	75.8	X	69.9	68.9	68.9	
		2/F	11	76	X	70.3	69.3	69.3	
SR80	Wai Tau Tsuen 3	G/F	26.2	80	X	75.3	75.3	75.2	
		1/F	28.9	80.1	X	75.4	75.4	75.3	
		2/F	31.6	80	X	75.3	75.3	75.3	
SR81	Wai Tau Tsuen 4	G/F	25.2	82.7	X	72.9	72.9	72.4	
		1/F	27.9	82.7	X	73	73	72.5	
		2/F	30.6	82.7	X	72.9	72.9	72.5	
SR82N	Tai Hang 5	G/F	24.2	79.1	X	73.5	73.5	71.5	
		1/F	26.9	79.1	X	73.3	73.3	71.2	
		2/F	29.6	79	X	73.2	73.2	71.2	
SR83	Yuen Leng 3	G/F	19.2	81	X	72.5	72.3	72	
		1/F	21.9	81	X	72.5	72.3	71.9	
		2/F	24.6	80.9	X	72.4	72.2	71.8	
SR84	Nam Wa Po 2	G/F	19.7	74.8	67.7	67.5	67.2	66.9	
		1/F	22.4	74.9	68	67.8	67.5	67.2	
		2/F	25.1	74.9	68	67.8	67.5	67.2	
SR85	Nam Wa Po 3	G/F	23.1	70.9	65	64.8	64.6	64.5	
		1/F	25.8	71	65.5	65.4	65.2	65.1	
		2/F	28.5	71	65.5	65.4	65.2	65.1	
SR86	Tong Hang	G/F	18.4	82.3	X	75.5	X	74.9	74
		1/F	21.1	82.3	X	75.3	75.3	74.8	73.9
		2/F	23.8	82.3	X	75.3	75.3	74.8	73.9
SR87	Tai Wo 2	G/F	26.1	74.2	67	67	66.6	66.6	
		1/F	28.8	74.3	67.2	67.2	66.8	66.8	
		2/F	31.5	74.3	67.2	67.2	66.8	66.8	

Investigation Assignment for Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling
Predicted Construction Noise Level Leq (30min) in dB(A) (week 77, worst case at Section 4)

SR No. Description	Floor	mPD	unmitigated total	O1: Silenced Plant	O2: O1 + reduced pit no.	O3: O2 + rediced PON	O4: O3 + barrier
SR88 Wai Tau Tsuen 5	G/F	28.8	71.1	64.2	64.2	64.2	63.9
	1/F	31.5	71.1	63.7	63.7	63.7	63.4
	2/F	34.2	71.2	63.8	63.8	63.7	63.5
SR89 Wai Tau Tsuen 6	G/F	29.3	71.4	63.9	63.9	63.9	63.9
	1/F	32	71.4	63.6	63.6	63.6	63.6
	2/F	34.7	71.4	63.6	63.6	63.6	63.6
SR90 Wai Tau Tsuen 7	G/F	26.9	75	66	66	65.9	65.9
	2/F	32.3	75	66.1	66.1	66	66
SR93 SKH Mok Sau Tsang Secondary School NOT NAP	1/F	25.6	69	X	65.2	65	64.4
	2/F	28.6	68.1	X	61.9	61.6	60
	3/F	31.6	68.4	X	62.3	62	60.4
	4/F	34.6	69	X	62.9	62.7	61
	5/F	37.6	69.5	X	63.4	63.2	61.6
	6/F	40.6	69.7	X	63.6	63.4	61.8
SR94 Choi Hin To Primary School	1/F	15.5	65.2		57.6	57.6	57.6
	2/F	18.5	65.2		57.3	57.3	57.3
	3/F	21.5	65.2		57.3	57.3	57.3
	4/F	24.5	65.2		57.2	57.2	57.2
	5/F	27.5	65.2		57.2	57.2	57.2
SR95B Tai Po Normal School Memorial School 2	G/F	16.6	64.9	59.5	59.5	58.1	57.8
SR100 KCRC Staff Quarters	G/F	10.2	62.6	60.5	60.4	60	60
	1/F	13.2	61.8	56.4	56.3	54.6	54.6
	2/F	16.2	62.7	57.3	57.2	55.7	55.7
	3/F	19.2	63.2	57.8	57.7	56.2	56.2
	4/F	22.2	63.5	58.1	58	56.6	56.6
	5/F	25.2	63.7	58.2	58.1	56.7	56.7
SR101 Chateau Royale	G/F	20.2	71.8	65.7	65.5	64.5	64.5
	1/F	23	71.9	65.9	65.7	64.8	64.8
	2/F	25.8	71.9	66	65.9	64.9	64.9
SR103 Classical Garden	1/F	27.2	60.5	55	54.7	53.8	53.8
	2/F	30	60.3	54	53.5	52.4	52.4
	3/F	32.8	60.4	54.1	53.6	52.6	52.6
	4/F	35.6	60.5	54.2	53.7	52.7	52.7
	5/F	38.4	60.7	54.2	53.7	52.7	52.7
	6/F	41.2	60.7	54.3	53.8	52.7	52.7
	7/F	44	60.9	54.4	53.9	52.9	52.9
	8/F	46.8	61	54.5	54	53	53
SR104 Village House near Ma Wo 1	G/F	81.2	59.7	53.9	53.6	52.3	52.3
SR105 Village House near Ma Wo 2	G/F	79.4	71	64.6	63.5	63.5	63.5
SR106 Village House near Shek Kwu Lung	G/F	39.2	70.4	64.9	64.9	64	64.4
SR107 Village House near Hong Lok Yuen	G/F	27.1	78.1	X	70.3	70.3	70.3
	1/F	29.8	78.2	X	70.6	70.6	70.6
SR108 Tai Hang Village House	G/F	25.7	79.1	X	70.1	70	70
	1/F	28.4	79	X	69.9	69.7	69.7
	2/F	31.1	79	X	69.9	69.7	69.7
SR109 Village House near Nam Wa Po	G/F	22.5	74.8	67.2	67.1	66.7	65.3