

SR#	Description	Floor	mPD	2002 Prevailing Condition			2020 Unmitigated Results			2020 Mitigated Results			ITR Eligibility Test									
				"New"	"Existing"	All	"New"	"Existing"	All	"New"	"Existing"	All	All ₂₀₂₀ > Relevant Criterion?	All ₂₀₂₀ > 1 dBA(A)?	All ₂₀₂₀ > Existing ₂₀₂₀ >= 1 dBA(A)?	ITR ?						
SR1	Avon Park	1/F	38.1	63.2	76.3	x	76.5	x	61.3	77.3	x	77.4	x	60.2	77.2	x	77.3	x	Yes	No	0.1	No
		2/F	40.9	63.5	76.5	x	76.7	x	61.7	77.5	x	77.6	x	60.6	77.4	x	77.5	x	Yes	No	0.1	No
		3/F	43.7	63.7	76.7	x	76.9	x	62	77.7	x	77.8	x	60.9	77.6	x	77.7	x	Yes	No	0.1	No
		4/F	46.5	63.8	76.9	x	77.1	x	62.1	77.9	x	78	x	61	77.7	x	77.8	x	Yes	No	0.1	No
		5/F	49.3	63.9	76.9	x	77.2	x	62.2	78	x	78.1	x	61.1	77.9	x	78	x	Yes	No	0.1	No
		6/F	52.1	64	77	x	77.2	x	62.3	78.1	x	78.2	x	61.1	78	x	78.1	x	Yes	No	0.1	No
		7/F	54.9	64	77.1	x	77.3	x	62.3	78.2	x	78.3	x	61.2	78	x	78.1	x	Yes	No	0.1	No
		8/F	57.7	64.1	77.1	x	77.3	x	62.3	78.3	x	78.4	x	61.1	78.1	x	78.2	x	Yes	No	0.1	No
		9/F	60.5	64.1	77.1	x	77.3	x	62.4	78.3	x	78.4	x	61.1	78.1	x	78.2	x	Yes	No	0.1	No
		10/F	63.3	64.1	77.1	x	77.3	x	62.4	78.3	x	78.4	x	61.1	78.1	x	78.2	x	Yes	No	0.1	No
		11/F	66.1	64.2	77.1	x	77.3	x	62.4	78.3	x	78.4	x	61.1	78.1	x	78.2	x	Yes	No	0.1	No
		12/F	68.9	64.2	77	x	77.2	x	62.4	78.2	x	78.4	x	61.2	78.1	x	78.2	x	Yes	No	0.1	No
		13/F	71.7	64.2	77	x	77.2	x	62.4	78.2	x	78.3	x	61.1	78.1	x	78.2	x	Yes	No	0.1	No
		14/F	74.5	64.2	76.9	x	77.1	x	62.4	78.1	x	78.3	x	61.1	78	x	78.1	x	Yes	No	0.1	No
		15/F	77.3	64.2	76.9	x	77.1	x	62.4	78.1	x	78.2	x	61.2	78	x	78.1	x	Yes	No	0.1	No
		16/F	80.1	64.3	76.8	x	77	x	62.4	78.1	x	78.2	x	61.2	77.9	x	78	x	Yes	No	0.1	No
		17/F	82.9	64.3	76.7	x	77	x	62.4	78	x	78.1	x	61.2	77.9	x	78	x	Yes	No	0.1	No
		18/F	85.7	64.3	76.7	x	76.9	x	62.3	77.9	x	78	x	61.1	77.8	x	77.9	x	Yes	No	0.1	No
		19/F	88.5	64.3	76.6	x	76.8	x	62.3	77.9	x	78	x	61.2	77.7	x	77.8	x	Yes	No	0.1	No
		20/F	91.3	64.2	76.5	x	76.8	x	62.3	77.8	x	77.9	x	61.2	77.7	x	77.8	x	Yes	No	0.1	No
		21/F	94.1	64.2	76.5	x	76.7	x	62.3	77.7	x	77.9	x	61.3	77.6	x	77.7	x	Yes	No	0.1	No
		22/F	96.9	64.2	76.4	x	76.6	x	62.3	77.7	x	77.8	x	61.3	77.6	x	77.7	x	Yes	Yes	0.1	No
		23/F	99.7	64.2	76.3	x	76.6	x	62.3	77.6	x	77.7	x	61.3	77.5	x	77.6	x	Yes	No	0.1	No
		24/F	103	64.2	76.2	x	76.5	x	62.3	77.5	x	77.7	x	61.4	77.4	x	77.5	x	Yes	No	0.1	No
		25/F	105	64.2	76.2	x	76.4	x	62.2	77.5	x	77.6	x	61.4	77.4	x	77.5	x	Yes	Yes	0.1	No
SR2	Fanling Government Secondary School	1/F	23	60.7	68.2	x	68.9	x	61.1	69.6	x	70.2	x	55.1	69.6	x	69.8	x	Yes	No	0.2	No
SR3	Dawning Views 1	1/F	32.5	68.6	77	x	77.6	x	67.8	77.5	x	77.9	x	66.4	76	x	76.5	x	Yes	No	0.5	No
		2/F	35.3	68.8	77	x	78.3	x	68.1	78.3	x	78.3	x	66.7	77.2	x	77.6	x	Yes	No	0.4	No
		3/F	38.1	68.9	78.1	x	78.6	x	68.3	78.7	x	79	x	66.8	77.8	x	78.1	x	Yes	No	0.3	No
		4/F	40.9	69	78.4	x	78.9	x	68.4	79	x	79.3	x	66.9	78.1	x	78.4	x	Yes	No	0.3	No
		5/F	43.7	69.1	78.5	x	79	x	68.5	79.2	x	79.5	x	66.9	78.3	x	78.6	x	Yes	No	0.3	No
		6/F	46.5	69.1	78.6	x	79.1	x	68.6	79.2	x	79.6	x	67	78.4	x	78.7	x	Yes	No	0.3	No
		7/F	49.3	69.2	78.6	x	79.1	x	68.6	79.3	x	79.7	x	67	78.4	x	78.7	x	Yes	No	0.3	No
		8/F	52.1	69.2	78.6	x	79.1	x	68.7	79.3	x	79.7	x	67.1	78.5	x	78.8	x	Yes	No	0.3	No
		9/F	54.9	69.2	78.6	x	79.1	x	68.7	79.3	x	79.7	x	67	78.5	x	78.8	x	Yes	No	0.3	No
		10/F	57.7	69.2	78.6	x	79.1	x	68.7	79.3	x	79.7	x	67.1	78.5	x	78.8	x	Yes	No	0.3	No
		11/F	60.5	69.2	78.6	x	79	x	68.7	79.3	x	79.7	x	67.2	78.5	x	78.8	x	Yes	No	0.3	No
		12/F	63.3	69.2	78.5	x	79	x	68.7	79.3	x	79.7	x	67.2	78.5	x	78.8	x	Yes	No	0.3	No
		13/F	66.1	69.2	78.5	x	79	x	68.8	79.3	x	79.6	x	67.2	78.4	x	78.7	x	Yes	No	0.3	No
		14/F	68.9	69.2	78.4	x	78.9	x	68.8	79.2	x	79.6	x	67.3	78.4	x	78.7	x	Yes	No	0.3	No
		15/F	71.7	69.2	78.4	x	78.9	x	68.8	79.2	x	79.6	x	67.3	78.4	x	78.7	x	Yes	No	0.3	No
		16/F	74.5	69.2	78.3	x	78.8	x	68.7	79.1	x	79.5	x	67.4	78.4	x	78.7	x	Yes	No	0.3	No
		17/F	77.3	69.2	78.2	x	78.7	x	68.7	79.1	x	79.5	x	67.4	78.4	x	78.7	x	Yes	No	0.3	No
		18/F	80.1	69.1	78.2	x	78.7	x	68.7	79.1	x	79.4	x	67.5	78.4	x	78.7	x	Yes	No	0.3	No
		19/F	82.9	69.1	78.1	x	78.6	x	68.7	79	x	79.4	x	67.5	78.3	x	78.6	x	Yes	No	0.3	No
		20/F	85.7	69.1	78.1	x	78.6	x	68.7	79	x	79.3	x	67.6	78.4	x	78.7	x	Yes	No	0.3	No
		21/F	88.5	69.1	78	x	78.5	x	68.7	78.9	x	79.3	x	67.6	78.3	x	78.7	x	Yes	No	0.4	No
		22/F	91.3	69	77.9	x	78.5	x	68.6	78.8	x	79.2	x	67.7	78.3	x	78.7	x	Yes	No	0.4	No
		23/F	94.1	69	77.9	x	78.4	x	68.6	78.8	x	79.2	x	67.8	78.3	x	78.7	x	Yes	No	0.4	No
		24/F	96.9	69	77.8	x	78.3	x	68.6	78.7	x	79.1	x	67.8	78.3	x	78.7	x	Yes	No	0.4	No
		25/F	99.7	68.9	77.7	x	78.3	x	68.6	78.6	x	79	x	67.9	78.2	x	78.6	x	Yes	No	0.4	No
26/F	103	68.9	77.7	x	78.2	x	68.5	78.6	x	79	x	67.9	78.2	x	78.6	x	Yes	No	0.4	No		
27/F	105	68.9	77.6	x	78.2	x	68.5	78.5	x	78.9	x	68	78.2	x	78.6	x	Yes	No	0.4	No		
28/F	108	68.9	77.6	x	78.1	x	68.5	78.5	x	78.9	x	68.1	78.2	x	78.6	x	Yes	No	0.4	No		
SR3A	Dawning Views 2	1/F	32.5	68.9	78.3	x	78.8	x	68.2	78.5	x	78.9	x	66.7	77.3	x	77.7	x	Yes	No	0.4	No
		2/F	35.3	69	78.5	x	78.9	x	68.4	78.8	x	79.2	x	66.9	77.7	x	78	x	Yes	No	0.3	No
		3/F	38.1	69.1	78.6	x	79.1	x	68.6	79	x	79.4	x	67	78.1	x	78.4	x	Yes	No	0.3	No
		4/F	40.9	69.2	78.8	x	79.2	x	68.7	79.2	x	79.6	x	67.1	78.3	x	78.6	x	Yes	No	0.3	No
		5/F	43.7	69.3	78.9	x	79.3	x	68.8	79.3	x	79.7	x	67.2	78.4	x	78.7	x	Yes	No	0.3	No
		6/F	46.5	69.4	78.9	x	79.4	x	68.9	79.4	x	79.8	x	67.3	78.5	x	78.8	x	Yes	No	0.3	No
		7/F	49.3	69.4	78.9	x	79.3	x	68.9	79.4	x	79.8	x	67.3	78.5	x	78.8	x	Yes	No	0.3	No
		8/F	52.1	69.4	78.9	x	79.3	x	69	79.5	x	79.8	x	67.3	78.5	x	78.8	x	Yes	No	0.3	No
		9/F	54.9	69.4	78.8	x	79.3	x	69	79.5	x	79.8	x	67.3	78.5	x	78.8	x	Yes	No	0.3	No
		10/F	57.7	69.4	78.8	x	79.3	x	69.1	79.4	x	79.8	x	67.3	78.5	x	78.8	x	Yes	No	0.3	No
		11/F	60.5	69.5	78.8	x	79.2	x	69.1	79.4	x	79.8	x	67.4	78.4	x	78.7	x	Yes	No	0.3	No
		12/F	63.3	69.5	78.7	x	79.2	x	69.1	79.4	x	79.8	x	67.4	78.4	x	78.7	x	Yes	No	0.3	No
		13/F	66.1	69.5	78.7	x	79.1	x	69.1	79.3	x	79.										

SR#	Description	Floor	2002 Prevailing Condition			2020 Unmitigated Results			2020 Mitigated Results			ITR Eligibility Test						
			mPD	"New"	"Existing"	All	"New"	"Existing"	All	"New"	"Existing"	All	All ₂₀₂₀ > Relevant Criterion?	All ₂₀₂₀ > 1 dB(A)?	All ₂₀₂₀ Existing > 2020 >= 1 dB(A)?	ITR ?		
SR17B	Tai Hang 3	2/F	31.1	81.9	x	56.4	82	x	84.2	53.4	84.2	70.2	49.9	70.2	No	No	20.3	Yes
		G/F	25.7	77.5	x	52.1	77.5	x	78.4	0	78.4	88.6	0	88.6	No	No	68.6	Yes
		1/F	28.4	78.9	x	52.1	78.9	x	80.6	0	80.6	69.6	0	69.6	No	No	69.6	Yes
SR19	Hong Lok Yuen 1	2/F	31.1	79.4	x	52	79.4	x	81.3	0	81.3	70.3	0	70.3	No	No	70.3	Yes
		G/F	32.9	71	x	59.4	71.3	x	72.2	59.2	72.4	66.8	59.1	67.5	No	No	8.4	Yes
		1/F	35.6	71.6	x	59.4	71.9	x	72.9	59.3	73.1	67.3	59.1	67.9	No	No	8.8	Yes
SR20	Hong Lok Yuen 2	2/F	38.3	72.2	x	59.5	72.4	x	73.5	59.3	73.7	67.6	59.2	68.2	No	No	9	Yes
		G/F	32.9	70.8	x	60.3	71.2	x	72	60.3	72.3	67	60.2	67.8	No	No	7.6	Yes
		1/F	35.6	71.4	x	60.3	71.7	x	72.7	60.4	73	67.3	60.3	68.1	No	No	7.8	Yes
SR21	Hong Lok Yuen 3	2/F	38.3	71.9	x	60.3	72.2	x	73.3	60.4	73.5	67.7	60.3	68.4	No	No	8.1	Yes
		G/F	33.9	74.4	x	54.9	74.5	x	75.8	54.1	75.8	68.5	53.6	68.6	No	No	15	Yes
		1/F	36.6	74.9	x	55.5	75	x	76.3	54.6	76.3	69.1	54	69.2	No	No	15.2	Yes
SR22	Wai Tau Tsuen 1	2/F	39.3	75.2	x	56.1	75.3	x	76.7	55.1	76.7	69.8	54.5	69.9	No	No	15.4	Yes
		G/F	28.2	76.2	x	58.3	76.2	x	76.4	58.2	76.5	68.9	57.9	69.2	No	No	11.3	Yes
		1/F	30.9	76.5	x	58.5	76.6	x	77.4	58.4	77.5	69.8	58	70.1	No	No	12.1	Yes
SR23	Wai Tau Tsuen 2	G/F	28.7	70.5	x	55.5	70.6	x	64.3	54.8	64.8	64.3	54.8	64.8	No	No	10	Yes
		1/F	31.4	72.6	x	60.1	72.9	x	66.8	59	67.5	66.7	59	67.4	No	No	8.4	Yes
		G/F	19.1	64.5	x	72.1	72.8	x	65.5	76	76.4	65.5	76	76.4	Yes	Yes	0.4	No
SR24	Kau Liu Ha 1	1/F	21.8	65	x	73.1	73.7	x	66.3	77	77.3	66.2	77	77.3	Yes	Yes	0.3	No
		2/F	24.5	65.4	x	73.6	74.2	x	66.8	77.5	77.8	66.8	77.5	77.9	Yes	Yes	0.4	No
		G/F	19.1	64.6	x	74.4	74.9	x	65.6	78.4	78.6	65.5	78.4	78.6	Yes	Yes	0.2	No
SR25	Kau Liu Ha 2	1/F	21.8	65.1	x	75.3	75.7	x	66.3	79.2	79.4	66.3	79.2	79.4	Yes	Yes	0.2	No
		2/F	24.5	65.4	x	75.6	76	x	66.9	79.5	79.7	66.8	79.5	79.7	Yes	Yes	0.2	No
		G/F	13.8	67	x	78.3	78.8	x	69	78.6	79	61.9	78.6	78.7	Yes	No	0.1	No
SR26	Tai Po Garden	1/F	16.6	67.3	x	77.7	78.1	x	69.5	78	78.6	62.3	78	78.1	Yes	No	0.1	No
		2/F	19.4	67.7	x	77	77.5	x	69.9	77.3	78	62.8	77.3	77.5	Yes	No	0.2	No
		3/F	22.2	68.1	x	76.3	76.9	x	70.3	76.6	77.5	63.2	76.6	76.8	Yes	No	0.2	No
SR27	Mui Shu Hang	4/F	25	68.5	x	75.7	76.4	x	70.8	75.9	77.1	63.6	75.9	76.1	Yes	No	0.2	No
		G/F	15.7	65.1	x	56.6	65.7	x	65.1	58	65.9	65.8	57.9	66.5	No	No	8.6	Yes
		1/F	18.4	65.9	x	57.3	66.4	x	65.9	58.6	66.7	66.5	58.6	67.2	No	No	8.8	Yes
SR28	Northwest Shek Kwu Lung	G/F	21.2	62.4	x	41.1	62.4	x	61.4	41.5	61.5	61.9	40.9	61.9	No	No	21	Yes
		1/F	23.9	63.4	x	42.2	63.4	x	62.4	42.5	62.4	62.9	41.7	62.9	No	No	21.2	Yes
		G/F	11.5	66.1	x	67.9	70.1	x	67.1	69.2	71.3	60.8	69.2	69.8	No	No	0.6	No
SR29	Parc Versailles 1	1/F	14.3	66.6	x	68	70.4	x	67.7	69.2	71.5	61.1	69.2	69.8	No	No	0.6	No
		2/F	17.1	67.2	x	68	70.7	x	68.3	69.3	71.8	61.6	69.2	69.9	No	No	0.7	No
		3/F	19.9	68	x	68.1	71	x	68.9	69.3	72.1	62.2	69.3	70.1	No	No	0.8	No
		4/F	22.7	68.7	x	68.1	71.4	x	69.6	69.3	72.5	62.8	69.3	70.2	No	No	0.9	No
		5/F	25.5	69.1	x	68.2	71.7	x	70.3	69.4	72.9	63.4	69.4	70.4	No	No	1	No
SR29A	Parc Versailles 2	G/F	11.5	64.8	x	67.8	69.6	x	65.4	69	70.6	59.7	69	69.5	No	No	0.5	No
		1/F	14.3	65.4	x	67.9	69.8	x	66	69.1	70.8	60.3	69.1	69.6	No	No	0.5	No
		2/F	17.1	66	x	67.9	70.1	x	66.8	69.2	71.1	61	69.2	69.8	No	No	0.6	No
		3/F	19.9	66.6	x	68	70.4	x	67.3	69.3	71.4	61.5	69.2	69.9	No	No	0.7	No
		4/F	22.7	67.2	x	68.1	70.7	x	67.8	69.3	71.7	62.1	69.3	70.1	No	No	0.8	No
SR30A	Shek Kwu Lung 4	5/F	25.5	67.6	x	68.2	70.9	x	68.4	69.5	72	62.5	69.5	70.3	No	No	0.8	No
		G/F	13.4	62.9	x	61.8	65.4	x	61	69.1	69.7	56.9	69.1	69.4	No	Yes	0.3	No
		1/F	16.1	63.6	x	62.7	66.2	x	61.7	69.6	70.2	57.3	69.6	69.8	No	Yes	0.2	No
SR30B	Shek Kwu Lung 5	2/F	18.8	64.1	x	63.9	67	x	62.3	69.9	70.6	57.7	69.9	70.2	No	Yes	0.3	No
		G/F	17.2	64.1	x	47.6	64.2	x	63.1	48.3	63.3	61.4	48.2	61.6	No	No	13.4	Yes
		1/F	20	65.1	x	47.9	65.1	x	63.9	48.6	64	62.1	48.5	62.3	No	No	13.8	Yes
SR30C	Shek Kwu Lung 6	2/F	22.8	65.9	x	48.3	66	x	64.6	49	64.7	62.7	48.9	62.9	No	No	14	Yes
		G/F	31.2	64.3	x	47.3	64.4	x	64.5	47.8	64.6	63	47.8	63.1	No	No	15.3	Yes
		1/F	34	65.9	x	48.1	66	x	65.8	48.6	65.9	64.2	48.5	64.3	No	No	15.8	Yes
SR31	Shek Kwu Lung 2	2/F	36.8	67.9	x	49	68	x	67.2	49.5	67.3	65.6	49.4	65.7	No	No	16.3	Yes
		G/F	9.9	62.5	x	65.3	67.2	x	62.4	73.7	74	58.8	73.7	73.8	Yes	Yes	0.1	No
		1/F	12.6	63	x	66.9	68.4	x	63	74.2	74.5	59.2	74.2	74.3	Yes	Yes	0.1	No
SR33	Shek Kwu Lung 3	2/F	15.3	63.7	x	67.9	69.3	x	63.5	74.5	74.8	59.5	74.5	74.6	Yes	Yes	0.1	No
		G/F	33.2	65.8	x	42.6	65.9	x	61.1	45.8	61.3	61.2	45.8	61.3	No	No	15.5	Yes
		1/F	58.8	70	x	60.3	70.4	x	71.8	61.9	72.3	68.2	61.9	69.1	No	No	7.2	Yes
SR34	Pun Chun Yuen	1/F	61.5	70.9	x	60.4	71.3	x	73	61.8	73.3	69.7	61.8	70.4	No	No	8.6	Yes
		G/F	37.3	65.4	x	60.1	66.5	x	63.4	61.3	65.5	62.7	61.3	65.1	No	No	3.8	Yes
		1/F	43.2	66.8	x	51.1	68.9	x	69.8	51.4	69.8	65.1	51.4	65.3	No	No	13.9	Yes
SR36	Ma Wo	1/F	45.9	70.2	x	51.1	70.3	x	71.5	51.4	71.5	66.3	51.4	66.4	No	No	15	Yes
		1/F	37.7	65.7	x	46.7	65.7	x	66.2	47.9	66.2	63	47.9	63.1	No	No	15.2	Yes
		2/F	40.5	70.6	x	46.7	70.6	x	71	48	71	64.8	47.9	64.9	No	No	17	Yes
SR38	Dynasty View 1	3/F	43.3	72.1	x	46.8	72.1	x	72.8	48	72.6	65.4	48	65.5	No	No	17.5	Yes
		4/F	46.1	73.4	x	46.8	73.4	x	74.1	48	74.1	66.2	48	66.3	No	No	18.3	Yes
		5/F	48.9	74.4	x	46.8	74.4	x	75.6	48.1	75.6	68.9	48.1	67	No	No	18.9	Yes
		6/F	51.7	75.7	x	46.9	75.7	x	76.9	48.1	76.9	67.8	48.1	67.8	No	No	19.7	Yes
		7/F	54.5	77	x	47	77	x	78.4	48.2	78.4	68.6	48.2	68.6	No	No	20.4	Yes
		8/F	57.3	77.8	x	47.1	77.8	x	79.5	48.3	79.5	69.6	48.2	69.6	No	No	21.4	Yes
		9/F	59.7	79.5	x	47.1	79.7	x	80.7	48.3	80.9	67	48.2	66.7	No	No	21.4	Yes
SR39	The Paragon	1/F	37.3	74.1	x	64.4	74.6	x	76.1	64.7	76.4	63.5	59.8	65	No	No	5.2	Yes
		2/F	40.1	77.7	x	66.5	78	x	79.4	66.8	79.6	64.1	61.8	66.1	No	No	4.3	Yes
		3/F	42.9	78.8	x	66.8	79.1	x	80.3	67.4	80.5	64.6	63.2	67	No	No	3.8	Yes
		4/F	45.7	79.2	x	66.9	79.5											

SR#	Description	Floor	mPD	2002 Prevailing Condition			2020 Unmitigated Results			2020 Mitigated Results			ITR Eligibility Test					
				"New"	"Existing"	All	"New"	"Existing"	All	"New"	"Existing"	All	All ₂₀₀₂ > Relevant Criterion?	All ₂₀₀₂ > 1 dB(A) ?	Existing ₂₀₀₂ >= 1 dB(A) ?	ITR ?		
		7/F	29.6	67.5	60.4	68.2	69.8	60.8	70.3	52.3	59.7	60.4	No	No	0.7	No		
		8/F	32.4	67.9	60.6	68.6	70.3	61.1	70.8	52.5	59.9	60.6	No	No	0.7	No		
		9/F	35.2	68.3	60.8	69	70.8	61.3	71.2	52.8	60.2	60.9	No	No	0.7	No		
		10/F	38	68.8	61	69.4	71.3	61.5	71.8	53	60.4	61.1	No	No	0.7	No		
		11/F	40.8	69.3	61.2	69.9	71.9	61.7	72.3	53.3	60.6	61.3	No	No	0.7	No		
		12/F	43.6	69.9	61.3	70.5	72.6	61.8	72.9	53.6	60.7	61.5	No	No	0.8	No		
		13/F	46.4	70.2	61.4	70.7	73	61.9	73.3	53.9	60.8	61.8	No	No	0.8	No		
		14/F	49.2	70.4	61.4	70.9	73.3	61.9	73.6	54.2	60.9	61.7	No	No	0.8	No		
		15/F	52	70.6	61.5	71.1	73.5	62	73.8	54.5	60.9	61.8	No	No	0.9	No		
		16/F	54.8	70.8	61.5	71.2	73.6	62	73.9	54.9	60.9	61.9	No	No	1	No		
		17/F	57.6	70.9	61.5	71.4	73.7	62	74	55.2	61	62	No	No	1	No		
		18/F	60.4	71	61.6	71.5	73.8	62	74.1	55.5	61	62.1	No	No	1.1	Yes		
		19/F	63.2	71.1	61.6	71.6	73.8	62	74.1	55.9	61	62.2	No	No	1.2	Yes		
		20/F	66	71.2	61.6	71.7	73.9	62	74.1	56.3	61	62.3	No	No	1.3	Yes		
		21/F	68.8	71.3	61.7	71.7	73.9	62	74.2	56.6	61	62.3	No	No	1.3	Yes		
		22/F	71.6	71.3	61.7	71.8	73.9	62	74.2	56.9	61.1	62.5	No	No	1.4	Yes		
		23/F	74.4	71.4	61.7	71.8	73.9	62	74.2	57.2	61.1	62.6	No	No	1.5	Yes		
		24/F	77.2	71.4	61.7	71.8	74	62	74.2	57.5	61.1	62.7	No	No	1.6	Yes		
		25/F	80	71.4	61.7	71.9	74	62	74.2	57.7	61.1	62.7	No	No	1.6	Yes		
		26/F	82.8	71.5	61.7	71.9	73.9	62	74.2	58	61.1	62.8	No	No	1.7	Yes		
		27/F	85.6	71.5	61.7	71.9	73.9	62	74.2	58.3	61.1	62.9	No	No	1.8	Yes		
		28/F	88.4	71.5	61.7	71.9	73.9	62	74.2	58.5	61	62.9	No	No	1.9	Yes		
		29/F	91.2	71.5	61.7	71.9	73.9	62	74.2	58.7	61	63	No	No	2	Yes		
		30/F	94	71.5	61.7	71.9	73.9	62	74.2	58.9	61	63.1	No	No	2.1	Yes		
		31/F	96.8	71.5	61.6	72	73.9	62	74.1	59.2	61	63.2	No	No	2.2	Yes		
		SR43	Wan Tau Tong Estate - Wan Lam House 2	1/F	12.8	66.4	42.2	66.4	70	43.3	70.1	56.5	37.7	56.8	No	No	18.9	Yes
				2/F	15.6	66.9	43	66.9	70.8	44.1	70.8	56.8	38.5	56.9	No	No	18.4	Yes
				3/F	18.4	67.3	43.8	67.3	71.2	44.9	71.2	57	39.3	57.1	No	No	17.8	Yes
				4/F	21.2	67.8	44.8	67.9	71.7	45.7	71.7	57.2	40.1	57.3	No	No	17.2	Yes
				5/F	24	68.3	45.7	68.3	72.4	46.6	72.4	57.4	41.1	57.5	No	No	16.4	Yes
				6/F	26.8	68.7	46.8	68.7	73.1	47.6	73.1	57.6	42.2	57.7	No	No	15.5	Yes
7/F	29.6			69	47.6	69	73.7	48.4	73.7	57.8	43.3	58	No	No	14.7	Yes		
8/F	32.4			69.5	48.4	69.6	74.2	49.2	74.2	57.9	44.5	58.1	No	No	13.6	Yes		
9/F	35.2			70	49	70	74.5	49.8	74.5	58.1	45.8	58.3	No	No	12.7	Yes		
10/F	38			70.3	49.5	70.4	74.8	50.3	74.8	58.3	46.7	58.6	No	No	11.9	Yes		
11/F	40.8			70.7	50	70.7	75.1	50.6	75.1	58.4	47.7	58.8	No	No	11.1	Yes		
12/F	43.6			71	50.4	71.1	75.4	51	75.4	58.6	48.6	59	No	No	10.4	Yes		
13/F	46.4			71.3	50.7	71.4	75.6	51.2	75.6	58.8	49.3	59.3	No	No	10	Yes		
14/F	49.2			71.6	51	71.7	75.8	51.5	75.8	59	49.7	59.5	No	No	9.8	Yes		
15/F	52			71.9	51.2	72	76	51.7	76	59.2	50.2	59.7	No	No	9.5	Yes		
16/F	54.8			72.2	51.4	72.3	76.1	51.9	76.1	59.4	50.5	59.9	No	No	9.4	Yes		
17/F	57.6			72.5	51.6	72.5	76.2	52.1	76.2	59.6	50.8	60.1	No	No	9.3	Yes		
18/F	60.4			72.7	51.8	72.7	76.3	52.3	76.3	59.8	51.1	60.3	No	No	9.2	Yes		
19/F	63.2			72.8	52	72.9	76.3	52.4	76.4	60.1	51.3	60.6	No	No	9.3	Yes		
20/F	66			73.1	52.1	73.1	76.4	52.6	76.4	60.2	51.5	60.7	No	No	9.2	Yes		
21/F	68.8			73.3	52.3	73.3	76.4	52.7	76.4	60.5	51.7	61	No	No	9.3	Yes		
22/F	71.6			73.4	52.4	73.4	76.5	52.8	76.5	60.7	51.9	61.2	No	No	9.3	Yes		
23/F	74.4			73.6	52.5	73.6	76.5	52.9	76.5	60.9	52	61.4	No	No	9.4	Yes		
24/F	77.2			73.7	52.6	73.7	76.5	53.1	76.5	61.1	52.2	61.6	No	No	9.4	Yes		
25/F	80			73.8	52.7	73.8	76.5	53.2	76.5	61.4	52.3	61.9	No	No	9.6	Yes		
26/F	82.8			73.9	52.8	73.9	76.5	53.3	76.5	61.6	52.4	62.1	No	No	9.7	Yes		
27/F	85.6			73.9	52.9	74	76.5	53.3	76.5	61.9	52.5	62.4	No	No	9.9	Yes		
28/F	88.4			74	52.9	74	76.5	53.4	76.5	62.2	52.6	62.7	No	No	10.1	Yes		
29/F	91.2			74	53	74.1	76.5	53.5	76.5	62.5	52.7	62.9	No	No	10.2	Yes		
30/F	94			74.1	53.1	74.1	76.5	53.6	76.5	62.7	52.8	63.1	No	No	10.3	Yes		
31/F	96.8			74.1	53.1	74.1	76.4	53.7	76.5	63	52.9	63.4	No	No	10.5	Yes		
SR44	Wan Tau Tong Estate - Wan Loi House	1/F	12.8	65.2	64.6	67.9	69.4	65	70.7	54.5	65.2	65.6	No	No	0.4	No		
		2/F	15.6	66.2	64.6	68.5	70	65	71.2	54.8	65.2	65.6	No	No	0.4	No		
		3/F	18.4	67.1	64.6	69.1	70.7	65	71.7	55	65.1	65.5	No	No	0.4	No		
		4/F	21.2	67.6	64.6	69.4	71.3	65	72.3	55.3	65.1	65.5	No	No	0.4	No		
		5/F	24	68.1	64.6	69.7	72	65	72.8	55.6	65.1	65.6	No	No	0.5	No		
		6/F	26.8	68.7	64.6	70.1	72.6	65	73.3	55.8	65.1	65.6	No	No	0.5	No		
		7/F	29.6	69.2	64.6	70.5	73.1	65	73.7	56.1	65	65.5	No	No	0.5	No		
		8/F	32.4	69.8	64.6	71	73.5	65	74.1	56.4	65	65.6	No	No	0.6	No		
		9/F	35.2	70.5	64.6	71.5	74.1	65	74.6	56.8	65	65.6	No	No	0.6	No		
		10/F	38	71.2	64.6	72.1	74.7	65	75.1	56.9	64.9	65.5	No	No	0.6	No		
		11/F	40.8	72	64.5	72.8	75.4	65	75.7	57.2	64.9	65.6	No	No	0.7	No		
		12/F	43.6	72.6	64.5	73.2	75.9	65	76.3	57.4	64.9	65.6	No	No	0.7	No		
		13/F	46.4	73	64.5	73.5	76.3	64.9	76.6	57.7	64.8	65.6	No	No	0.8	No		
		14/F	49.2	73.2	64.4	73.8	76.5	64.9	76.8	58	64.8	65.6	No	No	0.8	No		
		15/F	52	73.5	64.4	74	76.7	64.8	77	58.2	64.8	65.7	No	No	0.9	No		
		16/F	54.8	73.7	64.4	74.1	76.8	64.8	77.1	58.6	64.7	65.7	No	No	1	No		
		17/F	57.6	73.8	64.3	74.3	76.9	64.8	77.2	58.9	64.7	65.7	No	No	1	No		
		18/F	60.4	74	64.3	74.4	77	64.7	77.2	59.3	64.6	65.7	No	No	1.1	Yes		
		19/F	63.2	74.1	64.2	74.5	77	64.7	77.3	59.6	64.6	65.8	No	No	1.2	Yes		
		20/F	66	74.2	64.2	74.7	77	64.6	77.3	60	64.5	65.8	No	No	1.3	Yes		
		21/F	68.8	74.3	64.2	74.7	77.1	64.6	77.3	60.4	64.5	65.9	No	No	1.4	Yes		
		22/F	71.6	74.4	64.1	74.8	77.1	64.6	77.3	60.7	64.4	65.9	No	No	1.5	Yes		
		23/F	74.4	74.5	64.1	74.9	77.1	64.5	77.4	61	64.4	66	No	No	1.6	Yes		
		24/F	77.2	74.5	64	74.9	77.1	64.5	77.4	61.3	64.4	66.1	No	No	1.7	Yes		
		25/F	80	74.6	64	74.9	77.1	64.4	77.4	61.6	64.3	66.2	No	No	1.9	Yes		
		26/F	82.8	74.6	63.9	75	77.1	64.4	77.3	61.8	64.3	66.2	No	No	1.9	Yes		
		27/F	85.6	74.7	63.9	75	77.1	64.4	77.3	62	64.2	66.2	No	No	2	Yes		
		28/F	88.4	74.7	63.9	75	77.1	64.3	77.3	62.3	64.2	66.4	No	No	2.2	Yes		
		29/F	91.2	74.7	63.8	75	77.1											

SR#	Description	Floor	mPD	2002 Prevailing Condition			2020 Unmitigated Results			2020 Mitigated Results			ITR Eligibility Test					
				"New"	"Existing"	All	"New"	"Existing"	All	"New"	"Existing"	All	All ₂₀₂₀ > Relevant Criterion?	All ₂₀₂₀ > 1 dB(A)?	All ₂₀₂₀ Existing ₂₀₂₀ >= 1 dB(A)?	ITR ?		
		8/F	49.9	73.9	x 71.6	x 75.9	x 76.9	x 72.1	x 78.2	x 58.3	72	x 72.2	x Yes	No	0.2	No		
		9/F	52.7	74.1	x 71.5	x 76	x 77	x 72	x 78.2	x 58.7	71.9	x 72.1	x Yes	No	0.2	No		
		10/F	55.5	74.2	x 71.4	x 76	x 77.1	x 71.8	x 78.2	x 59	71.8	x 72	x Yes	No	0.2	No		
		11/F	58.3	74.3	x 71.3	x 76	x 77.2	x 71.7	x 78.2	x 59.4	71.7	x 71.9	x Yes	No	0.2	No		
		12/F	61.1	74.4	x 71.1	x 76.1	x 77.2	x 71.6	x 78.3	x 59.8	71.5	x 71.8	x Yes	No	0.3	No		
		13/F	63.9	74.5	x 71	x 76.1	x 77.3	x 71.5	x 78.3	x 60.1	71.4	x 71.7	x Yes	No	0.3	No		
		14/F	66.7	74.6	x 70.9	x 76.1	x 77.3	x 71.4	x 78.3	x 60.4	71.3	x 71.6	x Yes	No	0.3	No		
		15/F	69.5	74.7	x 70.8	x 76.2	x 77.3	x 71.3	x 78.3	x 60.6	71.2	x 71.6	x Yes	No	0.4	No		
		16/F	72.3	74.7	x 70.7	x 76.2	x 77.3	x 71.2	x 78.3	x 60.9	71.1	x 71.5	x Yes	No	0.4	No		
		17/F	75.1	74.8	x 70.6	x 76.2	x 77.3	x 71.1	x 78.3	x 61.2	71	x 71.4	x Yes	No	0.4	No		
		18/F	77.9	74.8	x 70.5	x 76.2	x 77.3	x 71	x 78.2	x 61.4	70.9	x 71.4	x Yes	No	0.5	No		
		19/F	80.7	74.8	x 70.4	x 76.2	x 77.3	x 70.9	x 78.2	x 61.6	70.8	x 71.3	x Yes	No	0.5	No		
		20/F	83.5	74.8	x 70.3	x 76.2	x 77.3	x 70.8	x 78.2	x 61.8	70.7	x 71.2	x Yes	No	0.5	No		
		21/F	86.3	74.9	x 70.2	x 76.2	x 77.3	x 70.7	x 78.1	x 62.1	70.6	x 71.2	x Yes	No	0.6	No		
		22/F	89.1	74.9	x 70.2	x 76.1	x 77.3	x 70.6	x 78.1	x 62.3	70.5	x 71.1	x Yes	No	0.6	No		
		23/F	91.9	74.9	x 70.1	x 76.1	x 77.3	x 70.5	x 78.1	x 62.6	70.5	x 71.2	x Yes	No	0.7	No		
		24/F	94.7	74.9	x 70	x 76.1	x 77.2	x 70.5	x 78.1	x 62.8	70.4	x 71.1	x Yes	No	0.7	No		
		25/F	97.5	75	x 69.9	x 76.1	x 77.2	x 70.4	x 78	x 63.1	70.3	x 71.1	x Yes	No	0.8	No		
		26/F	100	74.9	x 69.9	x 76.1	x 77.2	x 70.3	x 78	x 63.4	70.2	x 71	x Yes	No	0.8	No		
		SR47	Wang Fuk Court – Wang Cheong House 1	1/F	6.8	66.8	72.7	x 73.8	x 67.3	73.3	x 74.2	x 55.7	73.1	x 73.2	x Yes	No	0.1	No
				2/F	9.6	68.8	73.2	x 74.5	x 69.9	73.9	x 75.3	x 57.7	73.5	x 73.6	x Yes	No	0.1	No
				3/F	12.4	70.2	73.9	x 75.5	x 71.8	x 74.8	x 76.5	x 59.4	74.1	x 74.2	x Yes	No	0.1	No
				4/F	15.2	71.6	x 75.1	x 76.7	x 73.5	x 76.4	x 78.2	x 59.8	74.7	x 74.8	x Yes	No	0.1	No
				5/F	18	73	x 76	x 77.7	x 74.8	x 77.4	x 79.3	x 59.9	75.3	x 75.4	x Yes	No	0.1	No
				6/F	20.8	73.5	x 76.3	x 78.1	x 75.3	x 77.7	x 79.7	x 60.2	75.6	x 75.7	x Yes	No	0.1	No
				7/F	23.6	73.7	x 76.5	x 78.3	x 75.6	x 77.8	x 79.9	x 60.5	75.8	x 75.9	x Yes	No	0.1	No
8/F	26.4			73.9	x 76.5	x 78.4	x 75.7	x 77.8	x 79.9	x 61.5	76	x 76.2	x Yes	No	0.2	No		
9/F	29.2			74.1	x 76.4	x 78.4	x 75.8	x 77.8	x 79.9	x 62.8	76.3	x 76.5	x Yes	No	0.2	No		
10/F	32			74.2	x 76.3	x 78.4	x 75.9	x 77.7	x 79.9	x 63.8	76.8	x 77	x Yes	No	0.2	No		
11/F	34.8			74.3	x 76.3	x 78.4	x 76	x 77.6	x 79.9	x 64.2	77.1	x 77.3	x Yes	No	0.2	No		
12/F	37.6			74.3	x 76.2	x 78.4	x 76.1	x 77.5	x 79.9	x 64.4	77.2	x 77.4	x Yes	No	0.2	No		
13/F	40.4			74.4	x 76.1	x 78.3	x 76.2	x 77.4	x 79.9	x 64.5	77.2	x 77.4	x Yes	No	0.2	No		
14/F	43.2			74.4	x 76	x 78.3	x 76.2	x 77.3	x 79.8	x 64.6	77.1	x 77.3	x Yes	No	0.2	No		
15/F	46			74.5	x 75.9	x 78.2	x 76.3	x 77.2	x 79.8	x 64.6	77.1	x 77.3	x Yes	No	0.2	No		
16/F	48.8			74.5	x 75.7	x 78.2	x 76.3	x 77.1	x 79.7	x 64.6	77	x 77.2	x Yes	No	0.2	No		
17/F	51.6			74.5	x 75.6	x 78.1	x 76.3	x 77	x 79.7	x 64.7	76.9	x 77.2	x Yes	No	0.3	No		
18/F	54.4			74.5	x 75.5	x 78	x 76.3	x 76.9	x 79.6	x 64.8	76.8	x 77.1	x Yes	No	0.3	No		
19/F	57.2			74.5	x 75.4	x 78	x 76.3	x 76.7	x 79.5	x 64.8	76.6	x 77.1	x Yes	No	0.3	No		
20/F	60			74.5	x 75.3	x 77.9	x 76.3	x 76.6	x 79.5	x 65	76.5	x 76.8	x Yes	No	0.3	No		
21/F	62.8			74.5	x 75.2	x 77.8	x 76.3	x 76.5	x 79.4	x 65.3	76.4	x 76.7	x Yes	No	0.3	No		
22/F	65.6			74.4	x 75	x 77.8	x 76.3	x 76.4	x 79.3	x 65.8	76.3	x 76.7	x Yes	No	0.4	No		
23/F	68.4			74.4	x 74.9	x 77.7	x 76.2	x 76.3	x 79.3	x 66.2	76.2	x 76.6	x Yes	No	0.4	No		
24/F	71.2			74.4	x 74.8	x 77.6	x 76.2	x 76.2	x 79.2	x 66.6	76.1	x 76.6	x Yes	No	0.5	No		
25/F	74			74.3	x 74.7	x 77.5	x 76.2	x 76.1	x 79.1	x 66.9	76	x 76.5	x Yes	No	0.5	No		
26/F	76.8			74.3	x 74.6	x 77.4	x 76.1	x 75.9	x 79	x 67.1	75.9	x 76.4	x Yes	No	0.5	No		
27/F	79.6			74.2	x 74.5	x 77.4	x 76.1	x 75.8	x 79	x 67.2	75.8	x 76.4	x Yes	No	0.6	No		
28/F	82.4			74.2	x 74.4	x 77.3	x 76.1	x 75.7	x 78.9	x 67.4	75.7	x 76.3	x Yes	No	0.6	No		
29/F	85.2			74.1	x 74.3	x 77.2	x 76	x 75.6	x 78.8	x 67.5	75.6	x 76.2	x Yes	No	0.6	No		
30/F	88			74.1	x 74.2	x 77.1	x 76	x 75.5	x 78.8	x 67.6	75.5	x 76.2	x Yes	No	0.7	No		
31/F	90.8			74	x 74.1	x 77.1	x 75.9	x 75.4	x 78.7	x 67.7	75.4	x 76.1	x Yes	No	0.7	No		
SR48	Wang Fuk Court – Wang Cheong House 2	1/F	6.8	69.5	67.4	68.1	61.2	69.7	70.3	56.2	68.3	68.6	No	No	0.3	No		
		2/F	9.6	60.7	69.1	69.7	62.2	71.2	x 71.7	x 56.3	70.2	x 70.4	No	No	0.2	No		
		3/F	12.4	62.8	71.4	x 72	x 64.1	73.2	x 73.7	x 56.4	72.2	x 72.3	x Yes	No	0.1	No		
		4/F	15.2	65.5	73.7	x 74.3	x 67	75.5	x 76	x 56.5	74.3	x 74.4	x Yes	No	0.1	No		
		5/F	18	67.8	74.9	x 75.7	x 69.2	76.7	x 77.4	x 56.8	75.5	x 75.6	x Yes	No	0.1	No		
		6/F	20.8	68.3	75.4	x 76.2	x 69.5	77.1	x 77.8	x 57.3	76	x 76.1	x Yes	No	0.1	No		
		7/F	23.6	68.4	75.6	x 76.4	x 69.6	77.3	x 78	x 58.3	76.3	x 76.4	x Yes	No	0.1	No		
		8/F	26.4	68.5	75.7	x 76.4	x 69.6	77.3	x 78	x 60.5	76.5	x 76.6	x Yes	No	0.1	No		
		9/F	29.2	68.5	75.7	x 76.4	x 69.6	77.3	x 78	x 63	76.6	x 76.8	x Yes	No	0.2	No		
		10/F	32	68.5	75.6	x 76.4	x 69.6	77.2	x 77.9	x 63.7	76.8	x 77	x Yes	No	0.2	No		
		11/F	34.8	68.4	75.6	x 76.4	x 69.6	77.2	x 77.9	x 64	76.9	x 77.1	x Yes	No	0.2	No		
		12/F	37.6	68.3	75.5	x 76.3	x 69.5	77.1	x 77.8	x 64.4	76.9	x 77.1	x Yes	No	0.2	No		
		13/F	40.4	68.3	75.4	x 76.2	x 69.4	77	x 77.7	x 64.7	76.8	x 77.1	x Yes	No	0.3	No		
		14/F	43.2	68.2	75.3	x 76.1	x 69.3	76.9	x 77.6	x 65.1	76.8	x 77.1	x Yes	No	0.3	No		
		15/F	46	68.1	75.2	x 76	x 69.2	76.8	x 77.5	x 65.4	76.7	x 77	x Yes	No	0.3	No		
		16/F	48.8	68	75.1	x 75.9	x 69.2	76.7	x 77.4	x 65.6	76.5	x 76.8	x Yes	No	0.3	No		
		17/F	51.6	67.9	75	x 75.8	x 69.1	76.6	x 77.3	x 65.8	76.4	x 76.7	x Yes	No	0.3	No		
		18/F	54.4	67.8	74.9	x 75.7	x 68.9	76.5	x 77.2	x 65.6	76.3	x 76.7	x Yes	No	0.4	No		
		19/F	57.2	67.7	74.8	x 75.5	x 68.9	76.3	x 77.1	x 65.7	76.2	x 76.6	x Yes	Yes	0.4	No		
		20/F	60	67.6	74.6	x 75.4	x 68.7	76.2	x 76.9	x 65.8	76.1	x 76.5	x Yes	Yes	0.4	No		
		21/F	62.8	67.5	74.5	x 75.3	x 68.6	76.1	x 76.8	x 65.7	76	x 76.4	x Yes	Yes	0.4	No		
		22/F	65.6	67.3	74.4	x 75.2	x 68.6	76	x 76.7	x 65.8	75.9	x 76.3	x Yes	Yes	0.4	No		
		23/F	68.4	67.3	74.3	x 75.1	x 68.4	75.9	x 76.6	x 66	75.8	x 76.2	x Yes	Yes	0.4	No		
		24/F	71.2	67.2	74.2	x 75	x 68.3	75.8	x 76.5	x 66.1	75.7	x 76.2	x Yes	Yes	0.5	No		
		25/F	74	67.1	74.1	x 74.9	x 68.3	75.7	x 76.4	x 66.1	75.5	x 76	x Yes	Yes	0.5	No		
		26/F	76.8	67	74	x 74.8	x 68.1	75.5	x 76.3	x 66.1	75.4	x 75.9	x Yes	Yes	0.5	No		
		27/F	79.6	66.9	73.8	x 74.8	x 68	75.4	x 76.1	x 66.1	75.3	x 75.8	x Yes	Yes	0.5	No		
		28/F	82.4	66.8	73.7	x 74.5	x 68	75.3	x 76	x 66	75.2	x 75.7	x Yes	Yes	0.5	No		
		29/F	85.2	66.6	73.6	x 74.4	x 67.9	75.2	x 75.9	x 65.9	75.1	x 75.6	x Yes	Yes	0.5	No		
		30/F	88	66.6	73.5	x 74.3	x 67.7	75.1	x 75.8	x 65.9	75	x 75.5	x Yes	Yes	0.5	No		
		31/F	9															

SR#	Description	Floor	mPD	2002 Prevailing Condition			2020 Unmitigated Results			2020 Mitigated Results			ITR Eligibility Test											
				"New"	"Existing"	All	"New"	"Existing"	All	"New"	"Existing"	All	All ₂₀₂₀ > Relevant Criterion?	All ₂₀₂₀ > 1 dB(A) ?	All ₂₀₂₀ > Existing ₂₀₂₀ >= 1 dB(A) ?	ITR ?								
SR#		20/F	60	73.6	x	73.1	x	76.4	x	75.9	x	74.2	x	78.1	x	62.3	74.1	x	74.4	x	Yes	No	0.3	No
		21/F	62.8	73.7	x	73	x	76.3	x	75.9	x	74.1	x	78.1	x	62.5	74	x	74.3	x	Yes	No	0.3	No
		22/F	65.6	73.7	x	72.9	x	76.3	x	75.9	x	74	x	78.1	x	62.9	73.9	x	74.2	x	Yes	No	0.3	No
		23/F	68.4	73.6	x	72.8	x	76.2	x	75.9	x	73.8	x	78	x	63.5	73.8	x	74.2	x	Yes	No	0.4	No
		24/F	71.2	73.6	x	72.7	x	76.2	x	75.9	x	73.7	x	78	x	63.9	73.7	x	74.1	x	Yes	No	0.4	No
		25/F	74	73.6	x	72.6	x	76.1	x	75.8	x	73.6	x	77.9	x	64.3	73.6	x	74.1	x	Yes	No	0.5	No
		26/F	76.8	73.6	x	72.5	x	76.1	x	75.8	x	73.5	x	77.8	x	64.6	73.5	x	74	x	Yes	No	0.5	No
		27/F	79.6	73.5	x	72.4	x	76	x	75.8	x	73.4	x	77.8	x	65	73.4	x	74	x	Yes	No	0.6	No
		28/F	82.4	73.5	x	72.3	x	75.9	x	75.8	x	73.3	x	77.7	x	65.3	73.3	x	73.9	x	Yes	No	0.6	No
		29/F	85.2	73.5	x	72.2	x	75.9	x	75.7	x	73.2	x	77.7	x	65.5	73.2	x	73.9	x	Yes	No	0.7	No
		30/F	88	73.4	x	72.1	x	75.8	x	75.7	x	73.1	x	77.6	x	65.7	73.1	x	73.8	x	Yes	No	0.7	No
		31/F	90.8	73.4	x	72	x	75.8	x	75.6	x	73.1	x	77.6	x	65.9	73	x	73.8	x	Yes	No	0.8	No
SR50	Wang Fuk Court – Wang Tat House	1/F	6.8	67	x	75.5	x	76.1	x	69.8	x	76.5	x	77.4	x	56.9	76.5	x	76.5	x	Yes	No	0	No
		2/F	9.6	69	x	75.8	x	76.6	x	71.7	x	76.9	x	78	x	59.4	76.8	x	76.9	x	Yes	No	0.1	No
		3/F	12.4	69.9	x	76	x	77	x	72.6	x	77.1	x	78.4	x	60.1	77.1	x	77.2	x	Yes	No	0.1	No
		4/F	15.2	70.6	x	76.1	x	77.2	x	73.2	x	77.2	x	78.7	x	60.3	77.2	x	77.3	x	Yes	No	0.1	No
		5/F	18	71.1	x	76.2	x	77.3	x	73.7	x	77.3	x	78.8	x	60.4	77.2	x	77.3	x	Yes	No	0.1	No
		6/F	20.8	71.5	x	76.1	x	77.4	x	74.1	x	77.2	x	78.9	x	60.6	77.1	x	77.2	x	Yes	No	0.1	No
		7/F	23.6	71.9	x	76	x	77.4	x	74.5	x	77.1	x	79	x	60.8	77	x	77.1	x	Yes	No	0.1	No
		8/F	26.4	72.2	x	75.9	x	77.4	x	74.8	x	77	x	79	x	60.7	76.9	x	77	x	Yes	No	0.1	No
		9/F	29.2	72.5	x	75.8	x	77.4	x	75	x	76.8	x	79	x	60.8	76.7	x	76.8	x	Yes	No	0.1	No
		10/F	32	72.7	x	75.6	x	77.4	x	75.2	x	76.7	x	79	x	61	76.6	x	76.7	x	Yes	No	0.1	No
		11/F	34.8	72.9	x	75.5	x	77.4	x	75.4	x	76.5	x	79	x	61.2	76.4	x	76.5	x	Yes	No	0.1	No
		12/F	37.6	73.1	x	75.3	x	77.3	x	75.6	x	76.4	x	79	x	61.5	76.3	x	76.4	x	Yes	No	0.1	No
		13/F	40.4	73.3	x	75.1	x	77.3	x	75.7	x	76.2	x	79	x	61.6	76.1	x	76.3	x	Yes	No	0.2	No
		14/F	43.2	73.4	x	75	x	77.3	x	75.8	x	76.1	x	79	x	61.8	76	x	76.2	x	Yes	No	0.2	No
		15/F	46	73.5	x	74.8	x	77.2	x	75.9	x	75.9	x	78.9	x	62	75.8	x	76	x	Yes	No	0.2	No
		16/F	48.8	73.5	x	74.7	x	77.2	x	75.9	x	75.8	x	78.9	x	62.2	75.7	x	75.9	x	Yes	No	0.2	No
		17/F	51.6	73.6	x	74.6	x	77.1	x	76	x	75.6	x	78.8	x	62.4	75.6	x	75.8	x	Yes	No	0.2	No
		18/F	54.4	73.6	x	74.4	x	77.1	x	76	x	75.4	x	78.8	x	62.6	75.5	x	75.7	x	Yes	No	0.2	No
		19/F	57.2	73.7	x	74.3	x	77	x	76	x	75.4	x	78.7	x	62.7	75.3	x	75.5	x	Yes	No	0.2	No
		20/F	60	73.7	x	74.1	x	76.9	x	76	x	75.2	x	78.7	x	62.9	75.2	x	75.4	x	Yes	No	0.2	No
		21/F	62.8	73.7	x	74	x	76.9	x	76	x	75.1	x	78.6	x	63	75.1	x	75.4	x	Yes	No	0.3	No
22/F	65.6	73.7	x	73.9	x	76.8	x	76.1	x	75	x	78.6	x	63.3	75	x	75.3	x	Yes	No	0.3	No		
23/F	68.4	73.7	x	73.8	x	76.7	x	76	x	74.8	x	78.5	x	63.5	74.8	x	75.1	x	Yes	No	0.3	No		
24/F	71.2	73.7	x	73.8	x	76.7	x	76	x	74.7	x	78.4	x	63.7	74.7	x	75	x	Yes	No	0.3	No		
25/F	74	73.6	x	73.5	x	76.6	x	76	x	74.6	x	78.4	x	63.9	74.6	x	75	x	Yes	No	0.4	No		
26/F	76.8	73.6	x	73.4	x	76.5	x	75.9	x	74.5	x	78.3	x	64.2	74.5	x	74.9	x	Yes	No	0.4	No		
27/F	79.6	73.6	x	73.3	x	76.5	x	75.9	x	74.4	x	78.2	x	64.6	74.4	x	74.8	x	Yes	No	0.4	No		
28/F	82.4	73.6	x	73.2	x	76.4	x	75.9	x	74.3	x	78.2	x	64.8	74.3	x	74.8	x	Yes	No	0.5	No		
29/F	85.2	73.5	x	73.1	x	76.3	x	75.8	x	74.2	x	78.1	x	65	74.2	x	74.7	x	Yes	No	0.5	No		
30/F	88	73.5	x	73	x	76.3	x	75.8	x	74.1	x	78	x	65.2	74.1	x	74.6	x	Yes	No	0.5	No		
31/F	90.8	73.5	x	72.9	x	76.2	x	75.8	x	74	x	78	x	65.5	74	x	74.6	x	Yes	No	0.6	No		
SR51	Wang Fuk Court – Wang Shing House	1/F	6.8	41.4	x	69	x	69	x	38.2	x	70.7	x	70.7	x	36.9	70.7	x	70.7	x	Yes	Yes	0	No
		2/F	9.6	44.7	x	71	x	71	x	41.6	x	72.4	x	72.4	x	38.9	72.4	x	72.4	x	Yes	Yes	0	No
		3/F	12.4	49.3	x	72.9	x	72.9	x	46.3	x	74.5	x	74.5	x	40.8	74.4	x	74.4	x	Yes	Yes	0	No
		4/F	15.2	56.6	x	74.6	x	74.7	x	53.5	x	76.3	x	76.3	x	42.2	76.2	x	76.2	x	Yes	Yes	0	No
		5/F	18	59	x	75.4	x	75.5	x	55.9	x	77	x	77.1	x	43.5	76.9	x	76.9	x	Yes	Yes	0	No
		6/F	20.8	59.1	x	75.8	x	75.9	x	56.2	x	77.4	x	77.4	x	44.1	77.3	x	77.3	x	Yes	Yes	0	No
		7/F	23.6	59.1	x	75.9	x	76	x	56.4	x	77.5	x	77.5	x	44.8	77.4	x	77.4	x	Yes	Yes	0	No
		8/F	26.4	59.1	x	76	x	76.1	x	56.5	x	77.6	x	77.6	x	45.1	77.5	x	77.5	x	Yes	Yes	0	No
		9/F	29.2	59.1	x	76	x	76	x	56.6	x	77.5	x	77.5	x	45.6	77.4	x	77.4	x	Yes	Yes	0	No
		10/F	32	59.1	x	75.9	x	76	x	56.6	x	77.4	x	77.5	x	46.1	77.4	x	77.4	x	Yes	Yes	0	No
		11/F	34.8	59	x	75.9	x	75.9	x	56.6	x	77.4	x	77.4	x	46.7	77.3	x	77.3	x	Yes	Yes	0	No
		12/F	37.6	59	x	75.8	x	75.9	x	56.6	x	77.3	x	77.3	x	47.3	77.2	x	77.2	x	Yes	Yes	0	No
		13/F	40.4	59	x	75.6	x	75.7	x	56.6	x	77.2	x	77.2	x	47.8	77.1	x	77.1	x	Yes	Yes	0	No
		14/F	43.2	59	x	75.5	x	75.6	x	56.6	x	77.1	x	77.1	x	48.5	77	x	77	x	Yes	Yes	0	No
		15/F	46	59	x	75.4	x	75.5	x	56.6	x	77	x	77	x	49.2	76.9	x	76.9	x	Yes	Yes	0	No
		16/F	48.8	58.9	x	75.3	x	75.4	x	56.5	x	76.9	x	76.9	x	49.9	76.8	x	76.8	x	Yes	Yes	0	No
		17/F	51.6	58.9	x	75.2	x	75.3	x	56.5	x	76.7	x	76.8	x	50.6	76.7	x	76.7	x	Yes	Yes	0	No
		18/F	54.4	58.9	x	75.1	x	75.2	x	56.5	x	76.6	x	76.8	x	51.7	76.6	x	76.6	x	Yes	Yes	0	No
		19/F	57.2	58.8	x	75	x	75.1	x	56.4	x	76.5	x	76.8	x	52.3	76.4	x	76.4	x	Yes	Yes	0	No
		20/F	60	58.8	x	74.9	x	75	x	56.4	x	76.4	x	76.5	x	53	76.3	x	76.3	x	Yes	Yes	0	

SR#	Description	Floor	mPD	2002 Prevailing Condition			2020 Unmitigated Results			2020 Mitigated Results			ITR Eligibility Test							
				"New"	"Existing"	All	"New"	"Existing"	All	"New"	"Existing"	All	All ₂₀₂₀ > Relevant? Criterion?	All ₂₀₂₀ > Existing ₂₀₀₂ > 1 dB(A)?	All ₂₀₂₀ > Existing ₂₀₀₂ > 1 dB(A)?	ITR ?				
		9/F	37	72.6	x	56.8	72.7	x	75.9	x	58.2	76	x	65.5	57.5	66.1	No	No	8.6	Yes
		10/F	39.8	73.1	x	56.9	73.2	x	76.5	x	58.3	76.6	x	65.5	57.6	66.2	No	No	8.6	Yes
		11/F	42.6	73.6	x	57	73.6	x	76.9	x	58.4	77	x	65.7	57.7	66.3	No	No	8.6	Yes
		12/F	45.4	73.9	x	57.1	74	x	77.3	x	58.5	77.3	x	65.7	57.9	66.4	No	No	8.5	Yes
		13/F	48.2	74.2	x	57.2	74.3	x	77.6	x	58.6	77.7	x	65.8	58	66.5	No	No	8.5	Yes
		14/F	51	74.4	x	57.4	74.5	x	77.9	x	58.7	77.9	x	65.8	58.1	66.5	No	No	8.4	Yes
		15/F	53.8	74.7	x	57.5	74.8	x	78.1	x	58.8	78.1	x	65.9	58.2	66.6	No	No	8.4	Yes
		16/F	56.6	75	x	57.7	75	x	78.3	x	59	78.4	x	66	58.3	66.7	No	No	8.4	Yes
		17/F	59.4	75.2	x	57.9	75.3	x	78.5	x	59.1	78.5	x	66	58.4	66.7	No	No	8.3	Yes
		18/F	62.2	75.4	x	58	75.5	x	78.6	x	59.2	78.7	x	66.1	58.5	66.8	No	No	8.3	Yes
		19/F	65	75.6	x	58.1	75.7	x	78.7	x	59.3	78.7	x	66.1	58.6	66.8	No	No	8.2	Yes
		20/F	67.8	75.8	x	58.3	75.9	x	78.8	x	59.4	78.8	x	66.2	58.7	66.9	No	No	8.2	Yes
		21/F	70.6	75.9	x	58.4	76	x	78.8	x	59.6	78.9	x	66.3	58.8	67	No	No	8.2	Yes
		22/F	73.4	76	x	58.4	76.1	x	78.9	x	59.6	78.9	x	66.4	58.8	67.1	No	No	8.3	Yes
		23/F	76.2	76.1	x	58.5	76.2	x	78.9	x	59.7	78.9	x	66.4	58.9	67.1	No	No	8.2	Yes
		24/F	79	76.2	x	58.6	76.3	x	78.9	x	59.7	78.9	x	66.6	59	67.3	No	No	8.3	Yes
		25/F	81.8	76.3	x	58.6	76.4	x	78.9	x	59.8	78.9	x	66.7	59	67.4	No	No	8.4	Yes
		26/F	84.6	76.3	x	58.7	76.4	x	78.9	x	59.8	78.9	x	66.8	59.1	67.5	No	No	8.4	Yes
		27/F	87.4	76.4	x	58.8	76.5	x	78.9	x	59.9	78.9	x	67	59.2	67.7	No	No	8.5	Yes
		28/F	90.2	76.4	x	58.8	76.5	x	78.8	x	60	78.9	x	67.2	59.2	67.8	No	No	8.6	Yes
		29/F	93	76.4	x	58.9	76.5	x	78.8	x	60	78.9	x	67.3	59.3	67.9	No	No	8.6	Yes
		30/F	95.8	76.4	x	58.9	76.5	x	78.8	x	60.1	78.8	x	67.5	59.4	68.1	No	No	8.7	Yes
		31/F	98.6	76.5	x	59	76.5	x	78.8	x	60.1	78.8	x	67.8	59.5	68.4	No	No	8.9	Yes
		32/F	101	76.5	x	59.1	76.6	x	78.7	x	60.2	78.8	x	68	59.6	68.6	No	No	9	Yes
		33/F	104	76.5	x	59.2	76.5	x	78.7	x	60.3	78.8	x	68.2	59.7	68.8	No	No	9.1	Yes
		34/F	107	76.4	x	59.3	76.5	x	78.7	x	60.4	78.7	x	68.5	59.8	69	No	No	9.2	Yes
		35/F	110	76.4	x	59.4	76.5	x	78.6	x	60.5	78.7	x	68.9	59.9	69.4	No	No	9.5	Yes
		36/F	113	76.4	x	59.5	76.5	x	78.6	x	60.5	78.7	x	69.1	60	69.6	No	No	9.6	Yes
SR58	King Nga Court – King Yuet House 2	1/F	14.6	68.4	x	53	68.5	x	71.7	x	54.5	71.7	x	63.4	54.2	63.9	No	No	9.7	Yes
		2/F	17.4	69.1	x	53.3	69.2	x	72.2	x	54.6	72.3	x	63.7	54.4	64.2	No	No	9.8	Yes
		3/F	20.2	69.8	x	53.6	69.9	x	72.8	x	54.8	72.9	x	64	54.5	64.5	No	No	10	Yes
		4/F	23	70.3	x	53.9	70.4	x	73.4	x	55	73.5	x	64.4	54.6	64.8	No	No	10.2	Yes
		5/F	25.8	70.8	x	54.1	70.9	x	74.2	x	55.2	74.2	x	64.7	54.6	65.1	No	No	10.5	Yes
		6/F	28.6	71.4	x	54.5	71.5	x	74.8	x	55.5	74.8	x	65	54.8	65.4	No	No	10.6	Yes
		7/F	31.4	72	x	54.9	72.1	x	75.2	x	55.8	75.3	x	65.3	55	65.7	No	No	10.7	Yes
		8/F	34.2	72.6	x	55.3	72.7	x	75.9	x	56.2	76	x	65.4	55.2	65.8	No	No	10.6	Yes
		9/F	37	73.1	x	55.6	73.2	x	76.6	x	56.5	76.7	x	65.5	55.4	65.9	No	No	10.5	Yes
		10/F	39.8	73.6	x	55.8	73.7	x	77.2	x	56.8	77.2	x	65.6	55.6	66	No	No	10.4	Yes
		11/F	42.6	74.1	x	56.1	74.2	x	77.6	x	57	77.6	x	65.7	55.9	66.1	No	No	10.2	Yes
		12/F	45.4	74.4	x	56.3	74.5	x	77.9	x	57.2	78	x	65.8	56.3	66.3	No	No	10	Yes
		13/F	48.2	74.7	x	56.5	74.8	x	78.3	x	57.5	78.3	x	65.8	56.6	66.3	No	No	9.7	Yes
		14/F	51	75	x	56.8	75.1	x	78.5	x	57.7	78.6	x	66	56.9	66.5	No	No	9.6	Yes
		15/F	53.8	75.3	x	57	75.4	x	78.7	x	57.9	78.8	x	66	57.1	66.5	No	No	9.4	Yes
		16/F	56.6	75.6	x	57.3	75.6	x	78.9	x	58.2	79	x	66	57.3	66.5	No	No	9.2	Yes
		17/F	59.4	75.8	x	57.5	75.9	x	79.1	x	58.4	79.1	x	66.1	57.4	66.6	No	No	9.2	Yes
		18/F	62.2	76	x	57.7	76.1	x	79.2	x	58.5	79.2	x	66.2	57.6	66.8	No	No	9.2	Yes
		19/F	65	76.2	x	57.9	76.3	x	79.3	x	58.7	79.3	x	66.3	57.8	66.9	No	No	9.1	Yes
		20/F	67.8	76.4	x	58	76.4	x	79.3	x	58.9	79.3	x	66.4	57.9	67	No	No	9.1	Yes
		21/F	70.6	76.5	x	58.1	76.6	x	79.3	x	59	79.4	x	66.5	58	67.1	No	No	9.1	Yes
		22/F	73.4	76.6	x	58.3	76.7	x	79.4	x	59.1	79.4	x	66.6	58.2	67.2	No	No	9	Yes
		23/F	76.2	76.7	x	58.4	76.8	x	79.4	x	59.2	79.4	x	66.7	58.3	67.3	No	No	9	Yes
		24/F	79	76.8	x	58.5	76.8	x	79.4	x	59.4	79.4	x	66.9	58.4	67.5	No	No	9.1	Yes
		25/F	81.8	76.9	x	58.6	76.9	x	79.4	x	59.4	79.4	x	67.1	58.5	67.7	No	No	9.2	Yes
		26/F	84.6	76.9	x	58.6	77	x	79.4	x	59.5	79.4	x	67.2	58.6	67.8	No	No	9.2	Yes
		27/F	87.4	76.9	x	58.7	77	x	79.3	x	59.6	79.4	x	67.4	58.7	67.9	No	No	9.2	Yes
		28/F	90.2	76.9	x	58.8	77	x	79.3	x	59.7	79.4	x	67.6	58.9	68.1	No	No	9.2	Yes
		29/F	93	76.9	x	58.9	77	x	79.3	x	59.8	79.3	x	67.9	59	68.4	No	No	9.4	Yes
		30/F	95.8	76.9	x	59	77	x	79.3	x	59.9	79.3	x	68.2	59.2	68.7	No	No	9.5	Yes
		31/F	98.6	77	x	59.1	77	x	79.2	x	60	79.3	x	68.5	59.3	69	No	No	9.7	Yes
		32/F	101	76.9	x	59.2	77	x	79.2	x	60.1	79.3	x	68.8	59.4	69.3	No	No	9.9	Yes
		33/F	104	76.9	x	59.3	77	x	79.2	x	60.1	79.2	x	69.1	59.6	69.6	No	No	10	Yes
		34/F	107	76.9	x	59.4	77	x	79.1	x	60.2	79.2	x	69.4	59.7	69.8	No	No	10.1	Yes
		35/F	110	76.9	x	59.5	77	x	79.1	x	60.3	79.1	x	69.7	59.8	70.1	No	No	10.3	Yes
		36/F	113	76.9	x	59.6	76.9	x	79	x	60.4	79.1	x	70	59.9	70.4	No	No	10.5	Yes
SR59N	King Nga Court – King Yan House	1/F	14.6	67.8	x	46.8	67.8	x	71.8	x	46.8	71.8	x	61.4	45	61.5	No	No	16.5	Yes
		2/F	17.4	68.5	x	47.6	68.5	x	72.3	x	47.7	72.3	x	61.7	45.6	61.8	No	No	16.2	Yes
		3/F	20.2	69.1	x	48.5	69.1	x	72.9	x	48.6	72.9	x	62.1	46.2	62.2	No	No	16	Yes
		4/F	23	69.6	x	49.3	69.7	x	73.6	x	49.4	73.6	x	62.5	46.8	62.6	No	No	15.8	Yes
		5/F	25.8	70.2	x	50.2	70.2	x	74.2	x	50.3	74.2	x	62.7	47.5	62.8	No	No	15.3	Yes
		6/F	28.6	70.8	x	51.2	70.9	x	74.8	x	51.3	74.8	x	62.9	48.2	63	No	No	14.8	Yes
		7/F	31.4	71.5	x	52.1	71.5	x	75.4	x	52.3	75.5	x	63.2	49	63.4	No	No	14.4	Yes
		8/F	34.2	72	x	52.7	72	x	76	x	53	76	x	63.3	49.7	63.5	No	No	13.8	Yes
		9/F	37	72.5	x	53.1	72.5	x	76.6	x	53.6	76.6	x	63.4	50.7	63.6	No	No	12.9	Yes
		10/F	39.8	73	x	53.6	73	x	77	x	54.2	77	x	63.8	51.7	63.9	No	No	12.2	Yes
		11/F	42.6	73.4	x	54	73.4	x	77.3	x	54.6	77.4	x	63.8	52.8	64.1	No	No	11.3	Yes
		12/F	45.4	73.7	x	54.3	73.7	x	77.6	x	55	77.7	x	63.9	53.6	64.3	No	No	10.7	Yes
		13/F	48.2	74	x	54.8	74.1	x	77.9	x	55.4	77.9	x	63.9	54.3	64.4	No	No	10.1	Yes
		14/F	51	74.3	x	55.1	74.4	x	78.2	x	55.8	78.2	x	64	54.7	64.5	No	No	9.8	Yes

SR#	Description	Floor	2002 Prevailing Condition			2020 Unmitigated Results			2020 Mitigated Results			ITR Eligibility Test				
			mPD	"New"	"Existing"	All	"New"	"Existing"	All	"New"	"Existing"	All	All ₂₀₂₀ > Relevant Criterion?	All ₂₀₂₀ > 1 dB(A)?	All ₂₀₂₀ Existing ₂₀₀₂ >= 1 dB(A)?	ITR ?
SR60	Tak Nga Court 1	1/F	16.3	68.3	56.1	68.6	69.7	57.7	69.9	62.3	57.6	63.6	No	No	6	Yes
		2/F	19.1	68.9	56.2	69.1	70.3	57.7	70.5	62.8	57.6	63.9	No	No	6.3	Yes
		3/F	21.9	69.2	56.4	69.4	70.8	57.8	71.1	63.2	57.7	64.3	No	No	6.6	Yes
		4/F	24.7	69.5	56.5	69.7	71.5	57.8	71.6	63.5	57.7	64.5	No	No	6.8	Yes
		5/F	27.5	70	56.6	70.2	72.4	57.9	72.5	64	57.7	64.9	No	No	7.2	Yes
		6/F	30.3	70.5	56.6	70.6	72.7	58	72.8	64.2	57.8	65.1	No	No	7.3	Yes
		7/F	33.1	71	56.7	71.1	73.1	58.1	73.3	64.3	57.8	65.2	No	No	7.4	Yes
		8/F	35.9	71.5	56.8	71.6	73.8	58.2	73.9	64.4	57.8	65.3	No	No	7.5	Yes
		9/F	38.7	71.9	56.9	72	74.5	58.3	74.6	64.5	57.8	65.3	No	No	7.5	Yes
		10/F	41.5	72.3	57	72.4	75	58.4	75.1	64.6	57.9	65.4	No	No	7.5	Yes
		11/F	44.3	72.7	57.1	72.8	75.4	58.4	75.5	64.7	58	65.5	No	No	7.5	Yes
		12/F	47.1	73	57.1	73.1	75.8	58.4	75.8	64.7	58	65.5	No	No	7.5	Yes
		13/F	49.9	73.2	57.1	73.3	76.1	58.5	76.2	64.8	58.1	65.6	No	No	7.5	Yes
		14/F	52.7	73.4	57.3	73.5	76.4	58.6	76.5	64.9	58.1	65.7	No	No	7.6	Yes
		15/F	55.5	73.6	57.4	73.7	76.6	58.6	76.7	64.9	58.1	65.7	No	No	7.6	Yes
		16/F	58.3	73.9	57.5	74	76.8	58.7	76.9	65	58.2	65.8	No	No	7.6	Yes
		17/F	61.1	74.1	57.7	74.2	77	58.8	77.1	65	58.2	65.8	No	No	7.6	Yes
		18/F	63.9	74.3	57.8	74.3	77.1	58.9	77.2	65.1	58.3	65.9	No	No	7.6	Yes
		19/F	66.7	74.4	57.9	74.5	77.2	59	77.3	65.1	58.4	65.9	No	No	7.5	Yes
		20/F	69.5	74.5	57.9	74.6	77.3	59	77.4	65.1	58.4	65.9	No	No	7.5	Yes
		21/F	72.3	74.6	58	74.7	77.4	59.1	77.4	65.2	58.5	66	No	No	7.5	Yes
		22/F	75.1	74.8	58	74.8	77.4	59.1	77.5	65.2	58.5	66	No	No	7.5	Yes
		23/F	77.9	74.8	58.1	74.9	77.4	59.2	77.5	65.3	58.6	66.1	No	No	7.5	Yes
		24/F	80.7	74.9	58.1	75	77.5	59.2	77.5	65.4	58.5	66.2	No	No	7.7	Yes
		25/F	83.5	75	58.2	75.1	77.5	59.3	77.6	65.5	58.6	66.3	No	No	7.7	Yes
		26/F	86.3	75	58.2	75.1	77.5	59.3	77.6	65.6	58.6	66.4	No	No	7.8	Yes
		27/F	89.1	75	58.3	75.1	77.5	59.4	77.6	65.7	58.7	66.5	No	No	7.8	Yes
		28/F	91.9	75.1	58.3	75.2	77.5	59.4	77.5	65.8	58.7	66.6	No	No	7.9	Yes
		29/F	94.7	75.1	58.4	75.2	77.5	59.5	77.5	65.9	58.7	66.7	No	No	8	Yes
		30/F	97.5	75.1	58.4	75.2	77.4	59.5	77.5	66	58.7	66.7	No	No	8	Yes
		31/F	100	75.1	58.5	75.2	77.4	59.5	77.5	66.2	58.8	66.9	No	No	8.1	Yes
		32/F	103	75.1	58.5	75.2	77.4	59.6	77.4	66.3	58.9	67	No	No	8.1	Yes
		33/F	106	75.1	58.6	75.2	77.4	59.6	77.4	66.5	59	67.2	No	No	8.2	Yes
		34/F	109	75.1	58.7	75.2	77.3	59.7	77.4	66.6	59	67.3	No	No	8.3	Yes
SR61	Tak Nga Court 2	1/F	16.3	67.5	61.6	68.5	68.5	63.4	69.7	61	63.4	65.4	No	No	2	Yes
		2/F	19.1	68	61.6	68.9	69.1	63.5	70.2	61.3	63.4	65.5	No	No	2.1	Yes
		3/F	21.9	68.2	61.7	69.1	69.8	63.5	70.7	61.8	63.5	65.7	No	No	2.2	Yes
		4/F	24.7	68.5	61.6	69.3	70.3	63.5	71.1	62.2	63.4	65.9	No	No	2.5	Yes
		5/F	27.5	68.8	61.7	69.6	71.1	63.5	71.8	62.4	63.4	65.9	No	No	2.5	Yes
		6/F	30.3	69.3	61.7	70	71.4	63.5	72.1	62.7	63.5	66.1	No	No	2.6	Yes
		7/F	33.1	69.8	61.7	70.4	71.9	63.5	72.5	62.9	63.4	66.2	No	No	2.6	Yes
		8/F	35.9	70.3	61.7	70.8	72.5	63.5	73	63.1	63.4	66.3	No	No	2.9	Yes
		9/F	38.7	70.7	61.7	71.2	73.2	63.5	73.6	63.2	63.4	66.3	No	No	2.9	Yes
		10/F	41.5	71.1	61.7	71.5	73.8	63.5	74.2	63.4	63.4	66.4	No	No	3	Yes
		11/F	44.3	71.5	61.7	71.9	74.2	63.5	74.5	63.4	63.4	66.4	No	No	3	Yes
		12/F	47.1	71.8	61.7	72.2	74.5	63.5	74.8	63.8	63.4	66.5	No	No	3.1	Yes
		13/F	49.9	72	61.8	72.3	74.8	63.4	75.1	63.6	63.3	66.5	No	No	3.2	Yes
		14/F	52.7	72.2	61.7	72.6	75.1	63.4	75.4	63.7	63.3	66.5	No	No	3.2	Yes
		15/F	55.5	72.4	61.6	72.7	75.4	63.4	75.7	63.8	63.3	66.6	No	No	3.3	Yes
		16/F	58.3	72.6	61.7	72.9	75.6	63.4	75.9	63.8	63.3	66.6	No	No	3.3	Yes
		17/F	61.1	72.8	61.7	73.1	75.8	63.4	76	63.9	63.3	66.6	No	No	3.3	Yes
		18/F	63.9	73	61.7	73.3	76	63.4	76.2	64	63.2	66.6	No	No	3.4	Yes
		19/F	66.7	73.2	61.7	73.5	76.1	63.4	76.3	64.1	63.2	66.7	No	No	3.5	Yes
		20/F	69.5	73.3	61.7	73.6	76.2	63.4	76.5	64.2	63.2	66.7	No	No	3.5	Yes
		21/F	72.3	73.5	61.7	73.8	76.3	63.3	76.5	64.2	63.1	66.7	No	No	3.6	Yes
		22/F	75.1	73.7	61.7	73.9	76.4	63.3	76.6	64.3	63.1	66.8	No	No	3.7	Yes
		23/F	77.9	73.8	61.6	74.1	76.4	63.3	76.6	64.4	63.1	66.8	No	No	3.7	Yes
		24/F	80.7	73.9	61.6	74.1	76.5	63.3	76.7	64.5	63.1	66.9	No	No	3.8	Yes
		25/F	83.5	74	61.6	74.2	76.5	63.2	76.7	64.7	63	66.9	No	No	3.9	Yes
		26/F	86.3	74.1	61.6	74.3	76.6	63.2	76.7	64.8	63	67	No	No	4	Yes
		27/F	89.1	74.1	61.6	74.4	76.6	63.2	76.8	65	63	67.1	No	No	4.1	Yes
		28/F	91.9	74.2	61.5	74.4	76.6	63.2	76.8	65.1	62.9	67.1	No	No	4.2	Yes
		29/F	94.7	74.3	61.5	74.5	76.6	63.1	76.8	65.3	62.9	67.3	No	No	4.4	Yes
		30/F	97.5	74.3	61.5	74.6	76.6	63.1	76.8	65.5	62.9	67.4	No	No	4.5	Yes
		31/F	100	74.4	61.5	74.6	76.6	63.1	76.8	65.6	62.8	67.4	No	No	4.6	Yes
		32/F	103	74.4	61.4	74.6	76.6	63	76.8	65.9	62.8	67.6	No	No	4.8	Yes
		33/F	106	74.5	61.5	74.7	76.6	63.1	76.8	66.1	62.8	67.8	No	No	5	Yes
		34/F	109	74.5	61.4	74.7	76.7	63	76.8	66.2	62.7	67.8	No	No	5.1	Yes
SR62	Ha Wun Yiu	G/F	29.6	65	50.1	65.1	63.8	51.5	63.9	61.1	51.4	61.5	No	No	10.1	Yes
		1/F	32.3	66.1	50.2	66.2	64.9	51.5	65.1	62	51.5	62.4	No	No	10.9	Yes
SR63	Lai Chi Shan	G/F	22.4	66.7	67.5	70.1	66.1	68.2	70.3	61.3	68.2	69	No	No	0.8	No
		1/F	25.1	67.5	68.6	71.1	67	68.4	71.3	61.9	69.4	70.1	No	No	0.7	No
SR64	Shan Tong New Village 1	G/F	44.3	76.2	65.3	78.6	79.2	66.1	79.4	65.4	65.7	68.6	No	No	2.9	Yes
		1/F	47	78.9	65.3	79.1	81.2	66	81.4	66.8	65.3	69.1	No	No	3.8	Yes
SR65	Shan Tong New Village 2	2/F	49.7	80.1	65.1	80.2	82.1	65.7	82.2	67.8	65.1	69.7	No	No	4.6	Yes
		G/F	41.8	65.4	64	67.8	67.3	64.8	69.3	61.9	64.7	66.5	No	No	1.8	Yes
SR66	P.L.K. Tin Ka Ping Primary School NOT NAP	1/F	44.5	67.3	64.3	69.1	69.7	65	71	63.1	64.8	67	No	No	2.2	Yes
		2/F	47.2	69.6	64.6	70.8	72.2	65.2	73	64.9	64.8	67.9	No	No	3.1	Yes
SR66	P.L.K. Tin Ka Ping Primary School NOT NAP	1/F	14.8	66.8	45.7	68.8	70.7	44.9	70.7	58.4	39.4	58.5	No	No	19.1	Yes
		2/F	17.8	67.3	46.3	67.3	71.4	46	71.4	58.8	40.1	58.7	No	No	18.6	Yes
		3/F	20.6	67.7	47	67.8	72	47	72	59	40.9	59.1	No	No	18.2	Yes
		4/F	23.6	68.3	47.9	68.4	72.5	48	72.6	59.1	41.7	59.2	No	No	17.5	Yes
		5/F	26.6													

SR#	Description	Floor	mPD	2002 Prevailing Condition			2020 Unmitigated Results			2020 Mitigated Results			ITR Eligibility Test			
				"New"	"Existing"	All	"New"	"Existing"	All	"New"	"Existing"	All	All ₂₀₂₀ > Relevant Criterion?	All ₂₀₂₀ > 1 dB(A) ?	All ₂₀₂₀ Exceeding ₂₀₂₀ >= 1 dB(A) ?	ITR ?
		11/F	37.7	66.7	76.4	78.8	68.7	78	78.5	59.8	78	78.1	Yes	Yes	0.1	No
		12/F	40.5	66.7	76.3	76.8	68.8	77.9	78.4	59.8	77.9	78	Yes	Yes	0.1	No
		13/F	43.3	66.8	76.2	76.7	68.9	77.8	78.3	60	77.7	77.8	Yes	Yes	0.1	No
		14/F	46.1	66.8	76	76.5	69	77.6	78.1	60.2	77.8	77.7	Yes	Yes	0.1	No
		15/F	48.9	66.9	75.9	76.4	69.1	77.5	78.1	60.3	77.4	77.5	Yes	Yes	0.1	No
		16/F	51.7	67	75.8	76.3	69.1	77.4	78	60.6	77.3	77.4	Yes	Yes	0.1	No
		17/F	54.5	67	75.7	76.2	69.2	77.3	77.9	60.8	77.2	77.3	Yes	Yes	0.1	No
		18/F	57.3	67.1	75.5	76.1	69.3	77.1	77.7	61.1	77	77.1	Yes	No	0.1	No
		19/F	60.1	67.1	75.4	76	69.3	77	77.6	61.4	76.9	77	Yes	No	0.1	No
		20/F	62.9	67.1	75.3	75.9	69.4	76.8	77.6	61.7	76.8	76.9	Yes	No	0.1	No
		21/F	65.7	67.2	75.2	75.8	69.4	76.7	77.4	61.9	76.7	76.8	Yes	No	0.1	No
		22/F	68.5	67.2	75	75.7	69.4	76.6	77.3	62.3	76.5	76.7	Yes	No	0.2	No
		23/F	71.3	67.2	74.9	75.6	69.5	76.5	77.3	62.5	76.4	76.6	Yes	No	0.2	No
SR73	Island House Conservation Studies Centre	G/F	17.2	73.9	68.5	75	75	70.2	76.3	62.5	69.6	70.4	Yes	No	0.8	No
		1/F	20.2	74	68.6	75.1	75.4	70.3	76.5	62.9	69.7	70.5	Yes	No	0.8	No
SR75	Wong Kong Shan	G/F	15.7	62.4	75.1	75.4	58.8	76.9	77	58.9	77.1	77.2	Yes	Yes	0.1	No
		1/F	18.4	62.5	75.2	75.4	58.9	77	77	59	77.1	77.2	Yes	Yes	0.1	No
SR76	Yuen Leng 1	G/F	22	74.4	68.9	75.5	75.7	68.7	76.5	64.4	68.6	70	No	No	1.4	Yes
		1/F	24.7	75	68.8	75.9	76.5	68.6	77.2	64.9	68.5	70.1	No	No	1.6	Yes
		5/F	27.4	75.4	68.6	76.2	77.1	68.3	77.6	65.5	68.2	70.1	No	No	1.9	Yes
SR77	Yuen Leng 2	G/F	23.9	77	68.6	77.6	78	68.5	78.5	65	68.4	70	No	No	1.6	Yes
		1/F	26.6	77.6	68.4	78.1	78.9	68.3	79.3	65.8	68.3	70.2	No	No	1.9	Yes
		2/F	29.3	78.1	68.2	78.5	79.5	68	79.8	66.6	67.9	70.3	No	No	2.4	Yes
SR78	Dynasty View 3	1/F	33.7	66.1	25.2	66.1	66.6	25.4	66.6	59.8	24.8	59.8	No	No	3.5	Yes
		2/F	36.5	67.2	26	67.2	67.5	26.2	67.5	60.4	25.6	60.4	No	No	34.8	Yes
		3/F	39.3	68.3	26.9	68.3	68.5	27.1	68.5	61.1	26.4	61.1	No	No	34.7	Yes
		4/F	42.1	69.3	27.8	69.3	69.5	28	69.5	61.7	27.3	61.7	No	No	34.4	Yes
		5/F	44.9	70.5	29	70.5	70.6	29.2	70.6	62.4	28.2	62.4	No	No	34.2	Yes
		6/F	47.7	71.6	29.9	71.6	71.8	30.2	71.8	63	29.3	63	No	No	33.7	Yes
		7/F	50.5	72.7	31.2	72.7	73.3	31.6	73.3	63.8	30.5	63.8	No	No	33.3	Yes
		8/F	53.3	74	32.4	74	74.7	32.8	74.7	64.6	31.7	64.6	No	No	32.9	Yes
SR79	Care Village	G/F	5.6	70.6	62.2	71.2	71.6	60.5	71.9	62.8	58.3	64.1	No	No	5.8	Yes
		1/F	8.3	75.9	66.4	76.4	76.4	64.2	76.6	64.1	60	65.5	No	No	5.5	Yes
		2/F	11	77.2	68.7	77.8	77.8	65.9	78.1	65.2	60.8	66.5	No	No	5.7	Yes
SR80	Wai Tau Tsuen 3	G/F	26.2	76.2	50.4	76.2	76.8	50.5	76.8	65.6	43.4	65.6	No	No	22.2	Yes
		1/F	28.9	78.5	52.9	78.5	81.3	54	81.3	67.3	44.9	67.3	No	No	22.4	Yes
		2/F	31.6	79.7	55.4	79.7	82.5	56.8	82.5	69.6	46.4	69.6	No	No	23.2	Yes
SR81	Wai Tau Tsuen 4	G/F	25.2	77.9	57.8	77.9	81	52.7	81	62.5	50.5	62.8	No	No	12.3	Yes
		1/F	27.9	80.8	58	80.9	83.8	54.2	83.8	64.9	50.6	65.1	No	No	14.5	Yes
		2/F	30.6	81.7	58.2	81.7	84.3	54.6	84.3	69	50.9	69.1	No	No	18.2	Yes
SR82N	Tai Hang 5	G/F	24.2	75.7	54.4	75.8	76.1	54.2	76.1	65.1	54.1	65.4	No	No	11.3	Yes
		1/F	26.9	77.3	54.4	77.3	78.4	54.3	78.4	66.4	54.1	66.6	No	No	12.5	Yes
		2/F	29.6	78	54.5	78	79.2	54.4	79.3	67.3	54.1	67.5	No	No	13.4	Yes
SR83	Yuen Leng 3	G/F	19.2	75	64.3	75.3	76.3	63.3	76.5	65.6	62.6	67.4	No	No	4.8	Yes
		1/F	21.9	76.7	65.2	77	79.6	64	79.7	67.4	62.7	68.7	No	No	6	Yes
		2/F	24.6	77.5	66.1	77.8	80.5	64.5	80.6	69.3	62.9	70.2	No	No	7.3	Yes
SR84	Nam Wa Po 2	G/F	19.7	75.8	67.1	76.3	75.2	61.8	75.4	63.6	62.7	66.2	No	No	3.5	Yes
		1/F	22.4	77.4	67.3	77.8	77.3	62.2	77.5	64.3	62.7	66.6	No	No	3.9	Yes
		2/F	25.1	78.5	67.4	78.8	78.7	62.7	78.8	65	62.7	67	No	No	4.3	Yes
SR85	Nam Wa Po 3	G/F	23.1	78.4	57.2	78.5	81.1	55.4	81.1	66	49.3	66.1	No	No	16.8	Yes
		1/F	25.8	80.1	59.1	80.1	82.8	56.2	82.8	67.6	50	67.7	No	No	17.7	Yes
		2/F	28.5	80.6	60.2	80.8	83.3	59.3	83.4	69.8	51	69.9	No	No	18.9	Yes
SR86	Tong Hang	G/F	18.4	75.7	70.9	77	77	70.9	77.9	60.6	70.3	70.7	Yes	No	0.4	No
		1/F	21.1	76.7	71.2	77.8	79.1	71.3	79.8	61.8	70.3	70.9	Yes	No	0.6	No
		2/F	23.8	77.4	71.3	78.4	80.1	71.4	80.6	63.3	70.4	71.2	Yes	No	0.8	No
SR87	Tai Wo 2	G/F	26.1	77.7	67.6	78.1	78.4	67.8	78.7	65.6	67.8	69.6	No	No	2	Yes
		1/F	28.8	78.5	67.7	78.9	79.3	67.8	79.6	66.3	67.7	70.1	No	No	2.4	Yes
		2/F	31.5	79.1	67.5	79.4	79.8	67.5	80.1	67	67.4	70.2	No	No	2.8	Yes
SR88	Wai Tau Tsuen 5	G/F	28.8	75	62.8	75.2	75.5	62.8	75.7	67	62.8	68.4	No	No	5.6	Yes
		1/F	31.5	75.6	62.8	75.8	76.7	62.8	76.9	67.8	62.7	69	No	No	6.3	Yes
		2/F	34.2	76	62.8	76.2	77.5	62.8	77.6	68.9	62.5	69.8	No	No	7.3	Yes
SR89	Wai Tau Tsuen 6	G/F	29.3	74	64.9	74.5	77.5	64.9	75.4	66.7	65	68.9	No	No	3.9	Yes
		1/F	32	74.6	64.9	75.1	76	65	76.3	67.3	65.1	69.3	No	No	4.2	Yes
		2/F	34.7	75.1	64.8	75.5	76.6	65	76.9	67.8	65	69.6	No	No	4.6	Yes
SR90	Wai Tau Tsuen 7	G/F	28.9	73.5	58.8	73.7	74.2	58.5	74.3	65.9	58.2	66.6	No	No	8.4	Yes
		1/F	29.6	74.5	59.2	74.6	75.8	59	75.9	66.7	58.4	67.3	No	No	8.9	Yes
		2/F	32.3	75.3	59.6	75.4	76.9	59.5	76.9	67.5	58.7	68	No	No	9.3	Yes
SR91	New R(B) Zone near To Yuen Tung 1	1/F	40	56.6	25.8	56.6	59.5	25.6	59.5	57.1	25.5	57.1	No	No	31.6	Yes
		2/F	42.8	58.1	27.1	58.1	60.8	27	60.8	57.5	26.8	57.5	No	No	30.7	Yes
		3/F	45.6	59.9	28.7	59.9	62.4	28.7	62.4	58.1	28.3	58.1	No	No	29.8	Yes
		4/F	48.4	62.6	30.4	62.6	64.6	30.6	64.6	59	30.1	59	No	No	28.9	Yes
		5/F	51.2	66.5	32.4	66.5	67.7	32.8	67.7	59.9	32.1	59.9	No	No	27.8	Yes
		6/F	54	72.3	34.8	72.3	71.2	35.2	71.2	60.9	34.2	60.9	No	No	26.7	Yes
		7/F	56.8	76.6	37.4	76.6	76.5	37.9	76.5	62.8	36.5	62.8	No	No	26.3	Yes
		8/F	59.6	82.1	41.2	82.1	84.1	41.8	84.1	65.8	39.5	65.8	No	No	26.3	Yes
SR92	New R(B) Zone near To Yuen Tung 2	1/F	40	61.2	32	61.2	66.6	33.1	66.6	58	30.2	58	No	No	27.8	Yes
		2/F	42.8	63.5	33.7	63.6	68.6	34.8	68.6	58.3	31.1	58.3	No	No	27.2	Yes
		3/F	45.6	66.9	35.8	66.9	71.7	36.7	71							

SR#	Description	Floor	mPD	2002 Prevailing Condition			2020 Unmitigated Results			2020 Mitigated Results			ITR Eligibility Test			
				"New"	"Existing"	All	"New"	"Existing"	All	"New"	"Existing"	All	All ₂₀₂₀ > Relevant Criterion?	All ₂₀₂₀ > 1 dB(A) ?	All ₂₀₂₀ ExistingQ ₂₀₂₀ >= 1 dB(A) ?	ITR ?
SR98	Village Zone at Tai Wo 2	2/F	30.4	74.7 x	53.2	74.8 x	75.5 x	53	75.5 x	66.3	52	66.5	No	No	14.5	Yes
		G/F	23.8	73.7 x	49.3	73.8 x	74.4 x	49.5	74.4 x	65.2	48.6	65.3	No	No	16.7	Yes
		1/F	28.5	74.4 x	49.7	74.4 x	75.2 x	50	75.2 x	65.6	48.6	65.7	No	No	17.1	Yes
SR99	Ha Wong Yi Au 3	2/F	29.2	74.8 x	50.3	74.8 x	75.7 x	50.6	75.7 x	66	48.7	66.1	No	No	17.4	Yes
		G/F	6.4	63.1	64.9	67.1	65.4	66.6	69.1	60.6	66.4	67.4	No	No	1	No
		1/F	9.1	65.7	66.5	69.1	68.5	68.5	71.5 x	61.7	68.1	69	No	No	0.9	No
SR99A	Ha Wong Yi Au 4	2/F	11.8	67.8	67.5	70.7 x	71.1 x	69.5	73.4 x	63.2	69.1	70.1	No	No	1	No
		G/F	6.4	70.9 x	71.7 x	74.3 x	73.2 x	73.5 x	76.4 x	64.1	73.4 x	73.9 x	Yes	No	0.5	No
		1/F	9.1	71.8 x	71.9 x	74.8 x	74.2 x	73.7 x	77 x	65.1	73.5 x	74.1 x	Yes	No	0.6	No
SR100	KCRC Staff Quarters	2/F	11.8	72.5 x	72.1 x	75.3 x	75.3 x	73.9 x	77.6 x	66.2	73.7 x	74.4 x	Yes	No	0.7	No
		G/F	10.2	65.8	75.1 x	75.6 x	59.8	60.2	63	57.2	59.7	61.6	No	No	1.9	Yes
		1/F	13.2	66.7	75.3 x	75.9 x	61.3	62.1	64.8	57.8	61.5	63	No	No	1.5	Yes
		2/F	16.2	67.7	75.8 x	76.4 x	62	64.5	66.4	58.3	63.8	64.9	No	No	1.1	Yes
		3/F	19.2	68.2	76.4 x	77 x	62.8	67.3	68.6	58.8	66.4	67.1	No	No	0.7	No
		4/F	22.2	68.6	78.8 x	79.2 x	63.8	69.7	70.7 x	59.3	68.9	69.4	No	No	0.5	No
SR101	Chateau Royale	5/F	25.2	68.8	81.2 x	81.5 x	65.4	71.3 x	72.3 x	59.9	70.4	70.8 x	Yes	No	0.4	No
		6/F	28.2	68.8	81.5 x	81.7 x	67.8	72.6 x	73.9 x	60.5	71.9 x	72.2 x	Yes	No	0.3	No
		G/F	20.2	69.2	74.7 x	75.8 x	71.1 x	76.1 x	77.3 x	62.8	76 x	76.2 x	Yes	No	0.2	No
		1/F	23	69.8	74.6 x	75.8 x	71.8 x	75.9 x	77.3 x	63.4	75.9 x	76.1 x	Yes	No	0.2	No
		2/F	25.8	70.4	74.4 x	75.8 x	72.3 x	75.7 x	77.3 x	63.9	75.6 x	75.9 x	Yes	No	0.3	No
		3/F	28.6	70.9 x	74.2 x	75.8 x	72.8 x	75.5 x	77.3 x	64.4	75.4 x	75.7 x	Yes	No	0.3	No
SR103	Classical Garden	1/F	27.2	55.6	73.9 x	74 x	57.3	74.2 x	74.3 x	52.2	74.2 x	74.2 x	Yes	No	0	No
		2/F	30	56.5	73.5 x	73.6 x	58.1	73.8 x	73.9 x	52.7	73.8 x	73.8 x	Yes	No	0	No
		3/F	32.8	57.4	72.9 x	73.1 x	58.9	73.3 x	73.4 x	53.2	73.3 x	73.3 x	Yes	No	0	No
		4/F	35.6	57.9	72.5 x	72.6 x	59.5	72.8 x	73 x	53.8	72.8 x	72.9 x	Yes	No	0.1	No
		5/F	38.4	58.4	72 x	72.1 x	60.1	72.3 x	72.5 x	54.4	72.3 x	72.4 x	Yes	No	0.1	No
		6/F	41.2	59	71.6 x	71.8 x	60.7	71.9 x	72.2 x	54.9	71.9 x	72 x	Yes	No	0.1	No
		7/F	44	59.6	71.1 x	71.4 x	61.3	71.5 x	71.9 x	55.5	71.5 x	71.6 x	Yes	No	0.1	No
		8/F	46.8	60.2	70.7 x	71.1 x	61.9	71.1 x	71.6 x	56	71.1 x	71.2 x	Yes	No	0.1	No
SR104	Village House near Ma Wo 1	G/F	81.2	67.2	46.6	67.3	69.7	47.1	69.7	69.7	47	69.7	No	Yes	22.7	Yes
SR105	Village House near Ma Wo 2	G/F	79.4	73.1 x	51.8	73.2 x	74.3 x	52.1	74.3 x	67.3	51.1	67.4	No	No	16.3	Yes
SR106	Village House near Shek Kwu Lung	G/F	39.2	65.9	49.5	66	66.6	50.6	66.7	67.3	50.4	67.4	No	Yes	17	Yes
SR107	Village House near Hong Lok Yuen	G/F	27.1	75.9 x	56.1	76 x	76.3 x	54.9	76.3 x	69.6	54.8	69.7	No	No	15.1	Yes
		1/F	29.8	77.1 x	56.3	77.1 x	77.9 x	55.1	77.9 x	70.3	54.7	70.4	No	No	15.7	Yes
SR108	Tai Hang Village House	G/F	25.7	72 x	54.2	72.1 x	72.4 x	54.2	72.4 x	62.6	53.8	63.1	No	No	9.3	Yes
		1/F	28.4	72.6 x	54.4	72.6 x	73.1 x	54.5	73.2 x	62.9	53.9	63.4	No	No	9.5	Yes
SR109	Village House near Nam Wa Po	2/F	31.1	73.1 x	54.7	73.2 x	73.8 x	54.8	73.9 x	63.3	53.9	63.8	No	No	9.9	Yes
		G/F	22.5	73 x	54.8	73.1 x	73.3 x	52.5	73.3 x	63.8	49.8	64	No	No	14.2	Yes

Note:
 x denotes noise level exceed relevant criterion.