

# **Appendix I**

## **Laboratory Results for Water Quality**



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: HK1403291
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T., HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: CONTRACT NO CV_2012_09 LIANTANG_HEUNG YUEN WAI BOUNDARY CONTROL POINT SITE FORMATION	<i>Quote number</i>	: ----	<i>Date received</i>	: 05-FEB-2014
<i>Order number</i>	: ----			<i>Date of issue</i>	: 10-FEB-2014
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 6
<i>Site</i>	: ----				- Analysed : 6

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1403291 supersedes any previous reports with this reference. The completion date of analysis is 07-FEB-2014. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1403291 : Project Name: Contract No. CV/2012/09 Liantang / Heung Yuen Wai Boundary Control Point Site Formation and Infrastructure Works - Contract 3 Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling - Stage 2.  
Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong, Chapter 553, Section 6.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics



## Analytical Results

Sub-Matrix: WATER

			Compound				
			LOR Unit				
Client sample ID	Client sampling date / time	Laboratory sample ID	EA025: Suspended Solids (SS)				
			2 mg/L				
			EA/ED: Physical and Aggregate Properties				
C3A-1	[05-FEB-2014]	HK1403291-001	9				
C3A-2	[05-FEB-2014]	HK1403291-002	9				
C3B-1	[05-FEB-2014]	HK1403291-003	6				
C3B-2	[05-FEB-2014]	HK1403291-004	5				
I5-1	[05-FEB-2014]	HK1403291-005	9				
I5-2	[05-FEB-2014]	HK1403291-006	10				



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
EA/ED: Physical and Aggregate Properties (QC Lot: 3283468)								
HK1402248-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	5	4	0.0
HK1403269-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	21	20	7.3

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: <b>WATER</b>		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 3283468)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	102	----	87	111	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: <b>HK1403564</b>
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T., HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: CONTRACT NO CV_2012_09 LIANTANG_HEUNG YUEN WAI BOUNDARY CONTROL POINT SITE FORMATION	<i>Quote number</i>	: ----	<i>Date received</i>	: 07-FEB-2014
<i>Order number</i>	: ----			<i>Date of issue</i>	: 12-FEB-2014
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 6
<i>Site</i>	: ----				- Analysed : 6

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1403564 supersedes any previous reports with this reference. The completion date of analysis is 10-FEB-2014. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1403564 : Project Name: Contract No. CV/2012/09 Liantang / Heung Yuen Wai Boundary Control Point Site Formation and Infrastructure Works - Contract 3 Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling - Stage 2.  
Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong, Chapter 553, Section 6.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics



Analytical Results

Sub-Matrix: WATER

			Compound				
			LOR Unit				
Client sample ID	Client sampling date / time	Laboratory sample ID	EA025: Suspended Solids (SS) 2 mg/L EA/ED: Physical and Aggregate Properties				
C3A-1	[07-FEB-2014]	HK1403564-001	5				
C3A-2	[07-FEB-2014]	HK1403564-002	6				
C3B-1	[07-FEB-2014]	HK1403564-003	4				
C3B-2	[07-FEB-2014]	HK1403564-004	5				
I5-1	[07-FEB-2014]	HK1403564-005	9				
I5-2	[07-FEB-2014]	HK1403564-006	9				



## Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3286735)</b>								
HK1403563-006	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	3	3	0.0
HK1403567-002	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	10	0.0

## Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: <b>WATER</b>		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		Method: Compound	CAS Number	LOR		Unit	Result	LCS	DCS	Low	High	Value
EA/ED: Physical and Aggregate Properties (QCLot: 3286735)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	101	----	87	111	----	----

## Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: HK1403773
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T., HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: CONTRACT NO CV_2012_09 LIANTANG_HEUNG YUEN WAI BOUNDARY CONTROL POINT SITE FORMATION	<i>Quote number</i>	: ----	<i>Date received</i>	: 10-FEB-2014
<i>Order number</i>	: ----			<i>Date of issue</i>	: 13-FEB-2014
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 6
<i>Site</i>	: ----				- Analysed : 6

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1403773 supersedes any previous reports with this reference. The completion date of analysis is 10-FEB-2014. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1403773 : Project Name: Contract No. CV/2012/09 Liantang / Heung Yuen Wai Boundary Control Point Site Formation and Infrastructure Works - Contract 3 Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling - Stage 2.  
Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong, Chapter 553, Section 6.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics





## Analytical Results

Sub-Matrix: WATER

			Compound				
			LOR Unit				
Client sample ID	Client sampling date / time	Laboratory sample ID	EA025: Suspended Solids (SS)				
			2 mg/L				
			EA/ED: Physical and Aggregate Properties				
C3A-1	[10-FEB-2014]	HK1403773-001	58				
C3A-2	[10-FEB-2014]	HK1403773-002	57				
C3B-1	[10-FEB-2014]	HK1403773-003	8				
C3B-2	[10-FEB-2014]	HK1403773-004	10				
I5-1	[10-FEB-2014]	HK1403773-005	7				
I5-2	[10-FEB-2014]	HK1403773-006	7				



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3287969)</b>								
HK1403752-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	43	44	2.8
HK1403774-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	11	11	0.0

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: <b>WATER</b>		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report							
					Spike Concentration	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)		
		CAS Number	LOR	Unit		Result	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 3287969)												
EA025: Suspended Solids (SS)		----	2	mg/L	<2	10 mg/L	99.0	----	87	111	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



## CERTIFICATE OF ANALYSIS

<i>Client</i>	: ENOVATIVE ENVIRONMENTAL SERVICE LTD	<i>Laboratory</i>	: ALS Technichem HK Pty Ltd	<i>Page</i>	: 1 of 3
<i>Contact</i>	: MR THOMAS WONG	<i>Contact</i>	: Fung Lim Chee, Richard	<i>Work Order</i>	: HK1404222
<i>Address</i>	: RM811, HIN PUI HOUSE, HIN KENG ESTATE, TAI WAI, N.T., HONG KONG	<i>Address</i>	: 11/F., Chung Shun Knitting Centre, 1 - 3 Wing Yip Street, Kwai Chung, N.T., Hong Kong		
<i>E-mail</i>	: Thomas.wong@eno.com.hk	<i>E-mail</i>	: Richard.Fung@alsglobal.com		
<i>Telephone</i>	: ----	<i>Telephone</i>	: +852 2610 1044		
<i>Facsimile</i>	: ----	<i>Facsimile</i>	: +852 2610 2021		
<i>Project</i>	: CONTRACT NO CV_2012_09 LIANTANG_HEUNG YUEN WAI BOUNDARY CONTROL POINT SITE FORMATION	<i>Quote number</i>	: ----	<i>Date received</i>	: 12-FEB-2014
<i>Order number</i>	: ----			<i>Date of issue</i>	: 17-FEB-2014
<i>C-O-C number</i>	: ----			<i>No. of samples</i>	- Received : 6
<i>Site</i>	: ----				- Analysed : 6

### Report Comments

This report for ALS Technichem (HK) Pty Ltd work order reference HK1404222 supersedes any previous reports with this reference. The completion date of analysis is 13-FEB-2014. Results apply to sample(s) as submitted. All pages of this report have been checked and approved for release. When date(s) and/or time(s) are shown bracketed, these have been assumed by the laboratory for process purposes. Abbreviations: CAS number = Chemical Abstract Services number. LOR = Limit of reporting.

Specific comments for Work Order HK1404222 : Project Name: Contract No. CV/2012/09 Liantang / Heung Yuen Wai Boundary Control Point Site Formation and Infrastructure Works - Contract 3 Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling - Stage 2.  
Sample(s) were received in a chilled condition.  
Water sample(s) analysed and reported on an as received basis.

This report may not be reproduced except with prior written approval from ALS Technichem (HK) Pty Ltd.

This document has been electronically signed by those names that appear on this report and are the authorised signatories. Electronic signing has been carried out in compliance with procedures specified in the 'Electronic Transactions Ordinance' of Hong Kong, Chapter 553, Section 6.

<i>Signatory</i>	<i>Position</i>	<i>Authorised results for:-</i>
Fung Lim Chee, Richard	General Manager	Inorganics



## Analytical Results

Sub-Matrix: WATER

			Compound				
			LOR Unit				
Client sample ID	Client sampling date / time	Laboratory sample ID	EA025: Suspended Solids (SS)				
			2 mg/L				
			EA/ED: Physical and Aggregate Properties				
C3A-1	[12-FEB-2014]	HK1404222-001	17				
C3A-2	[12-FEB-2014]	HK1404222-002	15				
C3B-1	[12-FEB-2014]	HK1404222-003	7				
C3B-2	[12-FEB-2014]	HK1404222-004	6				
I5-1	[12-FEB-2014]	HK1404222-005	4				
I5-2	[12-FEB-2014]	HK1404222-006	4				



### Laboratory Duplicate (DUP) Report

Matrix: WATER				Laboratory Duplicate (DUP) Report				
Laboratory sample ID	Client sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3293078)</b>								
HK1404024-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	4	4	0.0
HK1404065-001	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	10	11	0.0
<b>EA/ED: Physical and Aggregate Properties (QC Lot: 3293079)</b>								
HK1404222-003	C3B-1	EA025: Suspended Solids (SS)	----	2	mg/L	7	7	0.0
HK1404224-007	Anonymous	EA025: Suspended Solids (SS)	----	2	mg/L	11	11	0.0

### Method Blank (MB), Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report

Matrix: WATER		Method Blank (MB) Report			Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (DCS) Report						
					Spike	Spike Recovery (%)		Recovery Limits (%)		RPDs (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	DCS	Low	High	Value	Control Limit
EA/ED: Physical and Aggregate Properties (QCLot: 3293078)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	99.0	----	87	111	----	----
EA/ED: Physical and Aggregate Properties (QCLot: 3293079)											
EA025: Suspended Solids (SS)	----	2	mg/L	<2	10 mg/L	98.5	----	87	111	----	----

### Matrix Spike (MS) and Matrix Spike Duplicate (MSD) Report

- No Matrix Spike (MS) or Matrix Spike Duplicate (MSD) Results are required to be reported.



# ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: [ell@envirolabs.com.hk](mailto:ell@envirolabs.com.hk) website: <http://www.envirolabs.com.hk>

## TEST REPORT

JOB NO. : 14020419  
DATE OF ISSUE : 18 February 2014  
PAGE : Page 1 of 1

### 1. Customer

Enovative Environmental Service Limited  
Flat 6, 3/F., Block E,  
Wah Lok Industrial Centre,  
31-35 Shan Mei Street, Shatin, N.T.  
Attn: Mr. Thomas Wong

### 2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.  
Sampling : Conducted by the customer  
Received Date : 14 Feb 2014  
Testing Period : 14 Feb 2014 to 18 Feb 2014

### 3. Test Methods

Parameters	Reference Methods	LOD <sup>a</sup>
Total Suspended Solids (TSS)	APHA <sup>b</sup> 17e 2540 D	2.5 mg/L

### 4. Test Results<sup>c</sup>

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	3.7	mg/L
C3a-2	002	TSS	4.0	mg/L
C3b-1	003	TSS	7.3	mg/L
C3b-2	004	TSS	9.5	mg/L
IS-1	005	TSS	3.9	mg/L
IS-2	006	TSS	3.4	mg/L


--- END OF REPORT ---

<sup>a</sup> LOD denotes Limit of detection

<sup>b</sup> APHA Standard Methods for the Examination of Water and Wastewater

<sup>c</sup> Test results relate only to the items received

APPROVED SIGNATORY:

  
Kenneth, Kar-kin LAM  
Senior Lab. Manager



# ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: [ell@envirolabs.com.hk](mailto:ell@envirolabs.com.hk) website: <http://www.envirolabs.com.hk>

## TEST REPORT

JOB NO. : 14020479  
DATE OF ISSUE : 20 February 2014  
PAGE : Page 1 of 1

### 1. Customer

Enovative Environmental Service Limited  
Flat 6, 3/F., Block E,  
Wah Lok Industrial Centre,  
31-35 Shan Mei Street, Shatin, N.T.  
Attn: Mr. Thomas Wong

### 2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.  
Sampling : Conducted by the customer  
Received Date : 17 Feb 2014  
Testing Period : 17 Feb 2014 to 19 Feb 2014

### 3. Test Methods

Parameters	Reference Methods	LOD <sup>a</sup>
Total Suspended Solids (TSS)	APHA <sup>b</sup> 17e 2540 D	2.5 mg/L

### 4. Test Results<sup>c</sup>

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	48	mg/L
C3a-2	002	TSS	42	mg/L
C3b-1	003	TSS	21	mg/L
C3b-2	004	TSS	25	mg/L
IS-1	005	TSS	41	mg/L
IS-2	006	TSS	36	mg/L


--- END OF REPORT ---

<sup>a</sup> LOD denotes Limit of detection

<sup>b</sup> APHA Standard Methods for the Examination of Water and Wastewater

<sup>c</sup> Test results relate only to the items received

APPROVED SIGNATORY:

  
Kenneth, Kar-kin LAM  
Senior Lab. Manager



# ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: [ell@envirolabs.com.hk](mailto:ell@envirolabs.com.hk) website: <http://www.envirolabs.com.hk>

## TEST REPORT

JOB NO.	: 14020534	PAGE	: Page 1 of 1
DATE OF ISSUE	: 25 February 2014		

### 1. Customer

Enovative Environmental Service Limited  
Flat 6, 3/F., Block E,  
Wah Lok Industrial Centre,  
31-35 Shan Mei Street, Shatin, N.T.  
Attn: Mr. Thomas Wong

### 2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.  
Sampling : Conducted by the customer  
Sampling Date<sup>a</sup> : 19 Feb 2014  
Received Date : 20 Feb 2014  
Testing Period : 20 Feb 2014 to 24 Feb 2014

### 3. Test Methods

Parameters	Reference Methods	LOD <sup>b</sup>
Total Suspended Solids (TSS)	APHA <sup>c</sup> 17e 2540 D	2.5 mg/L

### 4. Test Results<sup>d</sup>

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	<3.1	mg/L
C3a-2	002	TSS	<3.1	mg/L
C3b-1	003	TSS	16	mg/L
C3b-2	004	TSS	16	mg/L
IS-1	005	TSS	5.3	mg/L
IS-2	006	TSS	5.1	mg/L

--- END OF REPORT ---


<sup>a</sup> Information provided by the customer

<sup>b</sup> LOD denotes Limit of detection

<sup>c</sup> APHA Standard Methods for the Examination of Water and Wastewater

<sup>d</sup> Test results relate only to the items received

APPROVED SIGNATORY:

  
Kenneth, Kar-kin LAM  
Senior Lab. Manager





# ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK  
Tel: (852) 2676 2983 Fax: (852) 2676 2860  
e-mail: [ell@envirolabs.com.hk](mailto:ell@envirolabs.com.hk) website: <http://www.envirolabs.com.hk>

## TEST REPORT

JOB NO.	: 14020669	PAGE	: Page 1 of 1
DATE OF ISSUE	: 26 February 2014		

### 1. Customer

Enovative Environmental Service Limited  
Flat 6, 3/F., Block E,  
Wah Lok Industrial Centre,  
31-35 Shan Mei Street, Shatin, N.T.  
Attn: Mr. Thomas Wong

### 2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.  
Sampling : Conducted by the customer  
Sampling Date<sup>a</sup> : 21 Feb 2014  
Received Date : 21 Feb 2014  
Testing Period : 21 Feb 2014 to 25 Feb 2014

### 3. Test Methods

Parameters	Reference Methods	LOD <sup>b</sup>
Total Suspended Solids (TSS)	APHA <sup>c</sup> 17e 2540 D	2.5 mg/L

### 4. Test Results<sup>d</sup>

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	15	mg/L
C3a-2	002	TSS	12	mg/L
C3b-1	003	TSS	16	mg/L
C3b-2	004	TSS	16	mg/L
IS-1	005	TSS	11	mg/L
IS-2	006	TSS	10	mg/L

--- END OF REPORT ---


<sup>a</sup> Information provided by the customer

<sup>b</sup> LOD denotes Limit of detection

<sup>c</sup> APHA Standard Methods for the Examination of Water and Wastewater

<sup>d</sup> Test results relate only to the items received

APPROVED SIGNATORY:

  
Kenneth, Kar-kin LAM  
Senior Lab. Manager



# ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK  
Tel: (852) 2676 2983 Fax: (852) 2676 2860  
e-mail: [ell@envirolabs.com.hk](mailto:ell@envirolabs.com.hk) website: <http://www.envirolabs.com.hk>

## TEST REPORT

JOB NO. : 14020670  
DATE OF ISSUE : 04 March 2014  
PAGE : Page 1 of 1

### 1. Customer

Enovative Environmental Service Limited  
Flat 6, 3/F., Block E,  
Wah Lok Industrial Centre,  
31-35 Shan Mei Street, Shatin, N.T.  
Attn: Mr. Thomas Wong

### 2. Sample Identification

Sample Description : Six batch(es) of water sample(s) and one paper sample were submitted by the customer and received at the laboratory in cool condition.  
Sampling : Conducted by the customer  
Sampling Date<sup>a</sup> : 24 Feb 2014  
Received Date : 24 Feb 2014  
Testing Period : 24 Feb 2014 to 26 Feb 2014

### 3. Test Methods

Parameters	Reference Methods	LOD <sup>b</sup>
Total Suspended Solids (TSS)	APHA <sup>c</sup> 17e 2540 D	2.5 mg/L

### 4. Test Results<sup>d</sup>

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	15	mg/L
C3a-2	002	TSS	19	mg/L
C3b-1	003	TSS	8.2	mg/L
C3b-2	004	TSS	6.6	mg/L
IS-1	005	TSS	6.2	mg/L
IS-2	006	TSS	6.4	mg/L

--- END OF REPORT ---


<sup>a</sup> Information provided by the customer

<sup>b</sup> LOD denotes Limit of detection

<sup>c</sup> APHA Standard Methods for the Examination of Water and Wastewater

<sup>d</sup> Test results relate only to the items received

APPROVED SIGNATORY:

  
Kenneth, Kar-kin LAM  
Senior Lab. Manager



# ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: [ell@envirolabs.com.hk](mailto:ell@envirolabs.com.hk) website: <http://www.envirolabs.com.hk>

## TEST REPORT

JOB NO. : 14020718  
DATE OF ISSUE : 03 March 2014  
PAGE : Page 1 of 1

### 1. Customer

Enovative Environmental Service Limited  
Flat 6, 3/F., Block E,  
Wah Lok Industrial Centre,  
31-35 Shan Mei Street, Shatin, N.T.  
Attn: Mr. Thomas Wong

### 2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.  
Sampling : Conducted by the customer  
Sampling Date<sup>a</sup> : 26 Feb 2014  
Received Date : 26 Feb 2014  
Testing Period : 26 Feb 2014 to 27 Feb 2014

### 3. Test Methods

Parameters	Reference Methods	LOD <sup>b</sup>
Total Suspended Solids (TSS)	APHA <sup>c</sup> 17e 2540 D	2.5 mg/L

### 4. Test Results<sup>d</sup>

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	15	mg/L
C3a-2	002	TSS	19	mg/L
C3b-1	003	TSS	8.2	mg/L
C3b-2	004	TSS	6.6	mg/L
IS-1	005	TSS	6.2	mg/L
IS-2	006	TSS	6.4	mg/L

--- END OF REPORT ---


<sup>a</sup> Information provided by the customer

<sup>b</sup> LOD denotes Limit of detection

<sup>c</sup> APHA Standard Methods for the Examination of Water and Wastewater

<sup>d</sup> Test results relate only to the items received

APPROVED SIGNATORY:

  
Kenneth, Kar-kin LAM  
Senior Lab. Manager



# ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK  
Tel: (852) 2676 2983 Fax: (852) 2676 2860  
e-mail: [ell@envirolabs.com.hk](mailto:ell@envirolabs.com.hk) website: <http://www.envirolabs.com.hk>

## TEST REPORT

JOB NO.	: 14020809	PAGE	: Page 1 of 1
DATE OF ISSUE	: 04 March 2014		

### 1. Customer

Enovative Environmental Service Limited  
Flat 6, 3/F., Block E,  
Wah Lok Industrial Centre,  
31-35 Shan Mei Street, Shatin, N.T.  
Attn: Mr. Thomas Wong

### 2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.  
Sampling : Conducted by the customer  
Sampling Date<sup>a</sup> : 28 Feb 2014  
Received Date : 28 Feb 2014  
Testing Period : 28 Feb 2014 to 03 Mar 2014

### 3. Test Methods

Parameters	Reference Methods	LOD <sup>b</sup>
Total Suspended Solids (TSS)	APHA <sup>c</sup> 17e 2540 D	2.5 mg/L

### 4. Test Results<sup>d</sup>

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	22	mg/L
C3a-2	002	TSS	23	mg/L
C3b-1	003	TSS	14	mg/L
C3b-2	004	TSS	24	mg/L
I5-1	005	TSS	9.8	mg/L
I5-2	006	TSS	12	mg/L

--- END OF REPORT ---


<sup>a</sup> Information provided by the customer

<sup>b</sup> LOD denotes Limit of detection

<sup>c</sup> APHA Standard Methods for the Examination of Water and Wastewater

<sup>d</sup> Test results relate only to the items received

APPROVED SIGNATORY:

  
Kenneth, Kar-kin LAM  
Senior Lab. Manager