

Appendix I

Laboratory Results for Water Quality



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: 14030023	PAGE	: Page 1 of 1
DATE OF ISSUE	: 05 March 2014		

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 03 Mar 2014
Received Date : 03 Mar 2014
Testing Period : 03 Mar 2014 to 05 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	29	mg/L
C3a-2	002	TSS	31	mg/L
C3b-1	003	TSS	8.0	mg/L
C3b-2	004	TSS	7.6	mg/L
IS-1	005	TSS	16	mg/L
IS-2	006	TSS	16	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030133
DATE OF ISSUE : 11 March 2014
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 05 Mar 2014
Received Date : 05 Mar 2014
Testing Period : 05 Mar 2014 to 06 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	10	mg/L
C3a-2	002	TSS	10	mg/L
C3b-1	003	TSS	4.0	mg/L
C3b-2	004	TSS	4.4	mg/L
IS-1	005	TSS	6.8	mg/L
IS-2	006	TSS	7.0	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030250
DATE OF ISSUE : 12 March 2014
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 07 Mar 2014
Received Date : 07 Mar 2014
Testing Period : 07 Mar 2014 to 11 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	22	mg/L
C3a-2	002	TSS	23	mg/L
C3b-1	003	TSS	9.2	mg/L
C3b-2	004	TSS	7.0	mg/L
IS-1	005	TSS	4.2	mg/L
IS-2	006	TSS	5.2	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030277
DATE OF ISSUE : 17 March 2014
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 10 Mar 2014
Received Date : 10 Mar 2014
Testing Period : 10 Mar 2014 to 12 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	12	mg/L
C3a-2	002	TSS	19	mg/L
C3b-1	003	TSS	6.0	mg/L
C3b-2	004	TSS	6.8	mg/L
IS-1	005	TSS	17	mg/L
IS-2	006	TSS	20	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030387
DATE OF ISSUE : 17 March 2014
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 12 Mar 2014
Received Date : 12 Mar 2014
Testing Period : 12 Mar 2014 to 17 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	9.6	mg/L
C3a-2	002	TSS	10	mg/L
C3b-1	003	TSS	6.6	mg/L
C3b-2	004	TSS	7.4	mg/L
IS-1	005	TSS	8.6	mg/L
IS-2	006	TSS	9.4	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030487
DATE OF ISSUE : 20 March 2014 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 14 Mar 2014
Received Date : 14 Mar 2014
Testing Period : 14 Mar 2014 to 18 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	6.6	mg/L
C3a-2	002	TSS	6.6	mg/L
C3b-1	003	TSS	22	mg/L
C3b-2	004	TSS	22	mg/L
IS-1	005	TSS	12	mg/L
IS-2	006	TSS	12	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: 14030522	PAGE	: Page 1 of 1
DATE OF ISSUE	: 19 March 2014		

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 17 Mar 2014
Received Date : 17 Mar 2014
Testing Period : 17 Mar 2014 to 18 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	5.8	mg/L
C3a-2	002	TSS	5.8	mg/L
C3b-1	003	TSS	5.8	mg/L
C3b-2	004	TSS	6.6	mg/L
IS-1	005	TSS	6.0	mg/L
IS-2	006	TSS	7.6	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030616
DATE OF ISSUE : 21 March 2014
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 19 Mar 2014
Received Date : 19 Mar 2014
Testing Period : 19 Mar 2014 to 21 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	9.2	mg/L
C3a-2	002	TSS	7.6	mg/L
C3b-1	003	TSS	4.3	mg/L
C3b-2	004	TSS	4.8	mg/L
IS-1	005	TSS	8.4	mg/L
IS-2	006	TSS	6.6	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030730
DATE OF ISSUE : 25 March 2014
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 21 Mar 2014
Received Date : 21 Mar 2014
Testing Period : 21 Mar 2014 to 24 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1	001	TSS	8.2	mg/L
C3a-2	002	TSS	8.6	mg/L
C3b-1	003	TSS	13	mg/L
C3b-2	004	TSS	13	mg/L
IS-1	005	TSS	11	mg/L
IS-2	006	TSS	8.8	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030800
DATE OF ISSUE : 27 March 2014 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 24 Mar 2014
Received Date : 24 Mar 2014
Testing Period : 24 Mar 2014 to 25 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1, 24-03-2014	001	TSS	3.6	mg/L
C3a-2, 24-03-2014	002	TSS	5.3	mg/L
C3b-1, 24-03-2014	003	TSS	4.1	mg/L
C3b-2, 24-03-2014	004	TSS	4.0	mg/L
IS-1, 24-03-2014	005	TSS	13	mg/L
IS-2, 24-03-2014	006	TSS	9.6	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030858
DATE OF ISSUE : 31 March 2014 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 26 Mar 2014
Received Date : 26 Mar 2014
Testing Period : 26 Mar 2014 to 27 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1, 26-03-2014	001	TSS	4.4	mg/L
C3a-2, 26-03-2014	002	TSS	4.8	mg/L
C3b-1, 26-03-2014	003	TSS	3.2	mg/L
C3b-2, 26-03-2014	004	TSS	6.6	mg/L
IS-1, 26-03-2014	005	TSS	13	mg/L
IS-2, 26-03-2014	006	TSS	13	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030967
DATE OF ISSUE : 01 April 2014
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 28 Mar 2014
Received Date : 28 Mar 2014
Testing Period : 28 Mar 2014 to 31 Mar 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1, 28-03-2014	001	TSS	22	mg/L
C3a-2, 28-03-2014	002	TSS	22	mg/L
C3b-1, 28-03-2014	003	TSS	4.7	mg/L
C3b-2, 28-03-2014	004	TSS	4.3	mg/L
IS-1, 28-03-2014	005	TSS	10	mg/L
IS-2, 28-03-2014	006	TSS	9.4	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm 611-612, Hong Leong Plaza, 33 Lok Yip Rd, Fanling, NT, HK

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : 14030996
DATE OF ISSUE : 02 April 2014
PAGE : Page 1 of 1

1. Customer

Enovalive Environmental Service Limited
Flat 6, 3/F., Block E,
Wah Lok Industrial Centre,
31-35 Shan Mei Street, Shatin, N.T.
Attn: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water sample(s) were submitted by the customer and received at the laboratory in cool condition.
Sampling : Conducted by the customer
Sampling Date^a : 31 Mar 2014
Received Date : 31 Mar 2014
Testing Period : 31 Mar 2014 to 01 Apr 2014

3. Test Methods

Parameters	Reference Methods	LOD ^b
Total Suspended Solids (TSS)	APHA ^c 17e 2540 D	2.5 mg/L

4. Test Results^d

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
C3a-1, 3103-2014	001	TSS	71	mg/L
C3a-2, 31-03-2014	002	TSS	73	mg/L
C3b-1, 31-03-2014	003	TSS	77	mg/L
C3b-2, 31-03-2014	004	TSS	73	mg/L
IS-1, 31-03-2014	005	TSS	73	mg/L
IS-2, 31-03-2014	006	TSS	72	mg/L

--- END OF REPORT ---


^a Information provided by the customer

^b LOD denotes Limit of detection

^c APHA Standard Methods for the Examination of Water and Wastewater

^d Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager