

Appendix D

EM&A Monitoring Schedules

**Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling Stage 2
Impact Monitoring & Site Auditing Schedule for December 2016**

December 2016						
Sun	Mon	Tue	Wed	Thu	Fri	Sat
				1	2 Water (I5, C3a, C3b)	3 24-hour TSP + 3 x 1-hour TSP
4	5 ET Site Walk(09:30am – 11:00am) Water (I5, C3a, C3b)	6	7 Water (I5, C3a, C3b)	8	9 24-hour TSP + 3 x 1-hour TSP, Noise (SR77) Water (I5, C3a, C3b)	10
11	12 ET Site Walk(09:30am – 11:00am) Water (I5, C3a, C3b)	13	14 Water (I5, C3a, C3b)	15 24-hour TSP + 3 x 1-hour TSP, Noise (SR77)	16 Water (I5, C3a, C3b)	17
18	19 Water (I5, C3a, C3b)	20	21 ET Site Walk(09:30 am – 11:00 am) with Liantang Project-wide ET and IEC + SSEMC 24-hour TSP + 3 x 1-hour TSP, Noise (SR77) Water (I5, C3a, C3b)	22	23 Water (I5, C3a, C3b)	24 24-hour TSP + 3 x 1-hour TS (SR77)
25	26 The first weekday after Christmas Day	27 The second weekday after Christmas Day	28 Water (I5, C3a, C3b)	29 ET Site Walk(09:30am – 11:00am) with Fanling Stage 2 IEC & Liantang Project-wide ET and IEC	30 24-hour TSP + 3 x 1-hour TSP, Noise (SR77) Water (I5, C3a, C3b)	31

**Entrusted Portion of Widening of Tolo Highway / Fanling Highway between Island House Interchange and Fanling Stage 2
Impact Monitoring & Site Auditing Schedule for January 2017**

January 2017						
Sun	Mon	Tue	Wed	Thu	Fri	Sat
1	2 The day following the first day of January	3 ET Site Walk(02:00pm – 03:30pm) Water (I5, C3a, C3b)	4	5 24-hour TSP + 3 x 1-hour TSP, Noise (SR77) Water (I5, C3a, C3b)	6	7 Water (I5, C3a, C3b)
8	9 ET Site Walk(09:30am – 11:00am) Water (I5, C3a, C3b)	10	11 24-hour TSP + 3 x 1-hour TSP, Noise (SR77) Water (I5, C3a, C3b)	12	13 Water (I5, C3a, C3b)	14
15	16 Water (I5, C3a, C3b)	17 24-hour TSP + 3 x 1-hour TSP, Noise (SR77)	18 ET Site Walk(09:30 am – 11:00 am) with Liantang Project-wide ET and IEC + SSEM (To be confirmed) Water (I5, C3a, C3b)	19	20 Water (I5, C3a, C3b)	21
22	23 ET Site Walk(09:30am – 11:00 am) with Fanling Stage 2 IEC & Liantang Project-wide ET and IEC (To be confirmed) 24-hour TSP + 3 x 1-hour TSP, Noise (SR77) Water (I5, C3a, C3b)	24	25 Water (I5, C3a, C3b)	26	27 24-hour TSP + 3 x 1-hour TSP Water (I5, C3a, C3b)	28 Lunar New Year's Day
29	30 The third day of Lunar New Year	31 The fourth day of Lunar New Year				