

Appendix I

Laboratory Results for Water Quality



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120043-1
DATE OF ISSUE : 06 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 02 Dec 2016
Received Date : 02 Dec 2016
Testing Period : 02 Dec 2016 to 06 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 15-1 2/12/2016	001	Total Suspended Solids	5.5	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120043-2
DATE OF ISSUE : 06 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 02 Dec 2016
Received Date : 02 Dec 2016
Testing Period : 02 Dec 2016 to 06 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 15-2 2/12/2016	002	Total Suspended Solids	7.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120043-3	PAGE	: Page 1 of 1
DATE OF ISSUE	: 06 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 02 Dec 2016
Received Date : 02 Dec 2016
Testing Period : 02 Dec 2016 to 06 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 2/12/2016	003	Total Suspended Solids	12	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120043-4
DATE OF ISSUE : 06 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 02 Dec 2016
Received Date : 02 Dec 2016
Testing Period : 02 Dec 2016 to 06 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 2/12/2016	004	Total Suspended Solids	12	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120043-5
DATE OF ISSUE : 06 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 02 Dec 2016
Received Date : 02 Dec 2016
Testing Period : 02 Dec 2016 to 06 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 2/12/2016	005	Total Suspended Solids	8.1	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120043-6
DATE OF ISSUE : 06 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 02 Dec 2016
Received Date : 02 Dec 2016
Testing Period : 02 Dec 2016 to 06 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 2/12/2016	006	Total Suspended Solids	8.2	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120065-1
DATE OF ISSUE : 07 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 05 Dec 2016
Received Date : 05 Dec 2016
Testing Period : 05 Dec 2016 to 07 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 5/12/2016	001	Total Suspended Solids	7.4	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120065-2
DATE OF ISSUE : 07 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 05 Dec 2016
Received Date : 05 Dec 2016
Testing Period : 05 Dec 2016 to 07 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-2 5/12/2016	002	Total Suspended Solids	6.4	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120065-3
DATE OF ISSUE : 07 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 05 Dec 2016
Received Date : 05 Dec 2016
Testing Period : 05 Dec 2016 to 07 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 5/12/2016	003	Total Suspended Solids	11	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120065-4
DATE OF ISSUE : 07 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 05 Dec 2016
Received Date : 05 Dec 2016
Testing Period : 05 Dec 2016 to 07 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 5/12/2016	004	Total Suspended Solids	11	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120065-5
DATE OF ISSUE : 07 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 05 Dec 2016
Received Date : 05 Dec 2016
Testing Period : 05 Dec 2016 to 07 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 5/12/2016	005	Total Suspended Solids	14	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120065-6
DATE OF ISSUE : 07 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 05 Dec 2016
Received Date : 05 Dec 2016
Testing Period : 05 Dec 2016 to 07 Dec.2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 5/12/2016	006	Total Suspended Solids	14	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: elf@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120122-1	PAGE	: Page 1 of 1
DATE OF ISSUE	: 09 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 07 Dec 2016
Received Date : 07 Dec 2016
Testing Period : 07 Dec 2016 to 09 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 7/12/2016	001	Total Suspended Solids	4.1	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120122-2
DATE OF ISSUE : 09 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 07 Dec 2016
Received Date : 07 Dec 2016
Testing Period : 07 Dec 2016 to 09 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-2 7/12/2016	002	Total Suspended Solids	3.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120122-3	PAGE	: Page 1 of 1
DATE OF ISSUE	: 09 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 07 Dec 2016
Received Date : 07 Dec 2016
Testing Period : 07 Dec 2016 to 09 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 7/12/2016	003	Total Suspended Solids	22	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120122-4	PAGE	: Page 1 of 1
DATE OF ISSUE	: 09 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 07 Dec 2016
Received Date : 07 Dec 2016
Testing Period : 07 Dec 2016 to 09 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 7/12/2016	004	Total Suspended Solids	32	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120122-5
DATE OF ISSUE : 09 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 07 Dec 2016
Received Date : 07 Dec 2016
Testing Period : 07 Dec 2016 to 09 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 7/12/2016	005	Total Suspended Solids	3.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120122-6	PAGE	: Page 1 of 1
DATE OF ISSUE	: 09 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 07 Dec 2016
Received Date : 07 Dec 2016
Testing Period : 07 Dec 2016 to 09 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 7/12/2016	006	Total Suspended Solids	3.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120172-1
DATE OF ISSUE : 13 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 09 Dec 2016
Received Date : 09 Dec 2016
Testing Period : 09 Dec 2016 to 13 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 9/12/2016	001	Total Suspended Solids	2.8	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120172-2
DATE OF ISSUE : 13 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 09 Dec 2016
Received Date : 09 Dec 2016
Testing Period : 09 Dec 2016 to 13 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-2 9/12/2016	002	Total Suspended Solids	2.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120172-3
DATE OF ISSUE : 13 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 09 Dec 2016
Received Date : 09 Dec 2016
Testing Period : 09 Dec 2016 to 13 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 9/12/2016	003	Total Suspended Solids	7.8	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120172-4
DATE OF ISSUE : 13 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 09 Dec 2016
Received Date : 09 Dec 2016
Testing Period : 09 Dec 2016 to 13 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 9/12/2016	004	Total Suspended Solids	5.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120172-5
DATE OF ISSUE : 13 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 09 Dec 2016
Received Date : 09 Dec 2016
Testing Period : 09 Dec 2016 to 13 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 9/12/2016	005	Total Suspended Solids	2.9	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120172-6
DATE OF ISSUE : 13 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 09 Dec 2016
Received Date : 09 Dec 2016
Testing Period : 09 Dec 2016 to 13 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 9/12/2016	006	Total Suspended Solids	2.8	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120214-1
DATE OF ISSUE : 14 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 12 Dec 2016
Received Date : 12 Dec 2016
Testing Period : 12 Dec 2016 to 14 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 12/12/2016	001	Total Suspended Solids	3.8	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120214-2	PAGE	: Page 1 of 1
DATE OF ISSUE	: 14 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 12 Dec 2016
Received Date : 12 Dec 2016
Testing Period : 12 Dec 2016 to 14 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-2 12/12/2016	002	Total Suspended Solids	3.7	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120214-3
DATE OF ISSUE : 14 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 12 Dec 2016
Received Date : 12 Dec 2016
Testing Period : 12 Dec 2016 to 14 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 12/12/2016	003	Total Suspended Solids	16	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120214-4	PAGE	: Page 1 of 1
DATE OF ISSUE	: 14 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 12 Dec 2016
Received Date : 12 Dec 2016
Testing Period : 12 Dec 2016 to 14 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 12/12/2016	004	Total Suspended Solids	16	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120214-5	PAGE	: Page 1 of 1
DATE OF ISSUE	: 14 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 12 Dec 2016
Received Date : 12 Dec 2016
Testing Period : 12 Dec 2016 to 14 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 12/12/2016	005	Total Suspended Solids	5.3	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120214-6
DATE OF ISSUE : 14 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 12 Dec 2016
Received Date : 12 Dec 2016
Testing Period : 12 Dec 2016 to 14 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 12/12/2016	006	Total Suspended Solids	5.8	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120268-1	PAGE	: Page 1 of 1
DATE OF ISSUE	: 16 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 14 Dec 2016
Received Date : 14 Dec 2016
Testing Period : 14 Dec 2016 to 16 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 14/12/2016	001	Total Suspended Solids	3.8	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120268-2	PAGE	: Page 1 of 1
DATE OF ISSUE	: 16 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 14 Dec 2016
Received Date : 14 Dec 2016
Testing Period : 14 Dec 2016 to 16 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-2 14/12/2016	002	Total Suspended Solids	3.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120268-3
DATE OF ISSUE : 16 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 14 Dec 2016
Received Date : 14 Dec 2016
Testing Period : 14 Dec 2016 to 16 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 14/12/2016	003	Total Suspended Solids	18	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120268-4
DATE OF ISSUE : 16 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 14 Dec 2016
Received Date : 14 Dec 2016
Testing Period : 14 Dec 2016 to 16 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 14/12/2016	004	Total Suspended Solids	18	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120268-5
DATE OF ISSUE : 16 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 14 Dec 2016
Received Date : 14 Dec 2016
Testing Period : 14 Dec 2016 to 16 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 14/12/2016	005	Total Suspended Solids	6.0	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120268-6
DATE OF ISSUE : 16 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 14 Dec 2016
Received Date : 14 Dec 2016
Testing Period : 14 Dec 2016 to 16 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 14/12/2016	006	Total Suspended Solids	6.0	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120324-1	PAGE	: Page 1 of 1
DATE OF ISSUE	: 20 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 16 Dec 2016
Received Date : 16 Dec 2016
Testing Period : 16 Dec 2016 to 20 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 16/12/2016	001	Total Suspended Solids	6.2	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120324-2
DATE OF ISSUE : 20 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 16 Dec 2016
Received Date : 16 Dec 2016
Testing Period : 16 Dec 2016 to 20 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-2 16/12/2016	002	Total Suspended Solids	8.4	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120324-3	PAGE	: Page 1 of 1
DATE OF ISSUE	: 20 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 16 Dec 2016
Received Date : 16 Dec 2016
Testing Period : 16 Dec 2016 to 20 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 16/12/2016	003	Total Suspended Solids	5.2	mg/L


-- END OF REPORT --

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120324-4	PAGE	: Page 1 of 1
DATE OF ISSUE	: 20 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 16 Dec 2016
Received Date : 16 Dec 2016
Testing Period : 16 Dec 2016 to 20 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 16/12/2016	004	Total Suspended Solids	7.4	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120324-5
DATE OF ISSUE : 20 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 16 Dec 2016
Received Date : 16 Dec 2016
Testing Period : 16 Dec 2016 to 20 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 16/12/2016	005	Total Suspended Solids	4.2	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120324-6	PAGE	: Page 1 of 1
DATE OF ISSUE	: 20 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 16 Dec 2016
Received Date : 16 Dec 2016
Testing Period : 16 Dec 2016 to 20 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 16/12/2016	006	Total Suspended Solids	4.5	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120342-1
DATE OF ISSUE : 21 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 19 Dec 2016
Received Date : 19 Dec 2016
Testing Period : 19 Dec 2016 to 21 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 15-1 19/12/2016	001	Total Suspended Solids	4.5	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120342-2
DATE OF ISSUE : 21 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 19 Dec 2016
Received Date : 19 Dec 2016
Testing Period : 19 Dec 2016 to 21 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-2 19/12/2016	002	Total Suspended Solids	4.8	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120342-3
DATE OF ISSUE : 21 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 19 Dec 2016
Received Date : 19 Dec 2016
Testing Period : 19 Dec 2016 to 21 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 19/12/2016	003	Total Suspended Solids	10	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120342-4
DATE OF ISSUE : 21 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 19 Dec 2016
Received Date : 19 Dec 2016
Testing Period : 19 Dec 2016 to 21 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 19/12/2016	004	Total Suspended Solids	9.7	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120342-5
DATE OF ISSUE : 21 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 19 Dec 2016
Received Date : 19 Dec 2016
Testing Period : 19 Dec 2016 to 21 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 19/12/2016	005	Total Suspended Solids	2.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120342-6	PAGE	: Page 1 of 1
DATE OF ISSUE	: 21 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 19 Dec 2016
Received Date : 19 Dec 2016
Testing Period : 19 Dec 2016 to 21 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 19/12/2016	006	Total Suspended Solids	3.1	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: elli@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120407-1	PAGE	: Page 1 of 1
DATE OF ISSUE	: 23 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 21 Dec 2016
Received Date : 21 Dec 2016
Testing Period : 21 Dec 2016 to 23 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 21/12/2016	001	Total Suspended Solids	4.8	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120407-2	PAGE	: Page 1 of 1
DATE OF ISSUE	: 23 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 21 Dec 2016
Received Date : 21 Dec 2016
Testing Period : 21 Dec 2016 to 23 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-2 21/12/2016	002	Total Suspended Solids	6.5	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120407-3
DATE OF ISSUE : 23 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 21 Dec 2016
Received Date : 21 Dec 2016
Testing Period : 21 Dec 2016 to 23 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 21/12/2016	003	Total Suspended Solids	11	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120407-4
DATE OF ISSUE : 23 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 21 Dec 2016
Received Date : 21 Dec 2016
Testing Period : 21 Dec 2016 to 23 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 21/12/2016	004	Total Suspended Solids	17	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120407-5
DATE OF ISSUE : 23 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 21 Dec 2016
Received Date : 21 Dec 2016
Testing Period : 21 Dec 2016 to 23 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 21/12/2016	005	Total Suspended Solids	4.3	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120407-6	PAGE	: Page 1 of 1
DATE OF ISSUE	: 23 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 21 Dec 2016
Received Date : 21 Dec 2016
Testing Period : 21 Dec 2016 to 23 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 21/12/2016	006	Total Suspended Solids	4.1	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120450-1
DATE OF ISSUE : 29 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 23 Dec 2016
Received Date : 23 Dec 2016
Testing Period : 23 Dec 2016 to 29 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 15-1 23/12/2016	001	Total Suspended Solids	5.3	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120450-2
DATE OF ISSUE : 29 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 23 Dec 2016
Received Date : 23 Dec 2016
Testing Period : 23 Dec 2016 to 29 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 15-2 23/12/2016	002	Total Suspended Solids	5.3	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120450-3	PAGE	: Page 1 of 1
DATE OF ISSUE	: 29 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 23 Dec 2016
Received Date : 23 Dec 2016
Testing Period : 23 Dec 2016 to 29 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 23/12/2016	003	Total Suspended Solids	15	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120450-4
DATE OF ISSUE : 29 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 23 Dec 2016
Received Date : 23 Dec 2016
Testing Period : 23 Dec 2016 to 29 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 23/12/2016	004	Total Suspended Solids	15	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120450-5
DATE OF ISSUE : 29 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 23 Dec 2016
Received Date : 23 Dec 2016
Testing Period : 23 Dec 2016 to 29 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 23/12/2016	005	Total Suspended Solids	6.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120450-6
DATE OF ISSUE : 29 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 23 Dec 2016
Received Date : 23 Dec 2016
Testing Period : 23 Dec 2016 to 29 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 23/12/2016	006	Total Suspended Solids	6.7	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120496-1	PAGE	: Page 1 of 1
DATE OF ISSUE	: 30 December 2016		

1. Customer

Enovative Environmental Service Limited

Room 811, Hin Pui House,

Hin Keng Estate,

Tai Wai, Shatin, N.T., Hong Kong

Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.

Sampling : Conducted by the customer.

Sampling Date^a : 28 Dec 2016

Received Date : 28 Dec 2016

Testing Period : 28 Dec 2016 to 30 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 28/12/2016	001	Total Suspended Solids	5.3	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


John Chi-wai YAU
Assistant Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120496-2
DATE OF ISSUE : 30 December 2016 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 28 Dec 2016
Received Date : 28 Dec 2016
Testing Period : 28 Dec 2016 to 30 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-2 28/12/2016	002	Total Suspended Solids	4.1	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


John Chi-wai YAU
Assistant Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120496-3	PAGE	: Page 1 of 1
DATE OF ISSUE	: 30 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 28 Dec 2016
Received Date : 28 Dec 2016
Testing Period : 28 Dec 2016 to 30 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 28/12/2016	003	Total Suspended Solids	9.0	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


John Chi-wai YAU
Assistant Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120496-4	PAGE	: Page 1 of 1
DATE OF ISSUE	: 30 December 2016		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 28 Dec 2016
Received Date : 28 Dec 2016
Testing Period : 28 Dec 2016 to 30 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 28/12/2016	004	Total Suspended Solids	8.1	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


John Chi-wai YAU
Assistant Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120496-5
DATE OF ISSUE : 30 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 28 Dec 2016
Received Date : 28 Dec 2016
Testing Period : 28 Dec 2016 to 30 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 28/12/2016	005	Total Suspended Solids	5.8	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


John Chi-wai YAU
Assistant Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N16120496-6
DATE OF ISSUE : 30 December 2016
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 28 Dec 2016
Received Date : 28 Dec 2016
Testing Period : 28 Dec 2016 to 30 Dec 2016

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 28/12/2016	006	Total Suspended Solids	4.2	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


John Chi-wai YAU
Assistant Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120567-1	PAGE	: Page 1 of 1
DATE OF ISSUE	: 04 January 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 30 Dec 2016
Received Date : 30 Dec 2016
Testing Period : 30 Dec 2016 to 04 Jan 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 30/12/2016	001	Total Suspended Solids	15	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120567-2	PAGE	: Page 1 of 1
DATE OF ISSUE	: 04 January 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 30 Dec 2016
Received Date : 30 Dec 2016
Testing Period : 30 Dec 2016 to 04 Jan 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 15-2 30/12/2016	002	Total Suspended Solids	15	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120567-3	PAGE	: Page 1 of 1
DATE OF ISSUE	: 04 January 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 30 Dec 2016
Received Date : 30 Dec 2016
Testing Period : 30 Dec 2016 to 04 Jan 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-1 30/12/2016	003	Total Suspended Solids	15	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120567-4	PAGE	: Page 1 of 1
DATE OF ISSUE	: 04 January 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 30 Dec 2016
Received Date : 30 Dec 2016
Testing Period : 30 Dec 2016 to 04 Jan 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3a-2 30/12/2016	004	Total Suspended Solids	16	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120567-5	PAGE	: Page 1 of 1
DATE OF ISSUE	: 04 January 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 30 Dec 2016
Received Date : 30 Dec 2016
Testing Period : 30 Dec 2016 to 04 Jan 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-1 30/12/2016	005	Total Suspended Solids	3.6	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N16120567-6	PAGE	: Page 1 of 1
DATE OF ISSUE	: 04 January 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : One batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 30 Dec 2016
Received Date : 30 Dec 2016
Testing Period : 30 Dec 2016 to 04 Jan 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 C3b-2 30/12/2016	006	Total Suspended Solids	4.4	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager