

Appendix I

Laboratory Results for Water Quality



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17030045
DATE OF ISSUE : 03 March 2017 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 01 Mar 2017
Received Date : 01 Mar 2017, 17:45
Testing Period : 01 Mar 2017, 18:00 to 03 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 1/3/2017	001	Total Suspended Solids	8.9	mg/L
LT3 I5-2 1/3/2017	002	Total Suspended Solids	8.2	mg/L
LT3 C3a-1 1/3/2017	003	Total Suspended Solids	21	mg/L
LT3 C3a-2 1/3/2017	004	Total Suspended Solids	21	mg/L
LT3 C3b-1 1/3/2017	005	Total Suspended Solids	7.7	mg/L
LT3 C3b-2 1/3/2017	006	Total Suspended Solids	11	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


John Chi-wai YAU
Assistant Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17030122
DATE OF ISSUE : 07 March 2017 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 03 Mar 2017
Received Date : 03 Mar 2017
Testing Period : 03 Mar 2017 to 07 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 3/3/2017	001	Total Suspended Solids	15	mg/L
LT3 I5-2 3/3/2017	002	Total Suspended Solids	16	mg/L
LT3 C3a-1 3/3/2017	003	Total Suspended Solids	15	mg/L
LT3 C3a-2 3/3/2017	004	Total Suspended Solids	19	mg/L
LT3 C3b-1 3/3/2017	005	Total Suspended Solids	7.5	mg/L
LT3 C3b-2 3/3/2017	006	Total Suspended Solids	7.3	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17030165
DATE OF ISSUE : 08 March 2017 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 06 Mar 2017
Received Date : 06 Mar 2017
Testing Period : 06 Mar 2017 to 08 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 6/3/2017	001	Total Suspended Solids	11	mg/L
LT3 I5-2 6/3/2017	002	Total Suspended Solids	11	mg/L
LT3 C3a-1 6/3/2017	003	Total Suspended Solids	7.3	mg/L
LT3 C3a-2 6/3/2017	004	Total Suspended Solids	12	mg/L
LT3 C3b-1 6/3/2017	005	Total Suspended Solids	4.0	mg/L
LT3 C3b-2 6/3/2017	006	Total Suspended Solids	3.9	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N17030228	PAGE	: Page 1 of 1
DATE OF ISSUE	: 10 March 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 08 Mar 2017
Received Date : 08 Mar 2017
Testing Period : 08 Mar 2017 to 10 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 8/3/2017	001	Total Suspended Solids	33	mg/L
LT3 I5-2 8/3/2017	002	Total Suspended Solids	34	mg/L
LT3 C3a-1 8/3/2017	003	Total Suspended Solids	29	mg/L
LT3 C3a-2 8/3/2017	004	Total Suspended Solids	27	mg/L
LT3 C3b-1 8/3/2017	005	Total Suspended Solids	12	mg/L
LT3 C3b-2 8/3/2017	006	Total Suspended Solids	12	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.
Tel: (852) 2676 2983 Fax: (852) 2676 2860
e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17030296
DATE OF ISSUE : 14 March 2017 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 10 Mar 2017
Received Date : 10 Mar 2017
Testing Period : 10 Mar 2017 to 14 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 10/3/2017	001	Total Suspended Solids	15	mg/L
LT3 I5-2 10/3/2017	002	Total Suspended Solids	16	mg/L
LT3 C3a-1 10/3/2017	003	Total Suspended Solids	16	mg/L
LT3 C3a-2 10/3/2017	004	Total Suspended Solids	16	mg/L
LT3 C3b-1 10/3/2017	005	Total Suspended Solids	4.7	mg/L
LT3 C3b-2 10/3/2017	006	Total Suspended Solids	5.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Susan, Wai-shan Ko
Senior Chemist



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17030330
DATE OF ISSUE : 15 March 2017
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 13 Mar 2017
Received Date : 13 Mar 2017
Testing Period : 13 Mar 2017 to 15 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 13/3/2017	001	Total Suspended Solids	16	mg/L
LT3 I5-2 13/3/2017	002	Total Suspended Solids	17	mg/L
LT3 C3a-1 13/3/2017	003	Total Suspended Solids	19	mg/L
LT3 C3a-2 13/3/2017	004	Total Suspended Solids	18	mg/L
LT3 C3b-1 13/3/2017	005	Total Suspended Solids	3.6	mg/L
LT3 C3b-2 13/3/2017	006	Total Suspended Solids	5.7	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N17030400	PAGE	: Page 1 of 1
DATE OF ISSUE	: 17 March 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 15 Mar 2017
Received Date : 15 Mar 2017
Testing Period : 15 Mar 2017 to 17 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 15/3/2017	001	Total Suspended Solids	5.0	mg/L
LT3 I5-2 15/3/2017	002	Total Suspended Solids	5.3	mg/L
LT3 C3a-1 15/3/2017	003	Total Suspended Solids	5.8	mg/L
LT3 C3a-2 15/3/2017	004	Total Suspended Solids	8.8	mg/L
LT3 C3b-1 15/3/2017	005	Total Suspended Solids	4.1	mg/L
LT3 C3b-2 15/3/2017	006	Total Suspended Solids	3.7	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Susan, Wai-shan Ko
Senior Chemist



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17030474
DATE OF ISSUE : 21 March 2017
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 17 Mar 2017
Received Date : 17 Mar 2017
Testing Period : 17 Mar 2017 to 21 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 17/3/2017	001	Total Suspended Solids	3.2	mg/L
LT3 I5-2 17/3/2017	002	Total Suspended Solids	2.9	mg/L
LT3 C3a-1 17/3/2017	003	Total Suspended Solids	32	mg/L
LT3 C3a-2 17/3/2017	004	Total Suspended Solids	27	mg/L
LT3 C3b-1 17/3/2017	005	Total Suspended Solids	4.9	mg/L
LT3 C3b-2 17/3/2017	006	Total Suspended Solids	5.8	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N17030523	PAGE	: Page 1 of 1
DATE OF ISSUE	: 22 March 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 20 Mar 2017
Received Date : 20 Mar 2017
Testing Period : 20 Mar 2017 to 22 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 20/3/2017	001	Total Suspended Solids	3.9	mg/L
LT3 I5-2 20/3/2017	002	Total Suspended Solids	3.1	mg/L
LT3 C3a-1 20/3/2017	003	Total Suspended Solids	20	mg/L
LT3 C3a-2 20/3/2017	004	Total Suspended Solids	24	mg/L
LT3 C3b-1 20/3/2017	005	Total Suspended Solids	5.3	mg/L
LT3 C3b-2 20/3/2017	006	Total Suspended Solids	4.6	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17030609
DATE OF ISSUE : 24 March 2017 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 22 Mar 2017
Received Date : 22 Mar 2017
Testing Period : 22 Mar 2017 to 24 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 22/3/2017	001	Total Suspended Solids	3.2	mg/L
LT3 I5-2 22/3/2017	002	Total Suspended Solids	3.1	mg/L
LT3 C3a-1 22/3/2017	003	Total Suspended Solids	30	mg/L
LT3 C3a-2 22/3/2017	004	Total Suspended Solids	38	mg/L
LT3 C3b-1 22/3/2017	005	Total Suspended Solids	4.2	mg/L
LT3 C3b-2 22/3/2017	006	Total Suspended Solids	4.7	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


John Chi-wai YAU
Assistant Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N17030674	PAGE	: Page 1 of 1
DATE OF ISSUE	: 28 March 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 24 Mar 2017
Received Date : 24 Mar 2017
Testing Period : 24 Mar 2017 to 28 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 24/3/2017	001	Total Suspended Solids	4.2	mg/L
LT3 I5-2 24/3/2017	002	Total Suspended Solids	4.0	mg/L
LT3 C3a-1 24/3/2017	003	Total Suspended Solids	11	mg/L
LT3 C3a-2 24/3/2017	004	Total Suspended Solids	20	mg/L
LT3 C3b-1 24/3/2017	005	Total Suspended Solids	4.1	mg/L
LT3 C3b-2 24/3/2017	006	Total Suspended Solids	4.3	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17030702
DATE OF ISSUE : 29 March 2017 PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 27 Mar 2017
Received Date : 27 Mar 2017
Testing Period : 27 Mar 2017 to 29 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 27/3/2017	001	Total Suspended Solids	3.3	mg/L
LT3 I5-2 27/3/2017	002	Total Suspended Solids	4.3	mg/L
LT3 C3a-1 27/3/2017	003	Total Suspended Solids	9.4	mg/L
LT3 C3a-2 27/3/2017	004	Total Suspended Solids	13	mg/L
LT3 C3b-1 27/3/2017	005	Total Suspended Solids	6.2	mg/L
LT3 C3b-2 27/3/2017	006	Total Suspended Solids	7.5	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17030753
DATE OF ISSUE : 31 March 2017
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 29 Mar 2017
Received Date : 29 Mar 2017
Testing Period : 29 Mar 2017 to 31 Mar 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 29/3/2017	001	Total Suspended Solids	16	mg/L
LT3 I5-2 29/3/2017	002	Total Suspended Solids	15	mg/L
LT3 C3a-1 29/3/2017	003	Total Suspended Solids	24	mg/L
LT3 C3a-2 29/3/2017	004	Total Suspended Solids	27	mg/L
LT3 C3b-1 29/3/2017	005	Total Suspended Solids	9.5	mg/L
LT3 C3b-2 29/3/2017	006	Total Suspended Solids	8.8	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Susan, Wai-shan Ko
Senior Chemist



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N17030838	PAGE	: Page 1 of 1
DATE OF ISSUE	: 05 April 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 31 Mar 2017
Received Date : 31 Mar 2017
Testing Period : 31 Mar 2017 to 05 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 31/3/2017	001	Total Suspended Solids	41	mg/L
LT3 I5-2 31/3/2017	002	Total Suspended Solids	40	mg/L
LT3 C3a-1 31/3/2017	003	Total Suspended Solids	20	mg/L
LT3 C3a-2 31/3/2017	004	Total Suspended Solids	40	mg/L
LT3 C3b-1 31/3/2017	005	Total Suspended Solids	13	mg/L
LT3 C3b-2 31/3/2017	006	Total Suspended Solids	14	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager