

Appendix I

Laboratory Results for Water Quality



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17040039
DATE OF ISSUE : 06 April 2017

PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 03 Apr 2017
Received Date : 03 Apr 2017
Testing Period : 03 Apr 2017 to 06 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 3/4/2017	001	Total Suspended Solids	11	mg/L
LT3 I5-2 3/4/2017	002	Total Suspended Solids	11	mg/L
LT3 C3a-1 3/4/2017	003	Total Suspended Solids	13	mg/L
LT3 C3a-2 3/4/2017	004	Total Suspended Solids	15	mg/L
LT3 C3b-1 3/4/2017	005	Total Suspended Solids	6.2	mg/L
LT3 C3b-2 3/4/2017	006	Total Suspended Solids	5.7	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N17040072	PAGE	: Page 1 of 1
DATE OF ISSUE	: 07 April 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 05 Apr 2017
Received Date : 05 Apr 2017
Testing Period : 05 Apr 2017 to 07 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 5/4/2017	001	Total Suspended Solids	3.8	mg/L
LT3 I5-2 5/4/2017	002	Total Suspended Solids	3.6	mg/L
LT3 C3a-1 5/4/2017	003	Total Suspended Solids	13	mg/L
LT3 C3a-2 5/4/2017	004	Total Suspended Solids	17	mg/L
LT3 C3b-1 5/4/2017	005	Total Suspended Solids	6.3	mg/L
LT3 C3b-2 5/4/2017	006	Total Suspended Solids	5.3	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N17040216	PAGE	: Page 1 of 1
DATE OF ISSUE	: 11 April 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 07 Apr 2017
Received Date : 07 Apr 2017
Testing Period : 07 Apr 2017 to 11 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 7/4/2017	001	Total Suspended Solids	3.9	mg/L
LT3 I5-2 7/4/2017	002	Total Suspended Solids	6.0	mg/L
LT3 C3a-1 7/4/2017	003	Total Suspended Solids	120	mg/L
LT3 C3a-2 7/4/2017	004	Total Suspended Solids	120	mg/L
LT3 C3b-1 7/4/2017	005	Total Suspended Solids	13	mg/L
LT3 C3b-2 7/4/2017	006	Total Suspended Solids	9.0	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager

TEST REPORT

JOB NO.	: N17040296	PAGE	: Page 1 of 1
DATE OF ISSUE	: 12 April 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 10 Apr 2017
Received Date : 10 Apr 2017
Testing Period : 10 Apr 2017 to 12 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 10/4/2017	001	Total Suspended Solids	6.0	mg/L
LT3 I5-2 10/4/2017	002	Total Suspended Solids	4.6	mg/L
LT3 C3a-1 10/4/2017	003	Total Suspended Solids	74	mg/L
LT3 C3a-2 10/4/2017	004	Total Suspended Solids	82	mg/L
LT3 C3b-1 10/4/2017	005	Total Suspended Solids	6.6	mg/L
LT3 C3b-2 10/4/2017	006	Total Suspended Solids	6.3	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


John Chi-wai YAU
Assistant Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N17040343	PAGE	: Page 1 of 1
DATE OF ISSUE	: 18 April 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 12 Apr 2017
Received Date : 12 Apr 2017
Testing Period : 12 Apr 2017 to 18 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 12/4/2017	001	Total Suspended Solids	5.7	mg/L
LT3 I5-2 12/4/2017	002	Total Suspended Solids	6.1	mg/L
LT3 C3a-1 12/4/2017	003	Total Suspended Solids	50	mg/L
LT3 C3a-2 12/4/2017	004	Total Suspended Solids	56	mg/L
LT3 C3b-1 12/4/2017	005	Total Suspended Solids	28	mg/L
LT3 C3b-2 12/4/2017	006	Total Suspended Solids	32	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17040417
DATE OF ISSUE : 20 April 2017
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 18 Apr 2017
Received Date : 18 Apr 2017
Testing Period : 18 Apr 2017 to 20 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 18/4/2017	001	Total Suspended Solids	2.5	mg/L
LT3 I5-2 18/4/2017	002	Total Suspended Solids	3.6	mg/L
LT3 C3a-1 18/4/2017	003	Total Suspended Solids	19	mg/L
LT3 C3a-2 18/4/2017	004	Total Suspended Solids	20	mg/L
LT3 C3b-1 18/4/2017	005	Total Suspended Solids	8.1	mg/L
LT3 C3b-2 18/4/2017	006	Total Suspended Solids	8.4	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N17040470	PAGE	: Page 1 of 1
DATE OF ISSUE	: 24 April 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 20 Apr 2017
Received Date : 20 Apr 2017
Testing Period : 20 Apr 2017 to 24 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 20/4/2017	001	Total Suspended Solids	5.7	mg/L
LT3 I5-2 20/4/2017	002	Total Suspended Solids	5.5	mg/L
LT3 C3a-1 20/4/2017	003	Total Suspended Solids	24	mg/L
LT3 C3a-2 20/4/2017	004	Total Suspended Solids	29	mg/L
LT3 C3b-1 20/4/2017	005	Total Suspended Solids	18	mg/L
LT3 C3b-2 20/4/2017	006	Total Suspended Solids	16	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17040548
DATE OF ISSUE : 25 April 2017
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 22 Apr 2017
Received Date : 24 Apr 2017
Testing Period : 24 Apr 2017 to 25 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 22/4/2017	001	Total Suspended Solids	19	mg/L
LT3 I5-2 22/4/2017	002	Total Suspended Solids	20	mg/L
LT3 C3a-1 22/4/2017	003	Total Suspended Solids	26	mg/L
LT3 C3a-2 22/4/2017	004	Total Suspended Solids	25	mg/L
LT3 C3b-1 22/4/2017	005	Total Suspended Solids	23	mg/L
LT3 C3b-2 22/4/2017	006	Total Suspended Solids	25	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO.	: N17040568	PAGE	: Page 1 of 1
DATE OF ISSUE	: 26 April 2017		

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 24 Apr 2017
Received Date : 24 Apr 2017
Testing Period : 24 Apr 2017 to 26 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 24/4/2017	001	Total Suspended Solids	14	mg/L
LT3 I5-2 24/4/2017	002	Total Suspended Solids	13	mg/L
LT3 C3a-1 24/4/2017	003	Total Suspended Solids	36	mg/L
LT3 C3a-2 24/4/2017	004	Total Suspended Solids	41	mg/L
LT3 C3b-1 24/4/2017	005	Total Suspended Solids	12	mg/L
LT3 C3b-2 24/4/2017	006	Total Suspended Solids	12	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:

Kenneth, Kar-kin LAM
Senior Lab. Manager

TEST REPORT

JOB NO. : N17040644
DATE OF ISSUE : 28 April 2017
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 26 Apr 2017
Received Date : 26 Apr 2017
Testing Period : 26 Apr 2017 to 28 Apr 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 26/4/2017	001	Total Suspended Solids	4.5	mg/L
LT3 I5-2 26/4/2017	002	Total Suspended Solids	4.9	mg/L
LT3 C3a-1 26/4/2017	003	Total Suspended Solids	21	mg/L
LT3 C3a-2 26/4/2017	004	Total Suspended Solids	18	mg/L
LT3 C3b-1 26/4/2017	005	Total Suspended Solids	14	mg/L
LT3 C3b-2 26/4/2017	006	Total Suspended Solids	11	mg/L

--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:



Kenneth, Kar-kin LAM
Senior Lab. Manager



ENVIRO LABS LIMITED

Rm. 510 & 611-612, Hong Leong Plaza, 33 Lok Yip Rd., Fanling, N.T., H.K.

Tel: (852) 2676 2983 Fax: (852) 2676 2860

e-mail: ell@envirolabs.com.hk website: <http://www.envirolabs.com.hk>

TEST REPORT

JOB NO. : N17040738
DATE OF ISSUE : 04 May 2017
PAGE : Page 1 of 1

1. Customer

Enovative Environmental Service Limited
Room 811, Hin Pui House,
Hin Keng Estate,
Tai Wai, Shatin, N.T., Hong Kong
Attn.: Mr. Thomas Wong

2. Sample Identification

Sample Description : Six batch(es) of water samples said to be discharge water were submitted by the customer and received at the laboratory in ambient condition.
Sampling : Conducted by the customer.
Sampling Date^a : 28 Apr 2017
Received Date : 28 Apr 2017
Testing Period : 28 Apr 2017 to 04 May 2017

3. Test Methods

Parameters	Reference Methods	Limits of Reporting
Total Suspended Solids dried at 103-105°C	APHA ^b 17e 2540 D	2.5 mg/L

4. Test Results^c

Sample I.D. marked by the customer	Sample No.	Parameters	Test Results	Units
LT3 I5-1 28/4/2017	001	Total Suspended Solids	2.5	mg/L
LT3 I5-2 28/4/2017	002	Total Suspended Solids	<2.5	mg/L
LT3 C3a-1 28/4/2017	003	Total Suspended Solids	21	mg/L
LT3 C3a-2 28/4/2017	004	Total Suspended Solids	19	mg/L
LT3 C3b-1 28/4/2017	005	Total Suspended Solids	11	mg/L
LT3 C3b-2 28/4/2017	006	Total Suspended Solids	9.4	mg/L


--- END OF REPORT ---

^a Information is provided by the customer

^b APHA Standard Methods for the Examination of Water and Wastewater, AWWA

^c Test results relate only to the items received

APPROVED SIGNATORY:


Kenneth, Kar-kin LAM
Senior Lab. Manager